of its composition are not acceptable.

BEST AVAILABLE CUPY

ATTACHMENT IS APPLICABLE	2,12	
SIGNATURE OF APPROVING OFFICIAL	Malthen	System 11/99/

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

63273;CR-31;Moats;WP5.0-5;KEVRIC:09/06/91:10/06/91:rj:WO:DD:CL

- d. Either delete or explain the term "Absorbine" in the product name. It implies that the product is absorbed through the skin which would make it an animal drug subject to regulation by FDA.
- 3. Subsit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Nanager (13) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures



absorbine ultra shield residual insecticide & repellent

FOR HORSES - PONIES - DOGS

PLEASANTLY SCENTED WITH ALOE, LANOLIN, CITPONELLA AND SUNSCREENS IN A NON-OILY SILICONE/WATER BASE

KILLS FLEAS, TICKS AND LICE ON DOGS FOR UP TO 28 DAYS ALSO CONTAINS A GROOMING AID AND COAT CONDITIONER

ACTIVE INGREDIENTS:

*Permethrin	0.50%
Pyrethrins	0.10%
**Piperonyl Butoxide Technical	1.00%
INERT INGREDIENTS:	98.40%
	100.00%

- *(3-Phenoxyphenyl)methyl (\pm) cis-trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate Cis-trans ratio: Min. 35% (\pm) cis, Max. 65% (\pm) trans
- **Equivalent to .80% (butylcarbityl) (6-propylpiperonyl) ether and .20% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

HANUFACTURED BY:

W.F. YOUNG, INC.

111 LYMAN STREET, SPRINGFIELD, MA 01103 USA

EPA Est. No. 1543 -MA-1

EPA Reg. No. 1543-

NET CONTENTS __ OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

5GP1 | 1994

4. 4. 4.

OF AVELLE GUZE

05/15/91 EL128Y

Page 1

-1··· 1543-1

Ready to use. No mixing necessary. This water-base fermulation may be applied directly with trigger spray applicator or as a wipe-on.

Kills fleas, ticks and lice on dogs. Also repels and controls house flies, stable flies, horn flies, face flies, horse flies, deer flies, mosquitoes and gnats on horses. Kills fleas and ticks around premises. Repels flies, mosquitoes and gnats for 3-5 days on horses.

DOGS

Cover animals eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose, and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against natural lay of the hair. On long haired dogs rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed. Controls fleas, ticks and lice on dogs and provides up to 28 days protection from reinfestation.

DOGS SLEEPING QUARTERS
Spray around baseboards, windows, door frames, wall cracks
and local area of floors. Repeat as needed. The pet's
bedding area should be sprayed. Spray old bedding or replace
with fresh bedding.

HORSES AND PONIES
USE AS A WIPE ON: First, brush animal to remove excess dirt and dust. Moisten (but do not wet to the point of dripping) a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the coat. Repeat as required.

USE AS A SPRAY: Apply to face, legs, flanks, top line and other body areas commonly attacked by flies. Do not wet horse's skin or exceed two ounces per application. After application, brush thoroughly to bring out bright sheen on the coat. Repeat treatment as needed.

The state of the s

STORAGE AND DISPOSAL

Storage: Store in a cool area above 32°F and protect from

freezing.

Disposal: Do not re-use container. Wrap and put in

trash.

PRECAUTIONARY STATEMENTS CAUTION Hazards to Howans and Domestic Animals

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a Physician if irritation persists.

.

که انسون ک