1543-15

5/23/2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460 0001

> OFFICE OF CHEMICALSAFETY AND POLLUTION PREVENTION

May 23, 2012

Ms Sharon Johnston Agent for W F Young, Inc RegGuide 509 Tower Valley Drive Hillsboro, MO 63050

Subject Amended Reregistration Label Product Name WFY0301 EPA Registration Number 1543-15 EPA Decision Number 140946, 412521 and 413775

Dear Ms Johnston

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the **Permethrin**, **Pyrethrins and Piperonyl Butoxide** REDs and has concluded that your submission is acceptable

NOTE This product is **not** being reregistered under sections 3(c) 5 and 4(g) of FIFRA at this time

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below Any previously dated CSFs are superseded

- Basic CSF, dated 3/3/10
- Alternate CSFs #1-2, dated 3/3/10

Please note that, should you wish to add/retain a reference to the company's website on your label, the website becomes labeling under FIFRA and is subject to review by the Agency If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under section 12(a)(1)(E) of FIFRA 40 CFR §156 10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not be substantially differ from those claims approved through the registration process. Therefore, should the Agency find, or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance (OECA) As an alternative, you may refer consumers to the company's phone number or e-mail address

Please be reminded that 40 CFR Part 156 140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e)

If you have any questions about this letter, please contact either Linda Arrington at (703) 305-6249 or via e-mail at <u>Arrington Linda@epa gov</u>

Sincerely yours,

Richard J Gebken Product Manager (10) Insecticide Branch Registration Division (7505P)

Enclosures Label stamped "Accepted," dated 5/23/12 Acute Toxicity Review, dated 4/21/10 Product Chemistry, dated 5/31/11

(

MASTER LABEL

May 18, 2012

WFY0301

[Weatherproof Insecticide & Repellent]

1

[The Horse World's Most Trusted Name® [Since 1892]]

[Field tested and proven effective]

[Kills and repels [biting and nuisance flies, gnats, mosquitoes on horses] [for up to 17 days]]

[Kills and repels biting and nuisance flies, ticks that may carry Lyme Disease and mosquitoes including the Culex species which has been known to transmit West Nile Virus]

[Long-lasting repellency that protects and stays active for up to 17 days]

[Weatherproof formula [binds to the hair shaft to repel and protect from bugs, sun, sweat, water, dust and dirt] [for up to 17 days]]

[[Sun] [Sweat] [water and rain] resistant formula [that produces a shine that shields]] [Stays active for up to 17 days]

[17-day [waterproof] [pasture] protection]

[Extends repellence for 17 days [with Bug Block® Technology]]

[Bug Graphics fly, mosquito, tick, gnat]

[Weather Graphics]

[Kills [& Repels] more than 70 species]

[[With] UltraBond Technology]


{Additional alternate bullet points listed at end of label}

ACTIVE INGREDIENTS

Permethrin*	0 5%
Pyrethrins	0 1%
Piperonyl Butoxide**	1 0%
OTHER INGREDIENTS	<u>98 4%</u>
TOTAL	100 0%

**cis/trans* ratio Min 35% (+/) *cis* and Max 65% (+/) *trans* **(butylcarbityl)(6 propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION



See Back/Side Label Panel for Additional Precautionary Statements

Net Contents _____

MASTER LABEL

May 18, 2012

READ ENTIRE LABEL BEFORE EACH USE ON ANIMAL USE - USE ONLY ON HORSES, PONIES AND DOGS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

General Precautions & Use Restrictions

- Do not apply as a broadcast or spot treatment to indoor surfaces at residential sites
- All outdoor applications must be limited to spot or crack-and-crevice treatments only
- Except when applying directly to animals, do not allow adults, children or pets to enter the treated area until sprays have dried
- Except when applying directly to animals, do not apply this product in a way that will contact adults, children or pets either directly or through drift
- Remove or cover exposed food and drinking water before application
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use
- Do not wet articles to point of runoff or drip
- Do not use treated article until spray has dried
- Do not use on foals or puppies less than 12 weeks of age
- Do not use on horses intended for human consumption
- Remove pets, birds and cover fish aquariums before surface spraying
- Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur Do not allow the product to enter any drain during or after application

MASTER LABEL

May 18, 2012

HOLD CONTAINER UPRIGHT SHAKE WELL BEFORE USING

Spray or wipe-on Protect your horses and dogs Ready to use No mixing necessary This water-based formulation may be applied directly with spray applicator or as a wipeon

17-day weatherproof formula provides long-lasting repellency and protection from biting and nuisance flies, gnats, ticks and mosquitoes This unique formula also contains multiple sunscreens and coat conditioners including Aloe and Lanolin and it is pleasantly scented with Citronella

HORSES AND PONIES

Kills and repels biting and nuisance flies, gnats, mosquitoes and ticks for up to 17 days Including Horse Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, House Flies, Black Flies, Cluster Flies, Sciarid Flies, Gnats, Midges, Punkies, No-See-Ums, Deer Ticks, Lone Star Ticks, Chiggers, American Dog Ticks, Brown Dog Ticks, Gulf Coast Ticks, Fleas and Lice

USE AS A WIPE OR A SPRAY This product may be applied either as a wipe or as a spray When applying as a wipe or on the horse's face, always use a soft cloth First, brush animal to remove excess dirt and dust Spray or wipe horse's entire body while brushing against the lay of the coat to ensure adequate coverage Avoid getting spray into horse's eyes, nose or mouth Do not wet skin or apply to the point of dripping or exceed two ounces per application Reapply every 7- to 10 days under normal conditions for initial applications As protection builds, reapply every 12 to 17 days as needed Also, reapply each time animal is washed or exposed to heavy rain for best results After application, brush thoroughly to bring out bright sheen on the coat

USE AS A ROLLON Remove cap from bottle Apply around **horse's and pony's** nose, eyes, ears and mouth May also be used as a spot treatment on areas where flies gather Avoid direct application to eyes, nose and mouth Replace cap after use For initial treatment, apply daily for 2 to 3 days

DOGS Kills and repels fleas, ticks (that may carry Lyme Disease), mosquitoes and lice on dogs Also kills and repels fleas, ticks, mosquitoes and lice around premises Cover animal's eyes with hands With a firm stroke to get a proper spray mist, spray head, ears and chest until damp With soft cloth, rub into face around mouth, nose and eyes Then spray neck, middle and hind quarters, finishing legs last For best penetration of spray to the skin, direct spray against natural lay of the hair On long haired dogs, rub against the lay of the hair, spraying the ruffled hair directly behind the hand Make sure spray thoroughly wets ticks During the flea season, retreat every 3-4 weeks if necessary Kills fleas, ticks and lice on dogs and provides up to 28 days protection from reinfestation Sensitivities may occur after using ANY pesticide product on pets If signs of sensitivity

WFY0301	
1543-15	

MASTER LABEL

May 18, 2012

occur, bathe your pet with mild soap and rinse with large amounts of water If signs continue, consult a veterinarian immediately Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication

DOGS SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and localized areas of floors The pet's bedding areas should be sprayed Spray old bedding or replace with fresh bedding

USE AS A PREMISE SPRAY Kills insects on contact such as Carpenter Bees, American Cockroaches, Asian Cockroaches, Australian Cockroaches, Brown Banded Cockroaches, German Cockroaches, Oriental Cockroaches, Smokey Brown Cockroaches, Black Widow Spiders, Cellar Spiders, Fire Ants, Carpenter Ants, Pharaoh Ants, Foraging Ants, Grain Mites, Clover Mites, Beetles (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Sawtoothed Grain, Warehouse, Red Flour, Ground, Elm Leaf and Rice Weevils), Palmetto Bugs, Water Bugs, Cadelles, Indian Meal Worms, Sowbugs, Boxelder Bugs, Earwigs, Pillbugs, Firebrats, Silverfish, Clothes Moths, Booklice, Centipedes, Millipedes, Crickets, Earwigs, Scorpions, flying moths (including Almond, Chocolate, Tobacco, Indian Meal and Angoumois Grain and other flying moths) Spray in areas where insects congregate Apply at a rate of 1 gallon per 1000 sq ft [1 quart [32 oz] per 250 sq ft] [1 oz per 8 sq ft] Direct spray to contact insects for rapid knockdown and kill Spray around door facings and screens to render area unattractive to insects This will help to repel insects and prevent entrance into building

STORAGE AND DISPOSAL

Pesticide Storage Store in a cool area above 32°F and protect from freezing **Pesticide Disposal and Container Handling** Non-refillable container Do not reuse or refill this container **If empty** Place in trash or offer for recycling if available **If partly filled** Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

{Alternate Storage and Disposal instructions for refillable containers}

MASTER LABEL

(

May 18, 2012

STORAGE AND DISPOSAL

Pesticide Storage Store in a cool area above 32°F and protect from freezing **Pesticide Disposal and Container Handling** Refillable container Refill this container with pesticide only Do not reuse this container for any other purpose If **empty** Place in trash or offer for recycling if available If partly filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

{Alternate Storage and Disposal instructions for bag on valve containers }

STORAGE AND DISPOSAL

Pesticide Storage Store in a cool area above 32°F and below 120°F Protect from freezing

Pesticide Disposal and Container Handling Nonrefillable container Do not reuse or refill this container Contents under pressure Do not puncture or incinerate **If empty** Place in trash or offer for recycling if available **If partly filled** Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

	FIRST AID
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
	ntainer or label with you when calling a poison control center or doctor, or You may also contact 1-800 628-9653 for emergency medical treatment

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Causes moderate eye irritation Avoid contact with eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco Remove contaminated clothing and wash clothing before reuse

MASTER LABEL

May 18, 2012

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product to allow it to drift to blooming corps or weeds while bees are actively visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Combustible Do not use or store near heat or open flame Do not store near or use with oxidizing agents

Distributed by

W F Young, Inc 302 Benton Drive E Longmeadow, MA 01028 ©WFY RM# Printed in U S A www absorbine com

EPA Est No EPA Reg No 1543-15

{Additional Alternate Bullet Points}

[[Also] contains multiple sunscreens and coat conditioners including Aloe and Lanolin]
[[and is] pleasantly scented with Citronella]
[Blanket your horse with WFY0301 protection from Absorbine®]
[Broad-spectrum control from Absorbine®]
[Protect your horses and dogs with Absorbine®]
[Performance is not affected by water, sweat, sun, dust or dirt]
[Also for use on dogs]
[Kills ticks on dogs]
[Bug Block® Technology extends repellency]
[Stops bugs before they bite]
[Blocks bugs from biting]

MASTER LABEL

(

May 18, 2012

[24 hours a day 7 days a week for up to 17 days]
[24/17 pest protection]
[24/7 pest protection]
[Round-the-clock [premium pasture] protection]
[Works day and night]
[For use on horses ponies and dogs]
[Quick knockdown [kill and repellency protects for up to 17 days]]
[Continuous Spray – No Pumping Required]
[Quick & Even Coverage]
[Any Angle Spray]
[Continuous Silent Spray]
[Whisper [Quiet] Spray Mist]
[[with] Easy Swipe® [applicator]]

(

[] Denote alternate text in addition to any subset of the directions for use