		MENTAL PR TON, D.C. 204		AGENCY	• • • •	
The AL AROTECTON	NOV	7 2013				· · · · · · · · · · · · · · · · · · ·
			AN	OFFICE OF CHEMICAL SAFE D POLLUTION PREV		
Ms. Sharon M. Johnston W.F. Young, Inc.						
302 Benton Drive East Longmeadow, MA 01028						
Subject: Label Notification(s) for	Pesticide Re	gistration 98	10			
				استعمل موادی های است. ماند از باین از باین از است. معادله میشود ماند از ماند از است.		میشهند در میشانده و است. میکنود و بهبوره

Alternate Brand Name(s) Absorbine UltraShield EX Barn Dog Insecticide & Repellent Absorbine UltraShield EX Farm Dog Insecticide & Repellent Absorbine UltraShield EX Insecticide & Repellent for Dogs

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

EPA Registration Number 1543-15 WFY0301

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks at <u>banks.melody@epa.gov</u>. or at 703 305-5413.

Sincerely

Richard Gebken Product Manager Insecticide Branch Registration Division (7504P)

Application for Pesticide - Section 1 1. Company/Product Number 1543-15 2. Company/Product (Name) WFY0301 WFY0301 PM# 10. Some and Address of Applicant (Include 2/P Code) 6. Expedited Reveiw. In accordance with FIFAA Section (0) (0) (my product is similar or used bill intracent product intracent product is similar or used bill intracent product intracent product is similar or used bill intracent product intracent product is similar or used bill intracent product interval intracent product intracent product intracent product interval interval intra	- · ·
1543-15 Richard Gebken Image: Company/Product Name Company/Product Name WF Y0301 PM# 10 10 10 Name and Address.of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section (b(I), my product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product is similar or ideal status and product and product and product is similar or ideal status and product and product is similar or ideal status and product and produ	
CompanyProduct:(Name) PN# 10 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 <	ication Restricted
W.F. Young, Inc. (b)(i), my product is similar or to the similar or the sime or to the similar or the similar or to the similar or the similar or to the similar or to the similar or to the sim or the sim the similar to the section if the similar	
East Longmeadow, MA 01028 EPA Reg: NoNOV -7-2013 Check if this is a new address Product:Name Amendment - Explain below. Resubmission in response to Agency letter dated Agency letter dated Me Too * Application. Notification : Explain below. Notification is consistent with the provisions of PR Notice 98-10 and 9CR 152.46, and no other changes have been made abeling or the confidential statement of formula of this product. Lunderstand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false 2 PA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 9CR 152.46, this product may be in viol PRA and I may be subject to an and penalter understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false 2 PA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 9CR 152.46, this product may be in viol PRA and I may be subject to an and penalter understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false 2 PA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 9CR 152.46, this product may be in viol PRA and I may be subject to an and penalter understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false 2 PA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 9CR 152.46, this product may be in viol PRA and I may be subject to an and penalter understand that it is a violation of 18 U.S.C. Sec. 1001 to will understand that it is a violation of the Product Will Be Packaging V No Certification must V No Certification must Label Container V No Container V No Container V No Conta	on 3(c)(3) d labeling
Amendment - Explain balow. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated *Me*Too* Application. Metal *Me*Too* Application. Notification : Explain balow. Other - Explain balow. Notification : Explain balow. Other - Explain balow. Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product. I understand that it is aviolation of 18 U.S.C. Sci. Contor changes have been madule of the product MBS PER PR IN ONTICE 98-10: Absorbine UltraShield EX fam. Dog Insecticide & Repellent; Absorbine UltraShield EX fam. Dog Insecticide & Repr	· · · · · · · · · · · · · · · · · · ·
Amendment - Explain below. Final-printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated Merror-Application Notification - Explain below. Other - Explain below. Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been madbeling or the confidential statement of formula of this product. Lunderstand that it is a violation of 18 U.S.C.S. co.1001 to willify make any false generation and penalizes under sections 12 and 14 of FIRA. IOTIFICATION OF ALTERNATE BRAND NAMES PER PR NOTICE 98-10 and EPA regulations at 40 CFR 152.46, this product may be in viol ItraShield EX Farm Dog Insecticide & Repellent; Absorbine UltraShield EX Farm Dog Insecticide & Repellent; Absorbine UltraShield EX Ram Dog Insecticide & Repellent; Absorbine UltraShield EX Farm Dog Insecticide & Repellent; Absorbine UltraShield EX Ram Dog Insecticide & Repellent; Absorbine	· · · · · · · · · · · · · · · · · · ·
Agency Jetter dated Mentod Mentod Mentod Application Mentod Application Mentod Application Mentod Application Mentod Application Mentod Application Mentod Other - Explain below. Other - Explain below. Other - Explain below. Other - Explain below. Other - Explain below. If understand that if this notification is not consistent with the provisions of PR Notice 98-10 and 40 CFR 152.46, file and the will wall by early take as place to conferential statement of formula of this product. I understand that if subject to enforcement action and penalties under sections 12 and 14 of FFRA. UNTIFICATION OF ALTERNATE BRAND NAMES PER PR NOTICE 98-10. Absorbine UltraShield EX Barn Dog Insecticide & Repellent; Absorbine UltraShield EX Insecticide & Repellent For Dogs Section - III Material This Product Will Be Packaged In: hild-Resistant Packaging Unit Packaging wgt. Yes No Yes No Yes No Isotrict No. per Package wgt Container Stenciled S. Location of Label Directions Location of Net Contents Information	
his notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made beling or the confidential statement of formula of this product. Lunderstand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false e PA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in viola IFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. OTIFICATION OF ALTERNATE BRAND NAMES PER PR NOTICE 98-10: Absorbine UltraShield EX Barn Dog Insecticide & Repellent; Absorbine UltraShield EX Farm Dog Insecticide & Repellent; Absorbine UltraShield EX Insecticide & Repellent For Dogs Section - III Material This Product Will Be Packaged In: iild-Resistant Packaging V As No Certification must Label Vin Packaging wgt. container Distributed of the Package vgt. No. per Unit Packaging wgt. container Label Container Label Container Label Container Manner in Which Label is Affixed to Product Manner in Which Label is Affixed to Product Section - IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process, this application.) me Section - IV Certification Certification Manner in Which Label is Affixed to Product Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process, this application.) me Certification Certification Certification Certification Certification Certification Certification Certification	
ild-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes Yes Matal No Yes Matal If "Yes" No. per If "Yes" Montainer submitted If "Yes" No. per If "Yes" No. per Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Label Container 1 pint to 1 gallon on label Manner in Which Label is Affixed to Product Lithograph Other Section - IV Section - IV Container Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process, this application.) Telephone No: (Include A Regulatory Consultant Certification Certification Signation Signation	10
Yes Yes Yes Yes Yes No No No No No Pastic Certification must If "Yes" No. per container If "Yes" No. per container Section of Label Glass Location of Net Contents Information 4. Size(s) Retail Container S. Location of Label Directions Label Container 1 pint to 1 gallon on label Manner in Which Label is Affixed to Product ✓ Lithograph Paper glued Stenciled Other Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process, this application.) Telephone Not (Include A Regulatory Consultant Glash (36) 942-258: Certification Certification Glash (36) 942-258: Glash (36) 942-258:	
Certification must a submitted Unit Packaging wgt. container Package wgt container Other (Specify) Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions V Label Container 1 pint to 1 gallon	
Label Container 1 pint to 1 gallon Image: onlabel Manner in Which Label is Affixed to Product Image: Lithograph Paper glued Stenciled Other Section - IV Image: Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) ame Title Image: Consultant Sharon M. Johnston Title Image: Certification Certification Image: Certification Image: Certification	
Section - IV Contact Point (Complete items directly below for identification of individuel to be contacted, if necessary, to process this application.) ame Sharon M. Johnston Certification Certification	
Section - IV . Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) ame Sharon M. Johnston Certification Sharon M. Johnston Certification	-
Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) ame Telephone Not (Include A Sharon M. Johnston Certification Certification	
Sharon M. Johnston Regulatory Consultant (636) 942-258: Certification 6: Date Applic	<u>n na manda ni da di ku</u>
Continued	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.	
Signature 3. Title Regulatory Consultant	33 cation

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

Yellow - Applicant Copy

MASTER LABEL

Notification: July 17, 2013

NOTIFICATION

NOV = 7 - 2013

WFY0301

{Alternate Brand Names:}

[Absorbine UltraShield EX Barn-Dog Insecticide & Repellent] [Absorbine UltraShield EX Farm Dog Insecticide & Repellent] [Absorbine UltraShield EX-Insecticide & Repellent For Dogs]

[Weatherproof Insecticide & Repellent]

[The Horse World's Most Trusted Name® [Since 1892]]

[Field_tested_and proven effective]

[Kills-and repels [biting and-nuisance flies, gnats, mosquitoes on horses, ponies and

foals (over 12 weeks of age)]-[for-up to 17 days]]-

[Kills and repels biting and nuisance flies, ticks that may carry Lyme Disease and mosquitoes including the Culex species which has been known to transmit West Nile-Virus]

[Long-lasting repellency that protects and stays active for up to 17 days]

[Weatherproof formula [binds to the hair shaft to repel and protect from bugs, sun, sweat, water, dust and dirt] [for up to 17 days]]

[[Sun] [Sweat] [water and rain] resistant formula [that produces a shine that shields]] [Stays active for up to 17 days]

[17-day [waterproof] [pasture] protection]

{Additional alternate bullet points listed at end of label}

ACTIVE INGREDIENTS:

Permethrin*	0.50%
Pyrethrins	0.10%
Piperonyl Butoxide**	1.00%
OTHER INGREDIENTS:	
TOTAL:	

**cis/trans* ratio: Min. 35% (+/-) *cis* and Max. 65% (+/-) *trans*. **(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

Net Contents fluid ounces

{Net contents expression for Bag-On-Valve packaging}

Net Contents pounds (__grams)

labeling.

MASTER LABEL

Notification: July 17, 2013

READ ENTIRE LABEL BEFORE EACH-USE ON ANIMAL USE - USE ONLY ON HORSES, PONIES, FOALS (Over 12 Weeks of Age), DOGS AND PUPPIES (Over 12 Weeks of Age)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its

USE RESTRICTIONS

Do not apply as a space, broadcast or spot treatment to indoor surfaces at residential sites.
Do not store near or use with oxidizing agents.
This product is not for use on foals less than 12 weeks of age.
This product is not for use on animals intended for human consumption.

• All-outdoor applications must be limited to spot or crack-and-crevice treatments only. • Except when applying directly to animals, 1) do not allow adults, children or pets to enter the treated area until sprays have dried; 2) do not apply this product in a way that will contact adults, children or pets either directly or through drift. Exit area immediately and remain outside the treated area until sprays have dried. • Remove or cover exposed food and drinking water before application. • Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use. • Do not wet articles to point of runoff or drip. • Do not use treated article until spray has dried. • Remove pets, birds and cover fish aquariums before spraying. • Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

Spray or wipe-on. Protect your horses and dogs. Ready to use. No mixing necessary. This water-based formulation may be applied directly with spray applicator or as a wipe-on.

17-day weatherproof formula provides long-lasting repellency and protection from big and nuisance flies, gnats, ticks and mosquitoes. This unique formula also contains multiple sunscreens and coat conditioners including Aloe and Lanolin and it is pleasantly scented with Citronella.

MASTER LABEL

Notification: July 17, 2013

ι (

HORSES, PONIES AND FOALS (Over 12 Weeks of Age):

Kills and repels biting and nuisance flies, gnats, mosquitoes and ticks for up to 17 days. Including Horse Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, House Flies, Black Flies, Cluster Flies, Sciarid Flies, Gnats, Midges, Punkies, No-See-Ums, Deer Ticks, Lone Star Ticks, Chiggers, American Dog Ticks, Brown Dog Ticks, Gulf Coast Ticks, Fleas and Lice.

USE AS A WIPE OR A SPRAY: This product may be applied either as a wipe or as a spray. When applying as a wipe or on the horse's face, always use a soft cloth. First, brush animal to remove excess dirt and dust. Spray or wipe horse's entire body while brushing against the lay of the coat to ensure adequate coverage. Avoid getting spray into horse's eyes, nose or mouth. Do not wet skin or apply to the point of dripping or exceed two ounces per application. Reapply every 7- to 10 days under normal conditions for initial applications. As protection builds, reapply every 12 to 17 days as needed. Also, reapply each time animal is washed or exposed to heavy rain for best results. After application, brush thoroughly to bring out bright sheen on the coat.

DOGS AND PUPPIES (Over 12 Weeks of Age): Kills and repels fleas, ticks (that may carry Lyme Disease), mosquitoes and lice on dogs. Also kills and repels fleas, ticks, mosquitoes and lice around premises. Cover animal's eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With soft cloth, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against natural lay of the hair. On long haired dogs, rub against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. During the flea season, retreat every 3-4 weeks if necessary. Kills fleas, ticks and lice on dogs and provides up to 28 days protection from reinfestation. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication.

DOGS SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and localized areas of floors. The pet's bedding areas should be sprayed. Spray old bedding or replace with fresh bedding.

MASTER LABEL

Notification: July 17, 2013

USE AS A PREMISE SPRAY: Kills insects on contact such as: Carpenter Bees, American Cockroaches, Asian Cockroaches, Australian Cockroaches, Brown Banded Cockroaches, German Cockroaches, Oriental Cockroaches, Smokey Brown Cockroaches, Black Widow Spiders, Cellar Spiders, Fire Ants, Carpenter Ants, Pharaoh Ants, Foraging Ants, Grain Mites, Clover Mites, Beetles (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Sawtoothed Grain, Warehouse, Red Flour, Ground, Elm Leaf and Rice Weevils), Palmetto Bugs, Water Bugs, Cadelles, Indian Meal Worms, Sowbugs, Boxelder Bugs, Earwigs, Pillbugs, Firebrats, Silverfish, Clothes Moths, Booklice, Centipedes, Millipedes, Crickets, Earwigs, Scorpions, flying moths (including Almond, Chocolate, Tobacco, Indian Meal and Angoumois Grain and other flying moths). Spray in areas where insects congregate. Apply at a rate of 1 gallon per 1000 sq. ft. [1 quart [32 oz] per 250 sq. ft.] [1 oz per 8 sq. ft.]. Direct spray to contact insects for rapid knockdown and kill. Spray around door facings and screens to render area unattractive to insects. This will help to repel insects and prevent entrance into building.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place that is away from heat or open flame, in an area that is protected from freezing (above 32°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Alternate Storage and Disposal instructions for refillable containers}

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place that is away from heat or open flame, in an area that is protected from freezing (above 32°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. If **empty:** Place in trash or offer for recycling if available. If partly filled: Call your blocal solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Δ

MASTER LABEL

Notification: July 17, 2013

{Alternate Storage and Disposal instructions for Bag-On-Valve packaging.}

STORAGE AND DISPOSAL

Store in a cool, dry (preferably locked) place that is away from heat or open flame, in an area that is protected from freezing (above 32°F and below 120°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Nonrefillable container. Do not reuse or refill this container. Contents under pressure. Do not puncture or incinerate. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID		
·	·	
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	• Call a poison control center or doctor for treatment advice.	
Have the product	t container or label with you when calling a poison control center or doctor, or	

going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide concerns), you may call 1-800-628-9653, at any time.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Do not apply directly to or hear water. Drift and run-off from treated areas may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate. See Directions for Use for additional precautions and requirements.

MASTER LABEL

Notification: July 17, 2013

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product to allow it to drift to blooming crops if bees are visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

{Alternate Physical & Chemical Hazards for Bag-On-Valve packaging.}

Combustible. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Distributed by:

W.F. Young, Inc. 302 Benton Drive E. Longmeadow, MA 01028 ©WFY RM# Made in U.S.A.

www.absorbine.com

EPA Est. No. EPA Reg. No. 1543-15

{Additional Alternate Bullet Points}

 [Bug Graphics: fly, mosquito, tick, gnat]

 [Weather Graphics]

 [Kills [& Repels] more than 70 species]

 [[With] UltraBond Technology]

 [[Also] contains multiple sunscreens and coat conditioners including Alee and Lanolin]

 [[and is] pleasantly scented with Citronella]

 [Blanket your horse with WFY0301 protection from Absorbine®]

 [Broad-spectrum control from Absorbine®]

 [Protect your horses and dogs with Absorbine®]

 [Performance is not affected by water, sweat, sun, dust or dirt]

MASTER LABEL

Notification: July 17, 2013

66666

[Also for use on dogs and puppies (over 12 weeks of age)] [Kills ticks on dogs and puppies (over 12 weeks of age)] [Bug Block[®] Technology extends repellency] [Stops bugs before they bite] [Blocks bugs from biting] [24 hours a day 7 days a week for up to 17 days] [24/17 pest protection] [24/7 pest protection] [Round-the-clock [premium pasture] protection] [Works day and night] [For use on horses, ponies and foals (over 12 weeks of age), dogs and puppies (over 12 weeks of age)] [Quick knockdown [kill and repellency protects for up to 17 days]] [Continuous Spray – No Pumping Required] [Ouick & Even Coverage] [Any Angle Spray] [Continuous Silent Spray] [Whisper [Quiet] Spray Mist] [[with] Easy Swipe[®] [applicator]] [] Denote alternate text in addition to any subset of the directions for use

MASTER LABEL

Notification: July 17, 2013

{SUB-LABEL FOR ROLL-ON PACKAGING}

WFY0301

[Weatherproof Insecticide & Repellent]

- [The Horse World's Most Trusted Name® [Since 1892]]
- [Field tested and proven effective]
- [Kills and repels [biting and nuisance flies, gnats, mosquitoes on horses] [for up to 17______ [days]]______

[Kills-and-repels biting and nuisance flies, ticks that may-carry Lyme Disease and mosquitoes-including the Culex-species which has been known to transmit West Nile Virus]

[Long-lasting repellency that protects and stays active for up to 17 days] [Weatherproof formula [binds to the hair shaft to repel and protect from bugs, sun, sweat, water, dust and dirt] [for up to 17 days]]

[[Sun] [Sweat] [water and rain] resistant formula [that produces a shine that shields]] [Stays active for up to 17 days]

- [17-day [waterproof] [pasture] protection]
- [Bug Graphics: fly, mosquito, tick, gnat]

[Weather Graphics]

[Kills [& Repels] more than 70 species]

[[With] UltraBond Technology]

{Additional alternate bullet points listed at end of label}

ACTIVE INGREDIENTS:

Permethrin*	0.50%
Pyrethrins	0.10%
Piperonyl Butoxide**	
OTHER INGREDIENTS:	
TOTAL:	

*cis/trans ratio: Min. 35% (+/-) cis and Max. 65% (+/-) trans. *t*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

Net Contents ____

labeling.

MASTER LABEL

Notification: July 17, 2013

READ ENTIRE LABEL BEFORE EACH-USE ON ANIMAL USE - USE ONLY ON HORSES AND PONIES AND FOALS (Over 12 Weeks of Age)

DIRECTIONS FOR USE

It is a violation of Federal-law to use this product-in a manner-inconsistent with its-

USE RESTRICTIONS

• Do not store near or use with oxidizing agents. • This product is not for use on foals less than 12 weeks of age. • This product is not for use on horses intended for human consumption.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

Ready to use. No mixing necessary.

17-day weatherproof formula provides long-lasting repellency and protection from biting and nuisance flies, gnats, ticks and mosquitoes. This unique formula also contains multiple sunscreens and coat conditioners including Aloe and Lanolin and it is pleasantly scented with Citronella.

HORSES AND PONIES (Over 12 Weeks of Age):

Kills and repels biting and nuisance flies, gnats, mosquitoes and ticks for up to 17 days. Including Horse Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, House Flies, Black Flies, Cluster Flies, Sciarid Flies, Gnats, Midges, Punkies, No-See-Ums, Deer Ticks, Lone Star Ticks, Chiggers, American Dog Ticks, Brown Dog Ticks, Gulf Coast Ticks, Fleas and Lice.

Do not wet skin or apply to the point of dripping or exceed two ounces per application. Reapply each time animal is washed or exposed to heavy rain for best results. After application, brush thoroughly to bring out bright sheen on the coat.

Remove cap from bottle. Apply around **horse's and pony's** nose, eyes, ears and mouth. May also be used as a spot treatment on areas where flies gather. Avoid direct application to eyes, nose and mouth. Replace cap after use. For initial treatment, apply daily for 2 to 3 days.

MASTER LABEL

Notification: July 17, 2013

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place that is away from heat or open flame, in an area that is protected from freezing (above 32°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Non-refillable container. Do-not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

* and the set of the set of the set	1	· · · · · · · · · · · · · · · · · · ·	e en e elleration l'annable en eller
ato an electronic and a second s	was an early was seen as a set		an an an a successive second classes a successive statement
· · ··································	· • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	
······································	a a second se	a an analysis and the second	
	ALL CARD AND THE CONTRACTOR AND AND AND AND AND A	· · · ·	
		· · · · · · · · · · · · · · · · · · ·	
			· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·			
	HIRS.	T AID	· ··· · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	a to second the provide a second to the	
. ,	•		· · · · ·
	······································		
	TT 11	<u> </u>	0 15 00 1
If in eyes:	Hold evelopen and rinse	e slowly and gently with wate	er for 15-20 minutes.
II III Cycs.	1101d eye open and mise	sionly and genery with was	or tor to bo minutes.
and a second	D · · · · · · · · · · · · · · · · · · ·	10	
• • • • • • • •	I · Remove contact lenses	if present, after the first 5 m	inutes then continue
· ·	itemore contact temores,	in probonit, anton the more of m	mately men commute
	• •		
	rinsing eye.		
	inising eye.		
		1 (**	• • • • • • • • • • • • • • • • • • •
	\rightarrow Call a poison control ce	nter or doctor for treatment a	dvice
	Cuil a poison control co		
YY .1 1 .		111 1 1 1	
Have the product con	itainer or lanel with you whe	en calling a poison control ce	nter or doctor or
i nuve me produce con	anner of haber when you whe	in cuning a poison condition co.	
		n this pasticida product (incl	11 1 1.1
anna tar trantmant	kor additional intermation c	n this posticido product (incl	uding boolth

going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide concerns), you may call 1-800-628-9653, at any time.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL & CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

Distributed by:

W.F. Young, Inc. 302 Benton Drive E. Longmeadow, MA 01028 ©WFY RM# Made in U.S.A. www.absorbine.com

EPA Est. No. EPA Reg. No. 1543-15

MASTER LABEL

Notification: July 17, 2013

. .

13


{Additional Alternate Bullet Points}

FF A-1 3 4 .			
Canada and a second	multiple sunscreens and coa	t conditioners including	Aloe and
Lanolin			
and isl pleasant	tly scented with Citronella]		an a
	orse with WFY0301 protecti	on from Absorbine®]	an for the constraint supply and the set of
C BAR SHARE STOLEN AND A SHARE SHARE			 An and a star construction of the star of
Broad-spectrum	n control from Absorbine®]		
Protect your ho	rses with Absorbine®]		
Performance is	not affected by water, sweat	, sun, dust or dirt	
[Bug Block® Te	chnology extends repellency		
and a second of the second sec		1	
Stops-bugs-befor	re they bite		· · · · · · · · · · · · · · · · · · ·
Blocks-bugs from	m biting		
	7 days a week for up to 17 da	avsl	
24/17_pest prote	•		······
24/7 pest protect	and the second s		 I a state i state dependencia de la state dependencia de la state dependencia de la state de la state
Round-the-clock	k [premium pasture] protect	tion j	*************
Works day and	night]	,	
For use on horse	es and ponies (over 12 weeks	s of age)]	
	wn [kill and repellency prot		
Quick & Even C			
	•		
with Easy Swi	pe® [applicator]]		

[] Denote alternate text in addition to any subset of the directions for use

NEXT

LABEL



Alternate Brand Name

Absorbine UltraShield EX Insecticide & Repellent Flea & Tick Control for Dogs

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

EPA Registration Number 1543-15 WFY0301

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks at <u>banks.melody@epa.gov</u>. or at 703 305-5413.

Sincere & Cubl

Richard Gebken Product Manager Insecticide Branch Registration Division (7504P)

ridad reau matrucuons on n	everse before comp	Form An		80 Approval evoires 2.29
	United States Environmental Protect Washington, DC 20	ion Agency	Registration Amendment Other	1 <u>60, Approvel expires 2-29</u> OPP Identifier Number
	Applicat	ion for Pesticide - Sec	tion I	
Company/Product Number	-1543-15	2. EPA Product Man Richard Gebk	en	Proposed Classification
Company/Product (Name)	WFY0301	PM#10		
5: Name and Address of App W.F. Young, Inc. 302 Benton Drive East Longmeadow, M	licant (Include ZIP Code)	6. Expedited Rey (b)(i), my-product to: EPA Reg. No.	eiw: In Sector and An s-similar or identical in c	omposition and labeling
		Section - II		
Notification - Explain I Explanation: Use addition This notification is consistent labeling or the confidential sta EPA. I further understand tha FIFRA and I may be subject to	onse to Agency letter dated	Agency:lett "Me:Too"./ OtherExp ion I and Section II.) 10 and EPA regulations at 40 CFR understand that it is a violation of 1 with the terms of PR Notice 98-10 a under sections 12 and 14 of FIFRA.	Application. lain below. 152.46, and no other change 8 U.S.C. Sec. 1001 to willfully nd 40 CFR 152.46, this prod	es have been made to the y make any false statement to luct may be in violation of
		Section - III		
Child-Resistant Packaging Yes No * Certification must	Be Packaged In: Unit Packaging ✓ Yes ✓ No If "Yes" No. per Unit Packaging wgt. No. per	Water Soluble Packaging Yes Vo If "Yes" No. per Package wgt contained	2. Type of Containe V Mètal V Plastic Glass Paper Other	ι,
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes V No If "Yes" No. per Unit Packaging wgt. container	Yes ✓ No If "Yes" No. per	✓ Mètal ✓ Plastic Glass Paper	; (Specify) <u>;</u>
No Certification must be submitted 3. Location of Net Contents I	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. No. per container nformation 4. Size(s) R ontainer	Yes Vo No If "Yes" No. per Package wgt container I pint to 1 gallon	Mètal Plastic Glass Paper Other S. Location of Label Direct c c c c c c on label c c c c c c	، (Specify): <u>(</u>
Child-Resistant Packaging Yes Vo * Certification must be submitted 3. Location of Net Contents I	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. No. per container nformation 4. Size(s) R ontainer	Yes Vo No If "Yes" No. per Package wgt container I pint to 1 gallon	Mètal Plastic Glass Paper Other S. Location of Label Direct c c c c c c on label c c c c c c	، (Specify) د : د : tions
Child-Resistant Packaging Yes Vo * Certification must be submitted 3. Location of Net Contents I Label Contents I S. Manner in Which Label is A	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. No. per container nformation 4. Size(s) R ontainer	Yes No If "Yes" No. per Package wgt contained Tetail Container 1 pint to 1 gallon Ograph ar glued heiled Section - IV	Mètal Plastic Glass Paper Other 5. Location of Label Direct CCCCC CCC CCCCCCCCCCCCCCCCCCCCCCCCCC	(Specify) ^{((} (() ((((((((((((((((((
Child-Resistant Packaging Yes Vo * Certification must be submitted 3. Location of Net Contents I Label Ca 5. Manner in Which Label is a 1. Contact Point (Complete a Name	Unit Packaging Yes Vo If "Yes" No. per Unit Packaging wgt. No. per container Affixed to Product V Litho Pape Sten	Yes No If "Yes" No. per Package wgt contained Tetail Container 1 pint to 1 gallon Ograph ar glued heiled Section - IV	Metal V Plastic Glass Paper Other 5. Location of Label Direct on label ccccc if necessary, to process th Telepho	(Specify) ⁽⁻⁾ ε΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄΄
Child-Resistant Packaging Yes No Certification must be submitted 3. Location of Net Contents I LabelCo 3. Manner in Which Label is A 1. Contact Point (Complete A NameSharon I certify that the statem	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. No. per Unit Packaging wgt. container nformation 4. Size(s) R ontainer Affixed to Product ✓ Litho Pape Sten items directly below for identificat M. Johnston Certific nents I have made on this form an y knowlinglly false or misleading s	Yes No If "Yes" No. per Package wgt container 1 pint to 1 gallon Ograph or glued sciled Section - IV tion of individual to be contacted, Title Regulatory Consu cation ad all attachments thereto are true	Metal Plastic Glass Paper Other 5. Location of Label Direct contained on label conta	(Specify) (Specify) tions
Child-Resistant Packaging Yes No Certification must be submitted 3. Location of Net Contents I Label Contact Point (Complete of Name Sharon I certify that the staten I acknowledge that any	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. No. per Unit Packaging wgt. container nformation 4. Size(s) R ontainer Affixed to Product ✓ Litho Pape Sten items directly below for identificat M. Johnston Certific nents I have made on this form an y knowlinglly false or misleading s	Yes No If "Yes" No. per Package wgt container 1 pint to 1 gallon Ograph or glued sciled Section - IV tion of individual to be contacted, Title Regulatory Consu cation ad all attachments thereto are true	Metal Plastic Glass Paper Other Other S. Location of Label Direct on label cccccc cccccc cccccc cccccc cccccc cccccc ccccccc ccccccc ccccccc cccccccc	(Specify) (Specify) tions <i>is application.</i>) ne No, (include Area Code) (636) 942-2583 6. Date Application Received

Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

MASTER LABEL

Notification: August 13, 2013

WFY0301

NOTIFICATION

{Alternate Brand Name:}

[Absorbine UltraShield EX Insecticide & Repellent Flea & Tick Control For Dogs] NOV -7 2013

[Weatherproof Insecticide & Repellent]

[The Horse World's Most Trusted Name® [Since 1892]]

[Field tested and proven effective]

[Kills and repels [biting and nuisance flies, gnats, mosquitoes on horses, ponies and foals (over 12 weeks of age)] [for up to 17 days]]

[Kills and repels biting and nuisance flies, ticks that may carry Lyme Disease and mosquitoes including the Culex species which has been known to transmit West Nile Virus]

[Long-lasting repellency that protects and stays active for up to 17 days]

[Weatherproof formula [binds to the hair shaft to repel and protect from bugs, sun, sweat, water, dust and dirt] [for up to 17 days]]

[[Sun] [Sweat] [water and rain] resistant formula [that produces a shine that shields]] [Stays active for up to 17 days]

[17-day [waterproof] [pasture] protection]

{Additional alternate bullet points listed at end of label}

ACTIVE INGREDIENTS:

Permethrin*	0.50%
Pyrethrins	
Piperonyl Butoxide**	1.00%
OTHER INGREDIENTS:	
TOTAL:	

**cis/trans* ratio: Min. 35% (+/-) *cis* and Max. 65% (+/-) *trans*. **(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

1

Net Contents fluid ounces

{Net contents expression for Bag-On-Valve packaging}

Net Contents _____pounds (___grams)

MASTER LABEL

Notification: August 13, 2013

READ ENTIRE LABEL BEFORE EACH USE ON ANIMAL USE - USE ONLY ON HORSES, PONIES, FOALS (Over 12 Weeks of Age), DOGS AND PUPPIES (Over 12 Weeks of Age)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not apply as a space, broadcast or spot treatment to indoor surfaces at residential sites.
Do not store near or use with oxidizing agents.
This product is not for use on foals less than 12 weeks of age.
This product is not for use on animals intended for human consumption.

• All outdoor applications must be limited to spot or crack-and-crevice treatments only. • Except when applying directly to animals, 1) do not allow adults, children or pets to enter the treated area until sprays have dried; 2) do not apply this product in a way that will contact adults, children or pets either directly or through drift. Exit area immediately and remain outside the treated area until sprays have dried. • Remove or cover exposed food and drinking water before application. • Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use. • Do not wet articles to point of runoff or drip. • Do not use treated article until spray has dried. • Remove pets, birds and cover fish aquariums before spraying. • Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

Spray or wipe-on. Protect your horses and dogs. Ready to use. No mixing necessary. This water-based formulation may be applied directly with spray applicator of as a wipe-

17-day weatherproof formula provides long-lasting repellency and protection from biting and nuisance flies, gnats, ticks and mosquitoes. This unique formula also contains multiple sunscreens and coat conditioners including Aloe and Lanolin and it is pleasantly scented with Citronella.

MASTER LABEL

Notification: August 13, 2013

HORSES, PONIES AND FOALS (Over 12 Weeks of Age):

Kills and repels biting and nuisance flies, gnats, mosquitoes and ticks for up to 17 days. Including Horse Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, House Flies, Black Flies, Cluster Flies, Sciarid Flies, Gnats, Midges, Punkies, No-See-Ums, Deer Ticks, Lone Star Ticks, Chiggers, American Dog Ticks, Brown Dog Ticks, Gulf Coast Ticks, Fleas and Lice.

USE AS A WIPE OR A SPRAY: This product may be applied either as a wipe or as a spray. When applying as a wipe or on the horse's face, always use a soft cloth. First, brush animal to remove excess dirt and dust. Spray or wipe horse's entire body while brushing against the lay of the coat to ensure adequate coverage. Avoid getting spray into horse's eyes, nose or mouth. Do not wet skin or apply to the point of dripping or exceed two ounces per application. Reapply every 7- to 10 days under normal conditions for initial applications. As protection builds, reapply every 12 to 17 days as needed. Also, reapply each time animal is washed or exposed to heavy rain for best results. After application, brush thoroughly to bring out bright sheen on the coat.

DOGS AND PUPPIES (Over 12 Weeks of Age): Kills and repels fleas, ticks (that may carry Lyme Disease), mosquitoes and lice on dogs. Also kills and repels fleas, ticks, mosquitoes and lice around premises. Cover animal's eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With soft cloth, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against natural lay of the hair. On long haired dogs, rub against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. During the flea season, retreat every 3-4 weeks if necessary. Kills fleas, ticks and lice on dogs and provides up to 28 days protection from reinfestation. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication.

DOGS SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and localized areas of floors in The pet's bedding areas should be sprayed. Spray old bedding or replace with fresh bedding.

MASTER LABEL

Notification: August 13, 2013

USE AS A PREMISE SPRAY: Kills insects on contact such as: Carpenter Bees, American Cockroaches, Asian Cockroaches, Australian Cockroaches, Brown Banded Cockroaches, German Cockroaches, Oriental Cockroaches, Smokey Brown Cockroaches, Black Widow Spiders, Cellar Spiders, Fire Ants, Carpenter Ants, Pharaoh Ants, Foraging Ants, Grain Mites, Clover Mites, Beetles (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Sawtoothed Grain, Warehouse, Red Flour, Ground, Elm Leaf and Rice Weevils), Palmetto Bugs, Water Bugs, Cadelles, Indian Meal Worms, Sowbugs, Boxelder Bugs, Earwigs, Pillbugs, Firebrats, Silverfish, Clothes Moths, Booklice, Centipedes, Millipedes, Crickets, Earwigs, Scorpions, flying moths (including Almond, Chocolate, Tobacco, Indian Meal and Angoumois Grain and other flying moths). Spray in areas where insects congregate. Apply at a rate of 1 gallon per 1000 sq. ft. [1 quart [32 oz] per 250 sq. ft.] [1 oz per 8 sq. ft.]. Direct spray to contact insects for rapid knockdown and kill. Spray around door facings and screens to render area unattractive to insects. This will help to repel insects and prevent entrance into building.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place that is away from heat or open flame, in an area that is protected from freezing (above 32°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Alternate Storage and Disposal instructions for refillable containers}

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place that is away from the heat or open flame, in an area that is protected from freezing (above 32°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. If **empty:** Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

MASTER LABEL

Notification: August 13, 2013

{Alternate Storage and Disposal instructions for Bag-On-Valve packaging.}

STORAGE AND DISPOSAL

Store-in-a cool, dry (preferably-locked) place that is away from heat or open flame, in an area that is protected from freezing (above 32°F and below 120°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Nonrefillable container. Do not reuse or refill this container. Contents under pressure. Do not puncture or incinerate. If empty: Place in trash or offer-for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

	FIRST AID
· · · · · · · · · · · · · · · · · · ·	
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- -	• Remove contact lenses, if present, after the first 5 minutes, then continue
	rinsing eye.
	· Call a poison control center or doctor for treatment advice.
Have the product cor	ntainer or label with you when calling a poison control center or doctor, or
going for treatment	For additional information on this pesticide product (including health

going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide concerns), you may call 1-800-628-9653, at any time.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash in hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calmeter weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Do not apply directly to or near the water. Drift and run-off from treated areas may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash-water or rinsate. See Directions for Use for additional precautions and requirements.

5.

MASTER LABEL

Notification: August 13, 2013

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product to allow it to drift to blooming crops if bees are visiting the treatment area. -----

PHYSICAL & CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open-flame.---

-{Alternate Physical & Chemical-Hazards for Bag-On-Valve packaging.}

And a fair for the second second Combustible. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause---

Distributed by: -

bursting. ·····

W.F. Young, Inc. 302 Benton Drive E. Longmeadow, MA 01028 ©WFY RM# Made in U.S.A.

www.absorbine.com

EPA Est. No. EPA Reg. No. 1543-15

{Additional Alternate Bullet Points}

[Bug Graphics: fly, mosquito, tick, gnat] [Weather Graphics] [Kills [& Repels] more than 70 species] [[With] UltraBond Technology] [[Also] contains multiple sunscreens and coat conditioners including Aloe and Lanolin [[and is] pleasantly scented with Citronella] [Blanket your horse with WFY0301 protection from Absorbine®] [Broad-spectrum control from Absorbine®] [Protect your horses and dogs with Absorbine®] [Performance is not affected by water, sweat, sun, dust or dirt]

MASTER LABEL

Notification: August 13, 2013

[Also for use on dogs and puppies (over 12 weeks of age)] [Also for use on dogs and pupples (over 12 weeks of age)] [Kills ticks on dogs and pupples (over 12 weeks of age)] [Bug-Block® Technology extends repellency] [Stops-bugs before they bite] [Blocks-bugs-from-biting]-[24 hours a day 7 days a week for up to 17 days] [24/17 pest-protection] [24/7-pest-protection] [Round=the=clock [premium pasture] protection] [Works day and night] For use on horses, ponies and foals (over 12 weeks of age), dogs and puppies (over 12-weeks of age) [Quick knockdown [kill and repellency protects for up to 17 days]] [Continuous Spray – No Pumping Required] [Quick & Even Coverage] [Any Angle Spray] [Continuous Silent Spray] [Whisper [Quiet] Spray Mist] [[with] Easy Swipe® [applicator]]

[] Denote alternate text in addition to any subset of the directions for use

MASTER LABEL

Notification: August 13, 2013

(SUB-LABEL FOR ROLL-ON PACKAGING)

WFY0301

1543-15

WFY0301

[Weatherproof Insecticide & Repellent] [The Horse World's Most Trusted Name® [Since 1892]] [Field tested-and proven effective]-----[Kills and repels [biting and nuisance flies, gnats, mosquitoes on horses] [for up to 17 days]]----[Kills and repels biting and nuisance flies, ticks that may carry Lyme Disease and mosquitões including the Culex species which has been known to transmit West Nile Virus]- ----[Long-lasting-repellency that protects and stays active for up to 17 days] [Weatherproof formula [binds to the hair shaft to repel and protect from bugs, sun, sweat, water, dust and dirt [for up to 17 days]] [[Sun] [Sweat] [water and rain] resistant formula [that produces a shine that shields]] [Stays active for up to 17 days] [17-day [waterproof] [pasture] protection] [Bug Graphics: fly, mosquito, tick, gnat] [Weather Graphics] [Kills [& Repels] more than 70 species]

[[With] UltraBond Technology]

{Additional alternate bullet points listed at end of label}

ACTIVE INGREDIENTS:

Permethrin*	0.50%
Pyrethrins	0.10%
Piperonyl Butoxide**	1.00%
OTHER INGREDIENTS:	
TOTAL:	

**cis/trans* ratio: Min. 35% (+/-) *cis* and Max. 65% (+/-) *trans*. **(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

Net Contents

MASTER LABEL

Notification: August 13, 2013

READ ENTIRE LABEL BEFORE EACH USE ON ANIMAL USE - USE ONLY ON HORSES AND PONIES AND FOALS (Over 12 Weeks of Age)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

• Do not store near or use with oxidizing agents. • This product is not for use on foals less than 12 weeks of age. • This product is not for use on horses intended for human consumption.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

Ready to use. No mixing necessary.

17-day weatherproof formula provides long-lasting repellency and protection from biting and nuisance flies, gnats, ticks and mosquitoes. This unique formula also contains multiple sunscreens and coat conditioners including Aloe and Lanolin and it is pleasantly scented with Citronella.

HORSES AND PONIES (Over 12 Weeks of Age):

Kills and repels biting and nuisance flies, gnats, mosquitoes and ticks for up to 17 days. Including Horse Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, House Flies, Black Flies, Cluster Flies, Sciarid Flies, Gnats, Midges, Punkies, No-See-Ums, Deer Ticks, Lone Star Ticks, Chiggers, American Dog Ticks, Brown Dog Ticks, Gulf Coast Ticks, Fleas and Lice.

Do not wet skin or apply to the point of dripping or exceed two ounces per applications^(c) Reapply each time animal is washed or exposed to heavy rain for best results.^(After exposed) application, brush thoroughly to bring out bright sheen on the coat.

MASTER LABEL

Notification: August 13, 2013

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place that is away from heat or open flame, in an area that is protected from freezing (above 32°F) and is also inaccessible to children and animals.

Pesticide Disposal And Container Handling: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

•		
	FIRST AID	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
Have the product cont	ainer or label with you when calling a poison control center or doctor, or	
going for treatment. F	or additional information on this pesticide product (including health	
concerns, medical emo	ergencies or pesticide concerns), you may call 1-800-628-9653, at any time.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL & CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

Distributed by:

W.F. Young, Inc. 302 Benton Drive E. Longmeadow, MA 01028 ©WFY RM# Made in U.S.A. www.absorbine.com

EPA Est. No. EPA Reg. No. 1543-15

MASTER LABEL

Notification: August 13, 2013

{Additional Alternate Bullet Points}

[[Also] contains multiple sunscreens and coat conditioners including Aloe and Lanolin] [[and is] pleasantly scented with Citronella] [Blanket your horse with WFY0301 protection from Absorbine®] [Broad-spectrum control from Absorbine®] [Protect your horses with Absorbine®] [Performance is not affected by water, sweat, sun, dust or dirt] [Bug Block[®] Technology extends repellency] [Stops bugs before they bite] [Blocks bugs from biting] [24 hours a day 7 days a week for up to 17 days] [24/17 pest protection] [24/7 pest protection] [Round-the-clock [premium pasture] protection] [Works day and night] [For use on horses and ponies (over 12 weeks of age)] [Quick knockdown [kill and repellency protects for up to 17 days]] [Quick & Even Coverage]

[[with] Easy Swipe® [applicator]]

[] Denote alternate text in addition to any subset of the directions for use