

READ THE LABEL



DANGER
Keep out of reach
of children

CALL YOUR

PARATHION-TOX 36
CONCENTRATED SOLUTION

HOME USE

.. 26.3%

.. 52.6%

.. 21.1%

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal reactions have been reported after initial improvement.

CONTAINER DISPOSAL

DESTROY all containers when empty by punching holes in them and burying with water. Do not burn.

Rinse equipment and containers and dispose of wastes by burying in noncrop lands away from water supplies.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

Keep containers closed when not in use. Do not reuse containers for other purposes.

READ THE DIRECTIONS

Use only according to attached label booklet instructions.

CONDITIONS OF SALE

Read "WARRANTY AND DISCLAIMER OF WARRANTIES" before buying or using.

If terms are not acceptable, return at once unopened!

POST TREATED AREA

Consult your State Agricultural Extension Service or Department Station regarding post-treatment areas.

ASGROW FLORIDA COMPANY

SUBSIDIARY OF THE UPJOHN COMPANY

PLANT CITY, FLORIDA 33566



For clothes closets, garment bags, wardrobes and other storage places


KILLS MOTHS, MOTH EGGS, MOTH LARVAE

FOR MOTH PROTECTION Remove cellophane wrapper from Para Cake, replace in plastic holder and hang up or place with articles being protected.


Brush fabric and remove grease spots. Use one Para Moth Cake to every (2) cu. ft. of tightly confined space. Replace cakes with refills as needed.

Active Ingredient: Paradichlorobenzene 100%

FRANK J. CURRAN CO., DOWNERS GROVE, ILLINOIS 60515 U.S.A. Reg. No. 1544-46 PRINTED IN U.S.A.



Protects clothing
Prevents mildew



Kills moths



Keeps closets
and garment
bags fresh



FOR THE FEDERAL BUREAU OF INVESTIGATION
RECEIVED
Aug 18 1971
1544-46
ACCEPTED
IN ALLIED COUNTRIES
FOR THE SUBJECT
OF THIS MATTER

PARA MOTH PAPER