1553-28

MOMAR BUTOXINE

ACTIVE !NGREDIENTS

99.790%

Pyrethrins .056

Petroleum Distillate 99.174
INERT INGREDIENTS

TOTAL INGREDIENTS

100.000%

A PYRENONE® PRODUCT
A Trademark Of The F.M.C. Corporation

NEW ODOR CONTROLLED

.210%

A POWERFUL CONTACT TYPE SPRAY

Momar Butoxine has been developed for use in controlling accessible mill insects in grain elevators, flour mills, rice mills, macaroni plants, grocery warehouses, peanut plants, bakeries, candy factories, and other food processing plants. Momar Butoxine when used as directed, kills flour beetles, rice weevils, Indian meal moths, saw tooth grain beetles, flies and mosquitoes.

Beetles, moths, weevils, mosquitos, and flies usually breed in corners, nooks, crevices, and other inaccessible areas where food is available. All such places as well as floors, walls, rafters, aisles, around windows, around and about and under milling machinery should be thoroughly sprayed so as to contact all insects possible. It is better to spray MOMAR BUTOXINE in the late afternoon so that all windows, doors and other openings may be left closed for the longest period of time. The rooms should be sprayed liberally - preferably using an electric sprayer. Direct sprayer toward ceiling and in all directions so as to completely fill each room with the mist-like vapor of MOMAR BUTOXINE. Insects must either be contacted with the spray or completely enveloped in its mist-like vapor in order to produce satisfactory kill.

Cleanliness will greatly aid in reducing insect infestation, therefore, frequently sweep dust and dirt off walls, rafters, and machinery. Always pound elevator leas so that dirt and refuse will drop into the boot and then thoroughly clean out the boot. MOMAR BUTOXINE will control this type of accessible insect infestation if frequent, regular applications in accordance with directions are made. Repeat these treatments as often as is necessary. Do not spray into or near open flame.

CAUTION:

KEEP OUT OF REACH OF CHILDREN

Do not use, pour, spill, or store near heat or open flame. Do not remain in treated areas. Ventilate the area after treatment is completed. Do not re-use empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. HARMFUL IF SWALLOWED.

CAUTION:

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as directed on this label.

FOR INDOOR USE ONLY

EPA REG. NO. 1553-28 Manufactured by

MOMAR

INCORPORATED

Manufacturing Chemists

ATLANTA, GEORGIA U.S.A.

ACCEPTED

MAY 8 1975

Und r the Federal Insecticide, function to the control of the pesticide reposited under 1243-26

Copyrighted 1974

^{*}Equivalent to 0.448 (Butylcarbityl) (6-Propylpiperonyl) Ether and other 0.112% related compounds.