

ACCEPTED

SEP 27 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 155352 SUBJECT
TO ATTACHED COMMENTS.

MOMAR BIN SPRAY

**Kills on contact. Minimizes chances of grain infestation.
Provides an effective toxic residue against insects
found in stored grain and food products.**

ACTIVE INGREDIENTS	100.00%
Deodorized Petroleum Distillate	87.13%
Methoxychlor Technical*	3.78%
Beta Butoxy beta-thiocyanate diethyl ether	1.59%
Methylated Naphthalene	7.50%

Provides fast kill of many insects, weevils, beetles, moths, and beetles usually found in grain and stored food products.

* Equivalent to 3.33% 2,2-bis (P-methoxyphenyl)-1, 1, 1-trichloroethane and 0.45% other isomers and related compounds.

CAUTION!

Keep out of reach of children.



FIRE RATING

See right panel for additional caution statements.

U.S.D.A. REG. NO. 1553-52
Manufactured by
MOMAR
INCORPORATED
Manufacturing Chemists
ATLANTA, GEORGIA, U.S.A.

In respect to fire hazard rated 20 to 25 between paraffin oil and kerosene, as determined by Underwriters' Laboratories, Inc.'s Standard for Classification in which

Ether rates	100
Gasoline rates	90-100
Alcohol (ethyl) rates	60-70
Kerosene (100 F flash) rates	30-40
Paraffin oil rates	10-20

RECOMMENDED DOSAGE

Use one gallon of MOMAR BIN SPRAY for 100 square feet. Spray the inside of the bins once every 4 to 6 weeks until three treatments have been completed.

The spray outside of bins once every three months. This procedure should aid in maintaining insect free bins in which to store grain.

NOTE: Use MOMAR MILL FUMIGANT if infested grain is placed in the bins. The fumigant will kill the insects in the stored grain and the residue of MOMAR BIN SPRAY will help suppress insect activity in cracks and crevices of the bins.

CAUTION

DO NOT INHALE MIST FROM SPRAY.
Avoid spillage—wash hands or skin with soap and water. Harmful if swallowed.
DO NOT SPRAY INTO OR NEAR OPEN FLAME.

Cameraman's Note
Poor Copy