1553-75

## AMOMA TROPICAL INSECTICIDE ACTIVE INGREDIENTS: 100%


Petroleum Distillate, Technical Piperonyl Butoxide (Consists of butylcarbityl) (6propylpiperonyl) ether and related compounds, and Pyrethrins. Kills un Contact Exposed Stages of Flies, Mosquitoes, Gnats, Silverfish, Crickets, Spiders, Wasps, Hornets, Flying Moths, Boxelder Bugs, Clover Mites and Ants. DIRECTIONS

111 For best results, use a good spray or fogging machine adjusted to deliver a fine mist. Treat infested areas thoroughly and repeat application as needed. In control of flying insects, direct the spray toward the upper portions of the enclosure and fill the atmosphere with mist, using 3 to 4 ounces for each 100 cubic feet of space. Against running and crawling pests treat all areas where these insects are commonly found, and direct the liquid behind baseboards, mouldings, furniture, cabinets, shelves, sinks and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places. Whenever possible keep doors and windows closed for ten minutes after spraying. For ants, treat areas around window frames and door sills where ants enter the premises. Repeat applications as needed.

When used in food processing plants, foods should be covered or removed during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using TROPICAL INSECTICIDE as a space spray in food processing plants, apply only when plant is not in operation.

## Keep Out of Reach of Children.

Harmfu' if swallowed. Contains combustible materials. Do not spray near or toward an open flame. Do not remain in treated area. Ventilate the area after treatment is completed. U.S.D.A. Registration No. 1553-75



بهم ومسرود الداري الأراب المحالي الم

ACCEPTED UNDER THE FEDERAL INSECTICIDE IT.CIDE ACT **BUNGICITE** 1233 - NEUBJECT FOR ECUL ED UNUE -TO ATTACHED COMMENTS.

. . .