

HOW TO USE:

After dilution Momar Bug Out may be applied with either power operated or hand sprayers. Apply as a coarse spray to infected surfaces until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste of material. Direct spray away from people, plants and pets.

RESTRICTIONS:

Do not apply to rugs, carpets, draperies, wallpaper or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings. Do not allow small, finger-operated, plastic attachment type sprayer to remain in Momar Bug Out for extended periods as the plastic sprayer may be damaged.

DIRECTIONS FOR USE:

Important:

Read these entire directions before using Momar Bug Out Residual Insecticide. Dilute 1 part Momar Bug Out with 10 parts water and use this dilution as follows:

INDOOR USE:

ANTS, COCKROACHES, CRICKETS, SILVERFISH SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGE), WATERBUGS: Spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets and cover fish bowls before spraying. Do not allow children to contact treated areas until surfaces are thoroughly dry.

ACCEPTED
Feb. 7, 1972
ISSUED THE FEDERAL INSECTICIDE ACT
FOR E.C. NO. 155-87 SUBJECT
TO ATTACHED COMMENTS

MOMAR BUG OUT

WATER EMULSIFIABLE RESIDUAL INSECTICIDE CONTAINING BAYGON. KILLS ANTS, ROACHES, SPIDERS AND OTHER CRAWLING INSECTS. SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.

BAYGON is a registered trademark of Farbenfabriken Bayer, A.G., Chemagro Corporation licensee.

ACTIVE INGREDIENTS 84.80%
o-Isopropylphenyl Methylcarbamate 10.16%
Aromatic Petroleum Distillate 59.30%
2-Butoxyethanol 25.00%
INERT INGREDIENTS 5.84%
U.S. Patent No. 3,111,539. This material used under license from Chemagro Corporation.

CAUTION: Keep out of reach of children.
Read additional precautions on right panel.

Momar Bug Out is a highly effective new formulation which provides rapid kill of such crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides.

Ants	Fleas	Scorpions
Brown dog ticks	Flies	Saw-toothed grain beetles
Clover mites	Millipedes	(exposed stage)
Crickets	Mosquitoes	Silverfish
Earwigs	Roaches	Scow bugs
		Spiders

E.P.A. Reg. No. 1863-67

Manufacturing Chemist
Copyright 1971
MOMAR ATLANTA, GA., U.S.A.
Incorporated

Momar Products Are Also Available Through Momar Affiliates In:
Toronto - Vancouver - Montreal - Canada - Capetown - Republic of South Africa
Tulleytown Pa. - U.S.A. Paris - France London - England

BROWN DOG TICKS:
baseboards, window and local areas of floors. Ro be placed in animal c animals.

OUTDOOR USE:
ANTS, CLOVER MIT FLIES, MILLIPEDES, BROWN DOG TICKS
including outside surfa foundations, patios or For ants, spray hills and spray vegetation.

FOR USE IN FOOD PR
Use only in inedible operation. Do not app processing plants. Follo

CAUTION:
May be harmful if swal skin. Avoid breathing ventilation of area bel clothing should also be Do not apply in the ec plants. Should illness Physician - Atropine container - Do not reu

WARNING: DO NOT HEAT OR OPEN FLA

BEST DOCUMENT

MOMAR BUG OUT

WATER EMULSIFIABLE RESIDUAL INSECTICIDE CONTAINING BAYGON. KILLS ANTS, ROACHES, SPIDERS AND OTHER CRAWLING INSECTS. SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.

BAYGON is a registered trademark of Farbenfabriken Bayer, A.G., Chemagro Corporation licensee.

ACTIVE INGREDIENTS 84.40%
 o-Isopropoxyphenyl Methylcarbamate 10.16%
 Aromatic Petroleum Distillate 69.30%
 2-Butoxyethanol 25.00%
INERT INGREDIENTS 5.84%
 U.S. Patent No. 3,111,539. This material used under license from Chemagro Corporation.

CAUTION: Keep out of reach of children.
 Read additional precautions on right panel.

Momax Bug Out is a highly effective new formulation which provides rapid kill of such crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides.

Ants	Fleas	Scorpions
Brown dog ticks	Flies	Saw-toothed grain beetles
Clover mites	Millipedes	(exposed stage)
Crickets	Mosquitoes	Silverfish
Earwigs	Roaches	Sow bugs
		Spiders

E.P.A. Reg. No. 1003-07

Manufactured By
MOMAR ATLANTA GA., U.S.A.
 Incorporated

Momax Products Are Also Available Through Momax Affiliates In
 Toronto, Vancouver, Montreal - Canada Capetown Republic of South Africa
 Tullytown, Pa. - U.S.A. Paris - France London - England



157-1-77

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and under door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

OUTDOOR USE:

ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, FLIES, MILLIPEDES, MOSQUITOES, SOWBUGS AND BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

FOR USE IN FOOD PROCESSING PLANTS:

Use only in inedible product area. Spray when not in operation. Do not apply in the edible products areas of food processing plants. Follow directions on label for indoor use.

CAUTION:

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Do not apply in the edible products areas of food processing plants. Should illness occur, get prompt medical aid. To Physician - Atropine sulfate is antidotal. Destroy empty container - Do not reuse.

WARNING: DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

BEST DOCUMENT AVAILABLE

HOW TO USE

After dilution Momar Bug Out may be applied with either power operated or hand sprayers. Apply as a coarse spray to infected surfaces until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste of material. Direct spray away from people, plants and pets.

RESTRICTIONS:

Do not apply to rugs, carpets, draperies, wallpaper or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings. Do not allow small, hand-operated, blaster attachment type sprayer to remain in Momar Bug Out for extended period as the blaster sprayer may be damaged.

DIRECTIONS FOR USE

IMPORTANT

Read the entire label carefully before using. Momar Bug Out is a disinfectant and should be used only on surfaces that are contaminated with bacteria, viruses, fungi, and other microorganisms. It is not intended for use on people, animals, or plants.

MEASUREMENTS
For disinfection of surfaces, use 1/2 cup of Momar Bug Out per gallon of water. For disinfection of clothing, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of floors, use 1/2 cup of Momar Bug Out per gallon of water. For disinfection of walls, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of air, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of water, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of food, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of dishes, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of linens, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of laundry, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of upholstery, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of curtains, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of draperies, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of carpets, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of rugs, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of walls, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of ceilings, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of floors, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of stairs, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of railings, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of handrails, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of door handles, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of light switches, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of electrical outlets, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of telephones, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of ashtrays, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of ashtrays, use 1/4 cup of Momar Bug Out per gallon of water. For disinfection of ashtrays, use 1/4 cup of Momar Bug Out per gallon of water.

RECEIVED
Feb 7 1972

مركز الدراسات والبحوث

WA
TA
AN
SUI
BA
AC
CT
NE

MOMAR

BUG OUT

MULTISIFIABLE RESIDUAL INSECTICIDE CON-
BAYGON. KILLS ANTS, COACHES, SPIDERS
ER CRAWLING INSECTS. SPRAY ONLY ON
S. DO NOT USE AS A SPACE SPRAY.

s a registered trademark of Farbentabrika
agro Corporation licensee.

INGREDIENTS
Dipropyl 2,4,6-Trichlorophenyl Methylcarbamate 10.16%
Ortho-Cresol 39.30%
Xyethanol 25.00%

ADJUVANTS 54%
No. 3,111,539 This material used under license from
operation.

CAUTION: Keep out of reach of children
and additional precautions on right panel.

Out is a highly selective new formulation which provides
such crawling insects as spiders, beetles, flies, and
ants, and other household pests.

Use in the following manner: Shake well before use.
Apply to the surface of the insect infested area.
Repeat application as necessary.

Produced in Canada
by MOMAR
CORPORATION

Products Are Also Available Through Former Affiliates in
Quebec, Montreal, Ottawa, Toronto, Republic of South Africa,
London, England, Paris, France, London, England

BROWN DOG TICKS: Spray sleeping quarters of pets, around
baseboards, window and under door frames, wall cracks and
local areas of floors. Repeat as needed. Fresh bedding should
be placed in animal quarters after spraying. Do not spray
animals.

OUTDOOR USE.

**ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS,
FLIES, MILLIPEDES, MOSQUITOES, SOWBUGS AND
BROWN DOG TICKS:** Spray infested areas thoroughly
including outside surfaces of screens, doors, window frames,
foundations, patios or other places where insects may enter
for ants, spray hills and runways. Repeat as necessary. Do not
spray vegetation.

FOR USE IN FOOD PROCESSING PLANTS:

Use only in inedible product area. Spray when not in
operation. Do not apply in the edible products areas of food
processing plants. Follow directions on label for indoor use.

CAUTION:

May be harmful if swallowed. Avoid absorption through the
skin. Avoid breathing of spray. Wash hands and provide adequate
ventilation in areas where treated. Avoid contact with skin, eyes or
clothing. Wash thoroughly after use. Do not use in areas of food
preparation.

Produced in Canada
by MOMAR CORP.