

HOW TO USE:

After dilution Momar Bug Out may be applied with either power operated or hand sprayers. Apply as a coarse spray to infected surfaces until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste of material. Direct spray away from people, plants and pets.

RESTRICTIONS:

Do not apply to rugs, carpets, draperies, wallpaper or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings. Do not allow small, finger-operated, plastic attachment type sprayer to remain in Momar Bug Out for extended periods as the plastic sprayer may be damaged.

**STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED
BY STORAGE OR DISPOSAL**

STORAGE: Do not store near excessive heat. Use with adequate ventilation. Store in cool, dry place. If contents are spilled or leaked due to container damage, collect liquid with absorbant material and dispose of in accordance with local, state and federal pesticide disposal regulations.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

BUG OUT

WATER EMULSIFIABLE RESIDUAL INSECTICIDE CONTAINING PROPOXUR. KILLS ANTS, ROACHES, SPIDERS AND OTHER CRAWLING INSECTS. SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY

ACTIVE INGREDIENTS:

o-Isopropoxyphenyl Methylcarbamate	10.16%
INERT INGREDIENTS	69.84%
Total	100.00%

E.P.A. Reg. No. 1553-87
E.P.A. Est. No. 1553-GA-01

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Read additional precautions on right panel.

Momar Bug Out is a highly effective new formulation which provides rapid kill of such crawling insects as listed below, including those resistant to certain chlordane hydrocarbon and phosphate insecticides.

Ants	Earwigs	Mosquitoes	Scorpions
Brown dog ticks	Fleas	Roaches	Silverfish
Clover mites	Flies	Saw-toothed grain beetles	Sow bugs
Crickets	Millipedes	(exposed stage)	Spiders

FOR USE BY PEST CONTROL OPERATORS ONLY

Manufactured by
MOMAR
INCORPORATED

1830 Ellsworth Industrial Drive, N.W., Atlanta, Georgia 30318
A Cleaning Force Throughout the World Since 1947
Providing Products of Momar Research in the
U.S.A., Canada, Europe, Africa, Australia, and the Far East

Net Contents: _____

Reviewed. F...

DIRECTIONS FOR USE:

Important:

Read these entire directions before using Momar Bug Out Residual Insecticide. Dilute 1 part Momar Bug Out with 10 parts water and use this dilution as follows.

INDOOR USE:

ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGE), WATERBUGS. Spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets and cover fish bowls before spraying. Do not allow children to contact treated areas until surfaces are thoroughly dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, windows and under door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

OUTDOOR USE:

ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, FLIES, MILLIPEDES, MOSQUITOES, SOWBUGS AND BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

FOR USE IN FOOD PROCESSING PLANTS:

Use only in inedible product area. Spray when not in operation. Do not apply in the edible products areas of food processing plants. Follow directions on label for indoor use.

CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Do not apply in the edible products areas of food processing plants. Should illness occur, get prompt medical aid. To Physician — Atropine sulfate is antidotal. Destroy empty container — Do not reuse.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Reg # 1553-87

PM-19

1972

Not reviewed

of Pavle

BEST AVAILABLE COPY

10-17-89

HOW TO USE:

After dilution Momar Bug Out may be applied with either power operated or hand sprayers. Apply as a coarse spray to infested surfaces until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste of material. Direct spray away from people, plants and pets.

RESTRICTIONS:

Do not apply to rugs, carpets, draperies, wallpaper or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings. Do not allow small, finger-operated, plastic attachment type sprayer to remain in Momar Bug Out for extended periods as the plastic sprayer may be damaged.

STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED
BY STORAGE OR DISPOSAL

STORAGE: Do not store near excessive heat. Use with adequate ventilation. Store in cool, dry place. If contents are spilled or leaked due to container damage, collect liquid with absorbent material and dispose of in accordance with local, state and federal pesticide disposal regulations.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

BUG OUT

WATER EMULSIFIABLE RESIDUAL INSECTICIDE CONTAINING PROPOXUR, KILLS ANTS, ROACHES, SPIDERS AND OTHER CRAWLING INSECTS. SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.

ACTIVE INGREDIENTS:		
o-Isopropoxyphenyl Methylcarbamate	10.16%	
INERT INGREDIENTS	89.84%	
	Total	100.00%

E.P.A. Reg. No. 1553-87
E.P.A. Est. No. 1553-GA-01

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Read additional precautions on right panel.

Momar Bug Out is a highly effective new formulation which provides rapid kill of such crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides.

Ants	Earwigs	Mosquitoes	Scorpions
Brown dog ticks	Fleas	Roaches	Silverfish
Clover mites	Flies	Saw-toothed grain beetles	Sow bugs
Crickets	Millipedes	(exposed stage)	Spiders

FOR USE BY PEST CONTROL OPERATORS ONLY

Manufactured by
MOMAR
INCORPORATED

1830 Ellsworth Industrial Drive, N.W., Atlanta, Georgia 30318
A Cleaning Force Throughout the World Since 1947
Providing Products of Momar Research in the
U.S.A., Canada, Europe, Africa, Australia, and the Far East

Net Contents: _____

DIRECTIONS FOR USE:

Important:
Read these entire directions before
1 part Momar Bug Out with 10 parts

INDOOR USE:

ANTS, COCKROACHES, CRACK
TOOTHED GRAIN BEETLES (in
crevices, around baseboards and
and beneath cabinets, refrigerators
For ants, spray trails and places
spray foodstuffs or house plants. Do
not allow children to contact with

BROWN DOG TICKS: Spray sleep
under door frames, wall cracks and
ding should be placed in entrance

OUTDOOR USE:

ANTS, CLOVER MITES, CRICKETS
OUTDOES, SOWBUGS AND SPIDERS
cluding outside surfaces of screens
places where insects may enter. Do
Do not spray vegetation.

FOR USE IN FOOD PROCESSING

Use only in inedible product areas.
ble products areas of food processing

May be harmful if swallowed, label
spray mist and provide adequate
or clothing should also be avoided.
ble products areas of food processing
aid. To Physician — Atropine sulfate

DO NOT USE, POUR, SPILL OR

292

BEST AVAILABLE COPY

BUG OUT

WATER EMULSIFIABLE RESIDUAL INSECTICIDE CONTAINING PROPOXUR, KILLS ANTS, ROACHES, SPIDERS AND OTHER CRAWLING INSECTS. SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.

ACTIVE INGREDIENTS:	
o-Isopropoxyphenyl Methylcarbamate	10.16%
INERT INGREDIENTS	89.84%
Total	100.00%

E.P.A. Reg. No. 1553-87
E.P.A. Est. No. 1553-GA-01

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Read additional precautions on right panel.

Momar Bug Out is a highly effective new formulation which provides rapid kill of such crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides.

Ants	Earwigs	Mosquitoes	Scorpions
Brown dog ticks	Fleas	Roaches	Silverfish
Clover mites	Flies	Saw-toothed grain beetles	Sow bugs
Crickets	Millipedes	(exposed stage)	Spiders

FOR USE BY PEST CONTROL OPERATORS ONLY

Manufactured by

MOMAR INCORPORATED

1830 Ellsworth Industrial Drive, N.W., Atlanta, Georgia 30318
A Cleaning Force Throughout the World Since 1947
Providing Products of Momar Research in the
U.S.A., Canada, Europe, Africa, Australia, and the Far East

Net Contents: _____

Momar Bug Out may be applied with either power operated or hand as a coarse spray to infected surfaces until wet, moving the spray enough to prevent excessive wetting of surfaces and waste of spray away from people, plants and pets.

CAUTION: Rugs, carpets, draperies, wallpaper or similar materials that may be damaged by excessive wetting of plastic, rubber and asphalt surfaces such as coverings. Do not allow small, finger-operated, plastic attachment to remain in Momar Bug Out for extended periods as the plastic may be damaged.

STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

PRECAUTIONS: Do not store near excessive heat. Use with adequate ventilation. Store in cool, dry place. If contents are spilled or leaked due to liner damage, collect liquid with absorbent material and dispose in accordance with local, state and federal pesticide disposal regulations.

WASTE DISPOSAL: Pesticide wastes are toxic. Improper disposal of pesticide spray mixture or residue is a violation of Federal laws. Contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose in a sanitary landfill, or by other procedures approved by local authorities.

DIRECTIONS FOR USE:

Important:

Read these entire directions before using Momar Bug Out Residual Insecticide. Dilute 1 part Momar Bug Out with 10 parts water and use this dilution as follows:

INDOOR USE:

ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGE), WATERBUGS. Spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets and cover fish bowls before spraying. Do not allow children to contact treated areas until surfaces are thoroughly dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, windows and under door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

OUTDOOR USE:

ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, FLIES, MILLIPEDES, MOSQUITOES, SOWBUGS AND BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

FOR USE IN FOOD PROCESSING PLANTS:

Use only in inedible product areas. Spray when not in operation. Do not apply in the edible products areas of food processing plants. Follow directions on label for indoor use.

CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Do not apply in the edible products areas of food processing plants. Should illness occur, get prompt medical aid. To Physician — Atropine sulfate is antidote. Destroy empty containers. — Do not reuse.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.