

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BOMBARS AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

INDOORS

Space Spray: To kill flies, mosquitoes, gnats, small flying moths (millers), fruit flies, vinegar flies. Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from the object. Direct the fine spray mist toward the upper corner of the room. Fill the room with a fine mist space spray at the rate of 3 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

Contact Spray: To kill cockroaches, waterbugs, crickets, silverfish, earwigs, sowbugs, carpet beetles, centipedes, millipedes. Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harborage. Spray these infested areas until thoroughly wet. Repeat as necessary.

To Kill Spiders: Spray directly on these pests and use repeated application to the webbing and all cracks and crevices which harbor spiders.

To Kill Ants: Spray doors, around window frames, ant trails and hills.

To Kill Bedbugs: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds, and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

To Kill Fleas and Ticks: Spray directly on insects as well as floors, floor coverings, baseboards, cracks and crevices, infested furniture and animal resting areas. Hold spray nozzle about 18 inches from areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooling utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

FIRST AID

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not contaminate lakes or streams by cleaning equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS: Extinguish open flame before space spraying. This formulation is combustible. **DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.**

IMPERIAL V

THERMAL FOGGER

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS: Houseflies, Mosquitoes, Gnats, Small Flying Moths (Millers), Fruit Flies, Vinegar Flies, Wasps, Hornets, Yellow Jackets, Cockroaches, Waterbugs, Fleas, Ticks, Ants, Crickets, Silverfish, Earwigs, Spiders, Grain Insects (Adults of confused flour beetles, Saw toothed grain beetles, Shiny spider beetles, Grain weevils, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Grain mites), Carpet beetles, Sowbugs, Centipedes, Millipedes, Whiteflies and Bedbugs.

ACTIVE INGREDIENTS:

*Resmethrin ([5-(phenylmethyl-3-furyl) methyl 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate) 0.500% w/w
Related compounds 0.066%
Aromatic Petroleum Hydrocarbons 0.882%

INERT INGREDIENTS 98.770%
TOTAL 100.000%

*Cis/trans isomers ratio: max. 30% (±) cis. and min. 70% (±) trans
+ U.S. Patent Nos. 3,465,007 and 3,542,928
Perick's SBP-1382[®] brand of resmethrin insecticide
Perick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

E.P.A. Reg. No. 1553-111
E.P.A. Est. No. 1553-GA-1

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by

MOMAR[®]
INCORPORATED



Manufacturing Chemists
1830 Ellsworth Industrial Dr., N.W.
Atlanta, Georgia 30318

A Cleaning Force Throughout the World Since 1947

Providing Products of Momar Research in

The U.S.A., England, Africa, Australia, and the Far East

Net Contents: _____



To Kill Grain Insects: Adults of confused flour beetles, saw toothed grain Angoumois grain moth, Mediterranean flour moth, Indian meal moth, grain and destroy. Avoid contamination of other food and foodstuffs in the area on exposed stages and into cracks and crevices where grain insects use. The shelves and drawers should be cleaned and thoroughly sprayed to a paper after allowing shelves to dry. Any utensils that are contacted with a are necessary.

To Kill Wasps, Hornets, Yellow Jackets: Application should be made in liberally into hiding and breeding places contacting as many insects as

OUTDOORS

To control nuisance pests among buildings, patios and paved areas: As insects. Avoid spraying turf and plants.

Ants and Fleas: Same as directed for indoor use.

Wasps, Hornets, Yellow Jackets: Same as directed for indoor use. Apply insects are at rest. Aim spray at nest openings in bushes, under eaves, in and around nest openings. Contact as many insects as possible.

Earwigs, Sowbugs, Spiders, Centipedes and Millipedes: Apply as a contact flying and crawling insects around premises, spray thoroughly around dog. Also thoroughly spray garbage and refuse areas, especially around poultry infestation. Do not spray on turf or plants.

Thermal Applications: For control of flies and mosquitoes: This formulation thermal application equipment that can deliver spray particle sizes with

THERMAL APPLICATIONS INDOORS: For the control of flies, mosquito industrial institutions. Remove or cover exposed food and food handling off ventilating systems, air ducts, air conditioning equipment and close while food processing plant is occupied or in operation. Extinguish all if the rate of 1 1/2 fluid ounces per 1,000 cubic feet of space. Direct nozzle of the room and along the ceiling. Close off room for at least one-half to the area after treatment.

THERMAL APPLICATIONS OUTDOORS: For reduction in annoyance from around swimming pools, picnic areas, camp sites, drive-ins, and horse stall thermal applicator at least five feet away from object, especially plants in Apply undiluted at the rate of 3 1/2 gallons per acre. Fog only when there is 3 miles per hour. The ideal time is generally at dusk when the wind die temperature are approximately the same. Under these conditions the to time. Apply fog while moving away from treated area. Avoid inhalation of the fog has dissipated. Repeat application as necessary.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY

STORAGE: Store at temperatures above 32° F. Open dumping is tainer. If contents are spilled or leaked due to container damage, and dispose of in accordance with local, state and federal pestici

PESTICIDE DISPOSAL: Wastes resulting from the use of this pro an approved waste disposal facility.

CONTAINER DISPOSAL: Metal containers — Triple rinse for equiva ditioning, or puncture and dispose of in a sanitary landfill, or by oth local authorities

Not Reviewed. Registrant claims to be in ac Administration of Pesticide Product Guidance Response, Page 2 12. Active to Inert Change