

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove jets and cover fish aquariums before spraying.

FIRST AID

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS
Contents under pressure. Do not puncture. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See side panel for additional instructions.

For use in and around hotels, motels, greenhouses and lathouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, dorms, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

DISPOSAL
DO NOT REUSE
EMPTY CONTAINER
WRAP CONTAINER
AND PUT IN
TRASH COLLECTION

CONTRACT



15 FOOT "STREAM" SPRAY REACHES
OVERHEAD NESTS, NIVES, PLUS UNDER
GROUND LAIRS

**DIELECTRIC STRENGTH—
NON-CONDUCTING UP TO 26,600 VOLTS.**

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS: WASPS, HORNETS, YELLOW JACKETS, BEES, ANTS, COCKROACHES, SPIDERS, EARWIGS, GRAIN MITES, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES, MILLIPEDES AND TENT CATERPILLARS.

ACTIVE INGREDIENTS:

Permethrin (5-phenoxyphenyl 3-oxoindole-2-yl ether)	0.75%	W/W
cyfluthrin (2-cyano-3-phenoxyphenyl 2-propylbutyrate)	0.02%	W/W
Pyrethrin compound	0.7%	W/W
INERT INGREDIENTS:	98.53%	W/W

* Do not exceed rate max. 30% (w/v) on and max. 70% (w/v) total.

—U.S. Patent Nos. 3,453,887 and 3,540,738.

* Parker's DDP-1388 brand of neomycin treatment.

Parker Corp., 1600 West Street West, Lynchburg, VA 24507.

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg. No. 1553-131

EPA Est. No. 49836-0A-1

NET WEIGHT 14 OZ.

DIRECTIONS FOR USE (Continued)

Remove protective cap. Aim spray opening away from person. Push button to spray.

For industrial use, indoors and around premises
INDOORS: TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES—Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under eaves contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

TO KILL ANTS, COCKROACHES, SPIDERS, EARWIGS, GRAIN MITES, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES AND MILLIPEDES—Direct spray to contact these insects in cracks and crevices in floors, baseboards around pipes, behind cabinets and other harborage. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL ANTS—Spray directly on insects, and around window frames, doors, and trails and holes.

TO KILL SPIDERS—Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

OUTDOORS: Apply as a contact spray. Spray directly on insects. Aim spray opening away from person. Avoid spraying plants or turf except to spray infested areas.

ANTS: Same as directed above for indoor use.

WASPS, HORNETS, YELLOW JACKETS, BEES—Same as directed for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the nest openings. Contact as many insects as possible. Repeat as necessary.

EARWIGS, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES AND MILLIPEDES—Apply as a contact spray for indoor use.

TO KILL TENT CATERPILLARS—Application should be made when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening, when caterpillars have returned to their tents. Aim spray directly at tents, and totally saturate on all sides. Repeat as necessary.


Manufactured by

MOMAR

Incorporated

Atlanta, Georgia

Providing Products of
Momar Research in the U.S.A.
Canada, Western Europe and Africa



Reviewed, E.P.A. 10/17/89

BEST AVAILABLE COPY

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pills and cover fish aquariums before spraying.

FIRST AID

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS
Contents under pressure. Do not puncture. **DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.** Exposure to temperatures above 130°F may cause bursting. Never throw containers into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See side panel for additional instructions.

For use in and around hotels, motels, greenhouses and lawns, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, dorms, milk storage rooms, egg processing plants, supermarkets, restaurants, boarding plants, canneries, saw and food mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in barns, automobiles, trucks, bencars and ship cargo holds. Also for use in dog kennels and horse stables in horse stables, not for application of horses and to avoid for food.

In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

**DISPOSAL
DO NOT REUSE
EMPTY CONTAINER
WRAP CONTAINER
AND PUT IN
TRASH COLLECTION**

CONTRACT



15 FOOT "STREAM" SPRAY REACHES OVERHEAD NESTS, NIVES, PLUS UNDER GROUND LAIRS

**DIELECTRIC STRENGTH—
NON-CONDUCTING UP TO 26,800 VOLTS.**

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS: WASPS, HORNETS, YELLOW JACKETS, BEES, ANTS, COCKROACHES, SPIDERS, EARWIGS, GRASS HOPPERS, SAWFLIES, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES AND MILLIPEDES AND TENT CATERPILLARS.

ACTIVE INGREDIENTS:	PERCENTAGE (BY WEIGHT)
Permethrin (35% concentration) diluted with 2:2	0.50%
Surfactant	0.00%
Propellant	0.00%
Residual solvent	0.00%
NET WEIGHT	14.00%

* Do not breathe mist. 20% (w/v) and 10% (w/v) solutions.
-LAL, Patent Nos. 3,458,897 and 3,459,200.
* Product's EIP-1320 brand of non-toxic insecticide.
Product Corp. 1220 West Street, Waynesville, NC 27587

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

NET WEIGHT 14 OZ.

DIRECTIONS FOR USE (Continued)

Remove protective cap. Aim spray opening away from person. Push button to spray.

For industrial use, indoors and around premises.
INDOORS: TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES—Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under eaves, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

TO KILL ANTS, COCKROACHES, SPIDERS, EARWIGS, GRASS MITER, SAWFLIES, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES AND MILLIPEDES—Direct spray to contact these insects in cracks and crevices in floors, baseboards around pipes, behind cabinets and other harborage. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL ANTS—Spray directly on insects, and around window frames, doors, and trails and hills.

TO KILL SPIDERS—Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

OUTDOORS: Apply as a contact spray. Spray directly on insects. Aim spray opening away from person. Avoid spraying plants or turf except to spray infested areas.

ANTS: Same as directed above for indoor use.

WASPS, HORNETS, YELLOW JACKETS, BEES—Same as directed for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the nest openings. Contact as many insects as possible. Repeat as necessary.

EARWIGS, SAWFLIES, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES AND MILLIPEDES—Apply as a contact spray for indoor use.

TO KILL TENT CATERPILLARS—Application should be made when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening, when caterpillars have returned to their tents. Aim spray directly at tents and totally saturate on all sides. Repeat as necessary.

Manufactured by
MOMAR
Incorporated
Atlanta, Georgia
Proudly Products of
Momar Research in the U.S.A.
Canada Western Europe and Africa

Reviewed, Prod. ...

10/17/89

BEST AVAILABLE COPY