

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Edwards-Councilor Company, Inc.
1427 Baker Road
Airport Industrial Park
Virginia Beach, VA 23455

Attn: William M. Edwards

Subject: Steramine 2-G Tablets
EPA Registration No. 1561-10
Letter dated October 7, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. On the left panel, revise the precautionary statements to read:

Precautionary Statements
Hazards to Humans and Domestic Animals

Danger. Corrosive. Keep Out of Reach Children. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggle or face shield and rubber gloves when handling. Avoid prolonged skin contact. In case of contact, flush with plenty of water. If irritation persists, get medical attention. Avoid contamination of food.

- b. Change the heading "First Aid" to "Statement of Practical Treatment" and revise the instructions to read: If tablets are swallowed, drink promptly large quantities of water. Avoid alcohol. Get medical attention immediately.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

243

BEST AVAILABLE COPY

-2-

c. In the "Note to Physician" section, delete the last sentence beginning with "measures against may be needed."

d. Delete the following misleading statements:

accurate
convenient
Effective

2. Submit an updated Confidential Statement of Formula, EPA Form 8570-4 for our review. A copy of the form is enclosed.


3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 305-6982.

Sincerely,



John H. Lee

Product Manager 31

Antimicrobial Program Branch

Registration Division H7505C

Enclosure

1M21 1561-10

3042

**ACCURATE - CONVENIENT
EFFECTIVE**

This product fulfills the criteria of Appendix F of the Grade 'A' Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 500 ppm of hardness calculated as CaCO₃ when tested by the AOAC Germicidal and Detergent Sanitizers - Official Method.

DANGER. Keep out of reach of children. Tablets may be harmful or fatal if swallowed. May cause skin irritation or eye damage. Avoid prolonged skin contact. Do not get in eyes. In case of contact flush with plenty of water. If irritation persists, get medical attention. Avoid contamination of food.

FIRST AID: If tablets are swallowed, drink promptly a large quantity of milk, egg whites or gelatin solution. Avoid alcohol.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

S-10-1189

**STERAMINE
2-G TABLETS
THE THIRD SINK SANITIZER**

**USE 1 TABLET PER TWO GALLONS OF WATER
For the SANITIZATION of
DISHES-GLASSES-UTENSILS**

EPA REG. NO. 1561-10

ACTIVE INGREDIENTS 50%
Allyl (CH₂ 95%, C12 3%, C18 2%) dimethyl ammonium
chloride dihydrate

INERT INGREDIENTS 50%

DANGER

Keep Out of Reach of Children

See Left Panel For Additional
Precautionary Statements

For Institutional and Commercial Use Only
15 TABLETS NET WEIGHT 8 OUNCES

Manufacturing Chemicals

EDWARDS-COUNCILOR CO.
1427 EAKER ROAD, VA. BEACH, VA 23455

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Prepare sanitizing solutions with warm water. Allow several minutes for tablets to dissolve before using. For sanitizing Dishes, Glasses, and Utensils in Restaurants, Taverns, etc.

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner in first sink compartment.
3. Rinse with clean water in second sink compartment.
4. Sanitize in a solution of 1 tablet per 2 gallons of water (200 ppm) in third sink compartment. Immerse all utensils for at least one minute or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.
6. A fresh sanitizing solution must be prepared at least daily or more often if the solution becomes diluted or soiled.

Steramine Sanitizing solutions of 200 ppm concentration may be safely used on food processing equipment and utensils and on other food contact articles as specified under Subpart F of the Food Additives Amendment by the U.S. Food and Drug Administration.

EPA Est. 1561-VA-1

RECORDED
with COMMENTS
to EPA Letter Dated:

OCT 30 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the purpose of
registered under EPA Reg. No.

1561-10

BEST AVAILABLE COPY