1561-11

8/6/2004

Dage 174

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

6 2004 AUG

Mr. William Edwards Edwards-Councilor Co., Inc. 1427 Baker Road Virginia Beach, VA 23455

Subject:

Steramine 1-G Tablets

EPA Registration No. 1561-11 Amendment Date: February 5, 2004 EPA Receipt Date: February 9, 2003

Dear Mr. Edwards,

The following amendment submitted in connection with registration under FIFRA, as amended, is acceptable with the conditions listed below.

Response to Agency letter dated August 18, 2003


Conditions

Revise the label as follows:

- Revise the "Precautionary Statements" to read "Causes substantial but temporary eye 1. injury. Do not get in eyes, on skin, or on clothing. Wear protective goggles or safety glasses. Wash thoroughly with soap and water after handling and before eating drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.
- The "First Aid" statements must be reorganized so that the most severest routes of 2. exposure as demonstrated by the toxicity category classification are listed first. They must be reorganized as follows: IF IN EYES, IN ON SKIN, IF SWALLOWED, and IF INHALED.
- Based on this product's acute toxicology profile, the "Note to Physician" section is no 3. longer triggered.

Toxicology Summary

The Agency has determined that the submitted studies are unacceptable because they do not comply with 40 CFR 160.12 or 40 CFR 792 guidelines for acute toxicology studies. However, it is understood that these product were registered prior to these regulations, and the provided acute toxicology profile is based on submitted data. Due to the amount of deficiencies



EPA Form 1320-1A (1/90)

Printed on Recycled Paner

OFFICIAL FILE COPY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

outlined in the data evaluation, we are granting a conditional amendment provided that the new studies conducted according the current guidelines be conducted and submitted to the Agency for review.

Study Guideline	MRID Number	Toxicity Category	
Acute Oral Toxicity	461914-01	IV	
Primary Eye Irritation	461914-03	П	
Primary Skin Irritation	461914-02	III ·	

Data Deficiencies

- 1) All the submitted studies did not state how the test material was dosed to the animals or the source, strain, age, and weight of the test animals. This information is useful in determining the animal's condition at the time of testing.
- 2) The acute dermal study, MRID No. 461914-04, was determined not to be an acute dermal study. The test material was applied in dose levels of 1 ml/kg, 2 ml/kg, and 4 ml/kg from a dilution of 800 ppm water. The use of two animals per dose level is inappropriate. There was no indication as to how the applied material was covered or sealed to the animal's skin. The discussion of abrasion is no longer used. There was not a mortality table included in the report.
- 3) The primary skin irritation study, MRID No. 461914-2, did not include irritation cores for 1 or 48 hours, and no observations were reported beyond 72 hours. In some instances, irritation occurs after 72 hours prompting re-evaluation of the toxicity category. The study was not clear as to what method was used to conduct the study.
- 4) Acute inhalation and dermal sensitization routes of exposure were not addressed. You must either submit a justification or a study to address this data requirement.
- 5) The acute toxicology tests are designed to assess a product's toxicological potential to provide information of health hazards. The product must be tested as it is sold. The submitted studies stated that the test material was diluted in water which is indicative of the use solution for the sanitizing directions on the label. This information is useful for use-dilution precautionary statements, but it will not this product's precautionary statements.

General Comments

A stamped label acceptable with conditions is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Please Note: The Agency is granting a conditional acceptance of this amendment provided you submit new acute toxicology studies generated according to 40 CFR 160.12 and 40 CFR 792

CONCURRENCES							
SYMBOL							
SURNAME)				*****	*********	************	****************
DATE			************	**************		*************	
EDA 5-00 199 14 (199)							

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

guidelines. You should refer to OPPTS Harmonized test guidelines for additional guidance at www.epa.gov/opptsfrs/OPPTS_Harmonized/870_Health_Effects_Test_Guidelines.

If you have any questions or concerns regarding this letter, please contact Jacqueline McFarlane at (703) 308-6416.

Sincerely,

Velma Noble

Product Manager (31)

Regulatory Management Branch I

Antimicrobials Division (7510C)

Encl: Stamped Label

CONCURRENCES								
SYMBOL					•	}		
SURNAME	л.						•••••	
DATE		,					***************************************	
OFFICIAL FILE COPY								

This product fulfills the sanitizing criteria of the US PUBLIC HEALTH SERVICE in waters up to 500 ppm of hardness calculated as CaCO3 when tested by the AOAC Germicidal and Detergent Sanitizers – Official Method.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS and DOMESTIC ANIMALS
WARNING: Tablets are harmful if swallowed. Tablet dust
Causes eye and skin irritation. Do not get dust in eyes. Avoid
Prolonged skin contact with dust. Avoid contamination of food.

FIRST AID

IF SWALLOWED: Call a poison contact center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

IF ON SKIN: Rinse immediately with water for 15-20 minutes. If irritation persists, call a poison control center or doctor for treatment advice.

Have the product label or container with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE and DISPOSAL: Store in original container in areas inaccessible to persons unfamiliar with it use. Do not reuse empty container. Wrap container and discard in trash.



USE ONE TABLET PER ONE GALLON OF WATER Kills HIV-1 (AIDS Virus) when used as directed for sanitizing.

EPA REG. NO. 1561-11

WARNING

150 Tablets

KEEP OUT OF REACH OF CHILDREN

See left panel for additional precautionary statements.

For institutional and Commercial use only.

NET WEIGHT
8 OUNCES

Manufacturing Chemists

EDWARDS-COUNCILOR CO. INC., 1427 Baker Road, Virginia Beach, VA. 23455

With COMMENTS in EPA Letter Dated:

Aug 6 2004

Onder the Federal Insection Fungicide, and Rodentics amended, for the pestical registered under EPA Regular

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Prepare sanitizing solutions with warm water. Allow several minutes for tablets to dissolve before using.

FOR SANITIZING DISHES, GLASSES, AND UTENSILS IN

FOR SANITIZING DISHES, GLASSES, AND UTENSILS IN RESTAURANTS. TAVERNS, ETC.

- 1. Scrape and prewash utensils and glasses whenever possible.
- Wash with a good detergent or compatible cleaner in first strategy
 compartment.
- 3. Rinse with clean water in second sink compartment.
- Sanitize in a solution of 1 TABLET (ser 1 GACLON OF WATER[®] (200 ppm) in third sink compartment. Immerse all utensits for at least one minute or for contact time specified by governing sanitary code.
- 5. Place sanitized utensils on a "rack of drainboard to air dry.
- A fresh sanitizing solution must be premared at least daily or more often if the solution becomes clicited or sylled.

DIRECTIONS FOR SPRAYING

FOR SANITIZING FOOD PROCESSING EQUPMENT, DAIRY EQUIPMENT, SINKS, COUNTERTOPS, REFRIGERATED STORAGE AND DISPLAY EQUIPMENT and other hard non-porous food contact articles and surfaces.

Prior to sanitizing, remove gross food particles and soil by preflush, pre-scrape, and when necessary, pre-soak. Then thoroughly wash equipment and surfaces with good detergent or compatible cleaner followed by potable water rinse. Apply use solution of 200 ppm concentration (Itablet per gallon of water) thoroughly wetting surfaces with hand trigger sprayer, cloth, sponge, or brush. Surfaces must remain wet for at least 1 minute followed by adequate draining and air drying.

Prepare a fresh solution daily or more often if solution becomes visibly diluted, clouded, or soiled. For mechanical application, use solution may not be reused for sanitizing applications.

KILLS HIV-1 (AIDS Virus) when used as directed for sanitizing.

EPA EST. 1561-VA-1

FOR CLEANING AND SANITIZING SOFT SERVE - FROZEN DESSERT MACHINES AND EQUIPMENT

CLEANING INSTRUCTIONS

- 1. Drain all product from machine.
- Rinse machine thoroughly by adding 2 gallons of water and operating for 2 minutes, then drain all rinse water from machine.
- Wash machine thoroughly by adding 2 gallons of a suitable detergent solution and operating for 5 minutes, then drain detergent solution.
- Rinse machine again by adding 2 gallons of water and operating for 2 minutes, then drain all rinse water from machine.

SANITIZING INSTRUCTIONS

- 5. Dissolve 2 tablets in 2 gallons of warm water to prepare 200 ppm sanitizing solution – allow several minutes for tablets to dissolve completely before using. Add this sanitizing solution to machine and operate for 5 minutes, then drain sanitizing solution from machine. Allow 5 minutes for machine to dry.
- Machine is now ready for retilling with product mix.

A X

t