TY1# 2007

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. In the home, cover or remove exposed food. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds, and cover fish aquariums before spraying. Do not use on edible crops. Do not use on edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while fond is exposed.

FIRST AID: In case of contact immediately flush skin and eyes with plenty water for at least 15 minutes. For skin and eyes call physician.

PHYSICAL OR CHEMICAL HAZARDS. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Does not contain chlorofluorocarbons

STORAGE AND DISPOSAL. Do not reuse impty container. Wrap container and out n trash collection.

DOUBLE ACTION INSECT KILLER Can be used as a contact spray against flying and crawling insects and as a residual insecticide providing up to 3 to 4 weeks of control of roaches.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION: violation of Federal Law to use this product in a manner inconsistent with its labelling.

STANHOME

double action & ROACH **KILLER**

FOR USE IN HOMES, MOTELS

ACTIVE INGREDIENTS:

*†Resmethrin: [5-(phenylmethyl)-3-furanyl] methyl 2,2- dimethyl-3-(2-methyl-1-prophenyl) cyclopropanecarboxylate ... 0.350% W W

*Cis/trans isomers ratio: max. 30% (\pm). Cis and min. 70% (\pm) trans. † U.S. Patent Nos. 3,465,007 and 3,542,928.



24-HOUR TELEPHONE SERVICE-413-527-1000 STANLEY HOME PRODUCTS, INC. WESTFIELD, MA 01085 MADE IN U.S.A. SHP-1

EPA Est. 1574-MA-1 • EPA Reg. No. 1574-33

CAUTION: KEEP OUT OF REACH OF CHILDREN Contents Under Pressure. See caution on back panel.

NET WT. 9 1/2 OZ.(269 g)

DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

Roaches, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes. Spray baseboards, cracks and crevices, around door and window frames and other biding places, such as closets, in back of and under appliances, sinks and cupboards in the kitchen and bathroom, in basements, spray hiding places in cracks and crevices. lower walls and dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 14 inches from the surface. Spray directly on insects where possible. Repeat as necessary

ANTS Apply to ant trails and around door sitls, window frames and other places where ants may

TO REDUCE ANNOYANCE FROM FLYING INSECTS: INDOORS: Houseflies, mosquitoes, gnats. Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

OUTDOORS: Reduce mosquitoes gnats (midges), houseflies, deer flies and horseflies, and small flying moths (millers) by spraying their resting areas. Follow precautions listed below. Hold container 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic feet of space while moving away from the treated areas. Spray only when the air is still. Allow spray to disstoate before occupying the treated area. Repeat as necessary. Treat open porches and patios in a similar manner

WASPS: Applications should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat, as necessary.

(1)

CUSTOMER STANLEY HOME PROD ENG. /- 9.01522 ICTY. 060 SILL -1/1×4/3 INDEX NO. FO-13 C.E. 8 48414 938 STYLE PO PRESCURE ARTIST QUST, -43

TYPE LIMIT

ACCEPTED

Under the Federal Americality Funcicide, and Rodenticide Act es omended, for the posticide registered under, EPA Rog. No. /S