

DIRECTIONS

For Cleaning and Disinfecting: All Floors, Bathroom Fixtures, Sickroom Equipment, Walls and Woodwork: Thoroughly wet surfaces and wipe or mop using one part Syn-O-Germ to 128 parts warm water (one ounce to each gallon).

For Routine Cleaning Only: Use $\frac{1}{2}$ ounce per gallon of warm water.

When it is necessary to clean and disinfect an area where excessive soiling has occurred or that is suspected of harboring pseudomonas or tuberculosis organisms use two ounces of Syn-O-Germ to each gallon of warm water.

Rinse empty container thoroughly with water and discard it.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

FORMULATED SPECIFICALLY FOR
HOSPITAL USE

Form 224A-1 Gal.

SYN-O-GERM

GERMICIDAL DETERGENT

EPA Reg. No. 1588-26

Tuberculocidal	Germicidal	Pseudomonacidal	Fungicidal
CLEANS	SANITIZES	DISINFECTS	DEODORIZES

Phenol Coefficients (A.O.A.C. 20° C.)
Staphylococcus aureus 15
Salmonella typhosa 15

A.O.A.C. Use Dilution Confirmation Test
Kills: Staphylococcus aureus 1-128
Kills: Salmonella choleraesuis 1-128
Kills: Pseudomonas aeruginosa 1-86

ACTIVE INGREDIENTS: Isopropanol 15.00%; Sodium dodecyl benzene sulfonate 8.40%; Sodium 4-chloro-2-cyclopentylphenate 4.46%; Sodium o-phenylphenate 3.38%; Tetrasodium ethylene diamine tetraacetate 0.81%; Essential oils 0.75%; Sodium o-benzyl-p-chlorophenate 0.55%; Sodium p-tertiary-amylphenate 0.56%.

INERT INGREDIENTS: 66.09%

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

See right side panel for First Aid Statements.

Net contents: 1 U.S. Gallon



ROCHESTER GERMICIDE COMPANY


ROCHESTER, N.Y. 14603

Branches in Many Principal Cities Established 1888

Syn-O-Germ is a powerful germicidal compound for use on all types of materials. It is non-corrosive, non-toxic, and leaves no residue. Syn-O-Germ is used on all types of woodwork, metal, and plastic. It is also used for disinfecting and deodorizing.

In case of emergency, call your physician or the nearest hospital. Do not use if swallowed. Whites, grays, and large quantities may be used.

NOTE: This product is not to be used on the face, neck, or hands. It is also not to be used on the face, neck, or hands. It is also not to be used on the face, neck, or hands.



room Fix-
Woodwork:
ng one part
nce to each

gallon of

area where
spected of
nisms use
arm water.
nd discard

AR HEAT

SYN-O-GERM

GERMICIDAL DETERGENT

EPA Reg. No. 1588-26

Tuberculocidal	Germicidal	Pseudomonacidal	Fungicidal
CLEANS	SANITIZES	DISINFECTS	DEODORIZES

Phenol Coefficients (A.O.A.C. 20° C.)	A.O.A.C. Use Dilution Confirmation Test
Staphylococcus aureus 15	Kills: Staphylococcus aureus 1-128
Salmonella typhosa 15	Kills: Salmonella choleraesuis 1-128
	Kills: Pseudomonas aeruginosa 1-86

ACTIVE INGREDIENTS: Isopropanol 15.00%; Sodium dodecyl benzene sulfonate 8.40%; Sodium 4-chloro-2-cyclopentylphenate 4.46%; Sodium o-phenylphenate 3.38%; Tetrasodium ethylene diamine tetraacetate 0.81%; Essential oils 0.75%; Sodium o-benzyl-p-chlorophenate 0.55%; Sodium p-tertiary-amylphenate 0.56%.

INERT INGREDIENTS: 66.09%

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

See right side panel for First Aid Statements.

Net contents: 1 U.S. Gallon



ROCHESTER GERMICIDE COMPANY

ROCHESTER, N.Y. 14603

Branches in Many Principal Cities Established 1888

Syn-O-Germ, a dual purpose germicide and detergent, is compounded only from carefully selected high quality raw materials. It is effective against a wide range of gram-negative and gram-positive organisms and pathogenic fungi. Syn-O-Germ contains no soap and is recommended for use on all floor surfaces (including conductive floors), walls, woodwork, sickroom equipment, and bathroom fixtures. Syn-O-Germ is intended for one-step cleaning and disinfecting.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.