

BEST DOCUMENT AVAILABLE



DANGER: POISON PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors or spray mist may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed.

Keep out of any body of water where conditions favor drift from treated areas where runoff is likely to occur.

POST TREATED AREA

Consult your State Agricultural Experiment Station regarding

USE ONLY WHEN WEARING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. Do not drink in any way. STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the



RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



STOP READ LABEL BEFORE USING!



POISON

See side panels for antidote and precautions

DANGER

Keep out of reach of children

CAN KILL YOU

1% PARATHION DUST

NOT FOR HOME USE OR STORAGE IN OR AROUND THE HOME

ACTIVE INGREDIENTS

Parathion (O,O diethyl O p nitrophenyl phosphorothioate) 1.0 %

INERT INGREDIENTS 99.0 %

TOTAL 100.0 %

EPA Registration No 1598 38

EPA EST 1598-SC-1

CROP USE DIRECTIONS

Use only for the purposes and in the manner described in the directions for use in the back panel

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS AND DIRECTIONS

Net Weight 25 Pounds

MANUFACTURED BY **FCX** INCORPORATED

RALEIGH, N.C. 27602

...victim has been exposed to para... condition. After first aid is given (Section) and if a doctor cannot com... hospital.

IMPORTANT! Before removing c... soap and water. Always wash ha... soap and water before smoking ea... **AFTER WORK**, take off all work cl... using soap and water. Wear only cl... job. Do not wear contaminated cl... clothing and protective equipment v... each use. Respirator should be cle... according to instructions included

POISON SIGNS (S)
Parathion is a very dangerous pois... body on contact with all skin sur... contaminated with this material... mediate. Exposed persons must... treatment or they may die.

Some of the signs and symptoms of p... nausea, vomiting, cramps, weakne... point pupils, tightness in chest, l... viousness, sweating, watering of eye... mouth and nose, muscle spasms ar... **FIRST AID TREA**

Call a doctor (physician), clinic or... Explain that the victim has been ex... describe his condition.

If breathing has stopped, start... mediate and maintain until d... swallowed and victim is awake (con... quickly. Induce vomiting by sticking... giving soapy or strong salty water... vomit is clear. Never give anythin... conscious person. Have victim lie d... doctor immediately.

In case of contact, immediately flush... of water for at least 15 minutes while... clothing and shoes. See doctor imm... **NOTE TO PHYS**

ANTIDOTE Administer atropine sul... to FOUR mg intravenously or intr... cyanosis is overcome. Repeat at 5 to... signs of atropinization appear. 2 P... tidotal and may be administered... atropine. **DO NOT GIVE**

TRANQUILIZERS. Parathion is a... inhibitor affecting the central a... systems and producing cardiac and... At first sign of pulmonary edma, the... supplemental oxygen and treated... linued absorption of the poison may... have been reported after initial... **CLOSE SUPERVISION OF THE PA**

FOR AT LEAST 48 HOURS.

BEST DOCUMENT AVA

ACCEPTED
SEP 28 1978

ACCEPTED
SEP 28 1978

BEST DOCUMENT AVAILABLE



DANGER: POISON PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)




POISONOUS IF BREATHED

Breathing vapors or spray mist may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed.

Keep out of any body of water. Conditions favor drift from treated areas where runoff is likely to occur.




POST TREATED AREAS: Consult your State Agricultural Experiment Station regarding treated areas.

USE ONLY WHEN PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat and rubber boots or overshoes (2) Wear safety goggles (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection (4) Wear heavy duty natural rubber gloves

WORK SAFETY RULES
Keep all unprotected persons and children away from treated area or where there is danger of drift.
Do not rub eyes or mouth with hands.
If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital immediately. Explain that the



RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



STOP READ LABEL BEFORE USING!

POISON DANGER
See side panels for antidote and precautions
Keep out of reach of children



CAN KILL YOU

1% PARATHION DUST

NOT FOR HOME USE OR STORAGE IN OR AROUND THE HOME

ACTIVE INGREDIENTS	
Parathion (O,O diethyl O p nitrophenyl phosphorothioate)	10.0
INERT INGREDIENTS	99.0
TOTAL	100.0

EPA Registration No 1598-38
EPA EST 1598-SC-1

CROP USE DIRECTIONS

Use only for the purposes and in the manner described in the directions for use in the back panel

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS AND DIRECTIONS
Net Weight 25 Pounds

MANUFACTURED BY **FCX** INCORPORATED
RALEIGH, N.C. 27602

victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.
IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking eating or drinking.
AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing contaminated with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE Administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also an antidote and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

BEST DOCUMENT AVAILABLE