

SABA-DIL Dust

ACTIVE INGREDIENTS:

Sabadilla Alkaloids	· · · · · · · · · · · · · · · · · · ·	,
	99.2 %	
Total	100.0 %	

EPA Reg. No. 1598 96

DIRECTIONS

FOR USE ON: Collards, Cabbage, and Squash.

TO CONTROL: Harlequin Cabbage Bug, Chinch Bug, Squash Bug, Lygus Bug. Apply uniformly and thoroughly to both upper and lower surfaces of leaves (20 to 40 pounds per acre). Repeat as necessary.

CAUTION KEEP OUT OF REACH OF CHILDREN

When this material is breathed or gets into eyes considerable discomfort may result. Wash eyes with plenty of good clean water and see a physician if pain persists. Wear a good dust respirator and goggles to avoid discomfort during periods of exposure. Avoid breathing dust.

Keep out of any body of water. Apply only for the purposes and in the manner directed in this label. Do not apply when weather conditions favor drift of dust from area treated. Clean application equipment and dispose of wastes and unused chemical in a pit on non-crop land in an isolated area well away from water supplies.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Bury empty container in a pit on non-crop land in an isolated area well away from water supplies.

NOTICE

Follow directions carefully. Timing and method of application, wearher and crop conditions, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all misks of use, storage, or handling of this material not in strict accordance with directions given on this label.

Net Weight

MANUFACTURED BY

ODF 1072



