

1598-107



FCX ROTOX "100"

AN INSECTICIDAL DUST
Contains 1% Rotenone

INGREDIENTS

ACTIVE INGREDIENTS:	
Rotenone (from cube)	1.0%
Other cube resins	1.2%
INERT INGREDIENTS	97.8%
Total	100.0%

EPA Reg. No. 1598-107

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed. Avoid inhalation of dust. Do not contaminate feed and foodstuffs.

This product is poisonous to fish. Keep out of any body of water. Apply only for the purposes and in the manner stated in this label. Do not apply when weather conditions favor drift of dust from areas treated. Clean application equipment and dispose of wastes and unused chemical in a pit in an isolated area well away from water supplies.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Bury empty containers in a pit on non-crop land in an isolated area well away from water supplies.

DIRECTIONS FOR USE

This product is a ready-to-use powder to be applied without dilution or mixing. Use good mechanical dusting equipment—hand-operated or power-driven—to apply the dust uniformly and thoroughly (25 to 35 pounds per acre) on the upper and lower surfaces of the foliage of the crops named below to control the insects listed.

Begin applications when the insect first appears and repeat 7 to 10-day intervals, as necessary. If rain occurs within 12 to 18 hours following an application, the dust should be reapplied as soon as possible. DO NOT APPLY TO THE NAMED CROPS WITHIN 1 DAY OF HARVEST.

BEANS Mexican bean beetle, bean leaf beetle, and aphids

BEETS Flea beetles

CANTALOUPE(S) Striped cucumber beetle,
CUCUMBERS) Spotted cucumber beetle,
SQUASH) and aphids

CABBAGE) Imported cabbage worm,
BROCCOLI) diamond back moth larvae,
CAULIFLOWER) flea beetles, and aphids

TOMATOES) Colorado potato beetle,
POTATOES) flea beetles,
EGGPLANT) and aphids

RASPBERRIES Raspberry fruit worm
STRAWBERRIES Spittlebug and leaf miner

NOTICE

Follow directions carefully. Timing and method of application, weather and crop conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on this label.

Net Weight

MANUFACTURED BY

FCX, Inc. RALEIGH, N.C.

27602

ACCEPTED 2 Pounds

7.72

MAY 9 1974

FOR ECONOMIC TOXICITY REGISTERED UNDER NO. 1598-107 SUBJECT TO ATTACHED COMMENTS.