

DIRECTIONS

For use as a residual surface treatment to kill flies, mosquitoes and wasps:

FOR INDOOR USE-Thoroughly spray or paint eaves, around windows and other areas frequented by the insects. Application should be repeated as soon as previous treatment shows loss of effectiveness.

FOR OUTDOOR USE-Thoroughly spray or paint screens, window frames, door sills and other areas where insects such as flies, ants, spiders, wasps, and mosquitoes tend to alight or congregate. Repeated applications are necessary for maximum protection, since insecticide residue deteriorates rapidly out-of-doors. One gallon will treat about 1000 sq. ft. of surface.

DO NOT USE EXTERMO LIQUID IN DAIRY BARN OR ON ANY ANIMALS.

CAUTION

Do not use in commercial food preparation areas or in edible products areas of food processing plants.

Do not use on humans. Contact with skin can cause toxic symptoms. In case of spillage on skin, wash off with soap and water. Avoid inhalation. Do not use on household pets or other animals. Bird cages and fish bowls should be covered or removed from the area being sprayed. Do not use on plants.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not spray into open flame. Do not smoke while using.

In case this liquid freezes on exposure to severe cold temperature, a few hours warm up at room temperature will permit re-resolution with a little stirring.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.



LIQUID

DUAL PURPOSE INSECTIDE

EPA. Reg. No. 1588-25

1. For use as a contact treatment to kill cockroaches, ants, silverfish, spiders, centipedes and clothes moths in non-food handling areas of office buildings, factories, institutions and schools.
2. For use as a residual surface treatment to kill flies and mosquitoes when they light upon walls and other surfaces in non-food handling areas of office buildings, factories, institutions and schools.

CAUTION: Keep Out Of Reach Of Children

Harmful If Swallowed

See Side Panel For Additional Cautions


Active Ingredients:

Pyrethrins	.050%
*Piperonyl Butoxide, Technical	.100%
†N-Octyl bicycloheptene dicarboximide	.166%
**O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	.500%
Petroleum Distillate	99.184%
	100.000%

*Consists of 0.08% (butylcarbityl) (6-propylpiperonyl) ether and 0.02% related compounds.

†MGK 264, Insecticide Synergist.

**Diazinon, U.S. Pat. No. 2,754,243. Geigy Chemical Corporation.



ROCHESTER GERMICIDE COMPANY

ROCHESTER, N.Y. 14603

BRANCH WAREHOUSES IN PRINCIPAL CITIES

DIRECTIONS

For use as a contact killer:

COCKROACHES

Thoroughly spray or paint infested cracks and other hiding places and adjacent exposed surfaces where roaches will crawl. Repeat application as necessary to maintain effective control.

ANTS

Thoroughly spray or paint ant trails and other areas around door sills, window frames, water-pipes, heat ducts, electrical outlets and baseboards. Repeat application as necessary to maintain effective control.

SILVER FISH

Thoroughly spray or paint baseboards, behind shelving, book cases and storage areas. Repeat application as necessary to maintain effective control.

SPIDERS AND CENTIPEDES

Thoroughly spray or paint baseboards, corners, pipes, storage areas or other infested areas in basements. Repeat application as necessary to maintain effective control.

EPA Est. 1588-IA-1

EPA Est. 1588-NY-1

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 1598-110 as amended, for the pesticide

ACCEPTED

NOV 5 1975



FCX SPECIAL BHC PINE TREE SPRAY

ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride.....	11.0 %
Other Isomers of Benzene Hexachloride and Related Compounds.....	12.6 %
Xylene.....	70.3 %
INERT INGREDIENTS:	6.1 %

Total 100.0 %

EPA Reg. No. 1598-110
EPA EST 1598 SC 1


CAUTION
KEEP OUT OF REACH OF CHILDREN

(See remainder of CAUTION statement on side panel)

NET CONTENTS

GALLONS

MANUFACTURED BY



INCORPORATED

RALEIGH, N.C. 27602

DIRECTIONS FOR USE

This product is an insecticide emulsifiable concentrate containing 1 pound of gamma BHC per gallon. It is intended for use as a spray (mixed in water or in fuel oil) to control southern pine beetles and turpentine beetles on pine trees. Use a sprayer which delivers small droplets (not a mist).

SOUTHERN PINE BEETLE-To control southern pine beetles, mix 1 quart of this product in 13 3/4 gallons of water (equivalent to 1 gallon of product in 55 gallons of water). No. 2 fuel oil may be used instead of water, if desired. Apply the spray uniformly and thoroughly to the entire height of the trunk of affected pine trees and to adjacent pine trees. Repeat at 30-day intervals during the growing season.

TURPENTINE BEETLE-To control turpentine beetle, mix 1 quart of this product in 3 1/2 gallons of water (equivalent to 1 gallon of product in 14 gallons of water). No. 2 fuel oil may be used instead of water, if desired. Remove loose bark before spraying. Apply the spray uniformly and thoroughly to the lower 12 feet of the trunk of pine trees. Apply the spray also to stumps and adjacent fallen pine logs and injured pine trees.

DO NOT APPLY ON WET BARK.
DO NOT USE FUEL OIL IF THERE IS DANGER OF MIST FALLING ON SHRUBBERY OR ORNAMENTALS.

CAUTION

Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. May cause irritation to skin and eyes. In case of contact, wash immediately with soap and water; for eyes, flush with clear water and get medical attention. Wash contaminated clothing before re use.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees exposed to direct treatment or to residues on treated pine trees. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use on animals of any kind.

BHC has a strong odor and is persistent. Keep container closed. Do not store with or near products which will absorb odors.

DISPOSAL OF EMPTY CONTAINERS-Do not reuse empty container. Destroy it by breaking into a previously prepared pit in an isolated area away from water supplies and bury fragments deeply, or discard in refuse which will be disposed of promptly in compliance with local regulations.

NOTICE

Follow directions carefully. Timing and method of application, weather and crop conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given on this label.