



DIRECTIONS FOR USE

PREPLANTING SOIL APPLICATION ONLY: Keep all persons and animals out of treated areas for 48 hours after application. Soil Temperatures **MUST** be at least 50 degrees F. for material to be effective.

TOBACCO: To control Southern Potato Wireworm and other wireworms, uniformly broadcast 50 to 75 pounds (2 to 3 pounds of actual parathion) per acre and immediately incorporate into the top 6 to 9 inches of soil from 1 to 3 weeks prior to transplanting. Use higher dosage where wireworms have been a problem. Treatment should be made annually on land to be planted to tobacco.

POTATOES: To control Southern Potato Wireworm and other wireworms, uniformly broadcast 75 to 100 pounds (3 to 4 pounds of actual parathion) per acre prior planting and immediately incorporate into the top 6 to 9 inches of soil. Use higher dosage where wireworms have been a problem. Treatment should be made annually on land to be planted to potatoes.

BEANS, CABBAGE, CARROTS, CAULIFLOWER, LETTUCE (Head) and SCYBEANS:

To control wireworms uniformly broadcast 75 to 100 pounds (3

PARATHION-4G

EPA Registration No. 1598-121

DIRECTIONS FOR USE

to 4 pounds actual parathion) per acre prior planting and immediately incorporate into the top 4 to 6 inches of soil.

CLEAN APPLICATION EQUIPMENT and dispose of waste and unused chemical by deep burial in a pit on non crop land in an isolated area well away from water supplies.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Destroy it by burying with waste or by burning. If burned, stay away from smoke or fumes.

MANUFACTURED BY

FCX, Inc. RALEIGH, N.C. 27602

IMPORTANT NOTICE - This panel is an integral part of the label of this product. It does not supercede the statements of DANGER and precautionary information shown in the front panel. Do not attempt to use this product unless you will comply with all the precautionary information and limitations which are essential to protect life and well being of persons.


This product is highly toxic to bees exposed to direct treatment or to residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service

DO NOT USE OR STORE IN OR NEAR HOMES OR OTHER STRUCTURES OCCUPIED BY PERSONS OR BENEFICIAL ANIMALS. DO NOT APPLY TO AREAS ADJACENT TO OR NEAR RESIDENCES OR OTHER STRUCTURES OCCUPIED BY HUMANS OR BENEFICIAL ANIMALS.

NOTICE

Follow directions carefully. Timing and method of application, weather and crop conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on this label.

1-5-72
1598-121

DANGER—POISON—PRECAUTIONS 

1-5-73
1543-121



STOP

READ LABEL BEFORE USING!



POISONOUS IF SWALLOWED

This product can kill you if swallowed, even in small amounts: dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing. May go through clothing rapidly.



POISONOUS IF BREATHED

Breathing vapors, or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water.

Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Post treated area

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is

POISON
See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

CAN KILL YOU

PARATHION-4G

**NOT FOR HOME USE OR STORAGE
AROUND THE HOME**

ACTIVE INGREDIENTS:

Parathion (O,O-diethyl O-p-nitrophenyl phosphorothioate) 4.0%

INERT INGREDIENTS:

96.0%

TOTAL

100%

EPA Registration No. 1598-121

CROP USE DIRECTIONS

Use only for the purposes and in the manner described in the directions for use in the back panel.

**SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONS AND DIRECTIONS**

Net Weight 50 U.S. Pounds

MANUFACTURED BY

FCX, Inc. RALEIGH, N.C.

given (see First Aid Treatment Section) and if a doctor cannot come take victim to clinic or hospital

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing contaminated with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE: Administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

Do not attempt to use this product unless you will comply with all the precautionary information stated in the label attached to the container and other limitations in the directions for use.