

### DIRECTIONS FOR USE

This product is an emulsifiable concentrate which must be diluted or mixed with water for application as an insecticidal treatment of termites which live in the soil, under the conditions or in the situations described below. To mix, stir the specified amount of concentrate into the volume of water required for uniformly thorough spray coverage; agitate during application.

**ACCEPTED**  
AUG 25 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide

**SUBSTRANIAN TERMITES** (Not for use on all termites) or on termites in soil or under the structure to be treated. Prepare 1 percent of chlordane by mixing 1/2 gallon of this concentrate in 50 gallons of water (1 pint in 12 1/2 gallons of water), and apply as follows:

**Buildings having basements or crawl spaces**--Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, but not below, the footing. Then as the trench is refilled, treat the soil at the rate of 4 gallons per 10 linear feet for each foot of depth. A trench 3 feet deep would require 12 gallons per 10 linear feet.

The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.



## FCX CHLORDANE S

Insecticide Emulsifiable Concentrate

### INGREDIENTS

#### ACTIVE INGREDIENTS

Technical chlordane *	72 %
Petroleum distillate	23 %

#### INERT INGREDIENTS

Total	100 %
-------	-------

\*Equivalent to 43.2 per cent octachloro-4, 7-methanotetrahydroindane and 28.8 per cent related compounds.

CONTAINS 8 POUNDS CHLORDANE PER GALLON

EPA Reg. No. 1598-145  
EPA EST. 1598-SC-1

### WARNING

## Keep Out Of Reach Of Children

See Remainder of WARNING Statements on Side Panel

Net Volume  
ODF872

1 U. S. Gallon

MANUFACTURED BY



INCORPORATED

RALEIGH, N.C. 27602

### WARNING

Harmful if swallowed. Contact with skin causes toxic symptoms. Avoid breathing spray mist or vapor. In case of contact with skin wash with soap and water. Avoid contamination of feed and foodstuffs. **DO NOT USE, STORE, POUR, OR SPILL NEAR HEAT OR OPEN FLAME.**

This product is poisonous to fish and wildlife. Birds in treated areas may be killed. Keep out of any body of water. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of spray from area treated. Do not use where runoff may occur as a result of heavy rain. Clean application equipment and dispose of rinse solutions; wastes, and unused chemical in a pit on non-crop land located well away from water supplies.

Keep children and pets off treated areas until the insecticide has been washed into the soil, either by adequate rainfall or thorough sprinkling, and the grass has completely dried.

This product is toxic to bees exposed to direct treatment or to residue, on treated crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DESTROY EMPTY CONTAINERS.** Do not reuse this container for any purpose. Punch holes in top and bottom of empty metal containers, crush under wheels of heavy vehicle or with an axe, and bury crushed container in a pit on non-crop land in an isolated area well away from water supplies. If container is glass, break into a previously prepared pit and bury fragments as described for crushed metal containers.

### NOTICE

Follow directions carefully. Timing and method of application, weather and crop conditions, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given on this label.