



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors or spray mist may be fatal.

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water.

Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Clean application equipment and dispose of solutions, wastes, and unused chemical in a pit on non-crop land in an isolated area well away from water supplies.

POST TREATED AREA

CROP USE DIRECTIONS

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

WORK SAFETY RULES

POISON SIGNS (Symptoms)

FIRST AID TREATMENT

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



STOP
READ LABEL BEFORE USING!

POISON

DANGER



Keep out of reach of children

CAN KILL YOU

ACCEPTED
SEP 28 1978
EPA Reg. No. 1598-182

METHYL PARATHION '4 L'

DO NOT STORE OR USE
IN OR AROUND THE HOME

EPA EST 1598-SC 1
EPA Reg. No. 1598-182

INGREDIENTS

ACTIVE INGREDIENTS
100% Dimethyl (O-p-nitrophenyl) phosphorothioate
Inert Ingredients
Total

45.3%
49.5%
5.2%
100.0%

Methyl parathion
Content: 4.0% METHYL PARATHION Per Gallon

Net Volume

Gallons

BEST DOCUMENT AVAILABLE

MANUFACTURED BY



INCORPORATED

RALEIGH, N.C. 27602

ANTIDOTE Administered intravenously or intramuscularly at 15 minute intervals until fatal and may be MORPHINE OR TRANSDUCING INHIBITOR affecting the cardiac and respiratory should be given supportive absorption of the poison. Initial improvement. INDICATED FOR AT LEAST

This product is an insecticide. Apply to foliage of insects listed below in ground spray equipment. Speed of air movement suspend spraying operation only in conditions. Additional information on label.

To apply with ground spray equipment, use a volume of water usually 10 to 12 gallons per acre. Do not

COTTON During the late season, apply at the rate of 1 to 2 pints per acre to control fleahoppers. Do not apply unless damage is determined to be present.

During the mid season, apply at the rate of 1 to 2 pints per acre to control fleahoppers. Do not apply unless damage is determined to be present.

During the late season, apply at the rate of 1 to 2 pints per acre to control fleahoppers. Do not apply unless damage is determined to be present.

DO NOT HANDLE WORKERS ENTER APPLICATIONS PROTECTIVE CLOTHING GRAZE DAIRY ANIMALS IN TREATED FIELD

Repeated applications and mid season require the use of a spray nozzle.

SOYBEANS Apply with a portable sprayer. Do not apply in the presence of insects. Do not use in areas where insects are present.

PESTICIDE
 by Certified Ap-
 their direct super-
 ses covered by the
 cation.



DO NOT USE!
DANGER
 Keep out of reach
 of children

YOU
THION'4L'

DO NOT USE
NEAR HOME
 45.3%
 49.5%
 52.0%
 100.0%

Per
AVAILABLE Gallons

27602

NOTE TO PHYSICIAN

ANTIDOTE Administer atropine sulfate in large doses... **DO NOT GIVE MORPHINE OR TRANQUILIZERS** Administer atropine sulfate in large doses... **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS**

DIRECTIONS FOR USE

COTTON Dilute... **SOYBEANS** Dilute... **ALFALFA** Apply at the rate of 1 pint per acre to control alfalfa weevils...

DO NOT APPLY TO SOYBEANS WITHIN 21 DAYS OF HARVEST. DO NOT GRAZE OR FEED SOYBEANS PLANTS OR OTHER FORAGE FROM TREATED AREAS WITHIN 21 DAYS AFTER APPLICATION.

ALFALFA Apply at the rate of 1 pint per acre to control alfalfa weevils... **DO NOT HARVEST OR GRAZE TREATED ALFALFA WITHIN 15 DAYS OF AN APPLICATION. APPLY TO ALFALFA IN BLOOM ONLY IN THE EVENING OR EARLY MORNING WHEN BEES AND OTHER POLLENATING INSECTS ARE NOT VISITING THE CROP.**

AIRCRAFT APPLICATION This product may be applied by aircraft only by licensed pilots... **DO NOT REUSE EMPTY CONTAINER** This container is designed for one-time use only...

DANGER--POISON

Keep away from children, pets, and livestock... **DO NOT REUSE EMPTY CONTAINER** This container is designed for one-time use only...

DO NOT REUSE EMPTY CONTAINER This container is designed for one-time use only...

DO NOT REUSE EMPTY CONTAINER This container is designed for one-time use only...

DO NOT REUSE EMPTY CONTAINER This container is designed for one-time use only...

NOTICE
 This product is a restricted use pesticide... **DO NOT REUSE EMPTY CONTAINER** This container is designed for one-time use only...