



needed, to achieve and maintain full atropinization. Artificial respiration and administration of oxygen may be necessary. Continue to observe patient for at least 48 hours, or until full recovery is evident. Never give morphine.

- DANGER -

Poisonous if swallowed, inhaled or absorbed through the skin. Parathion is rapidly absorbed through the skin. Do not get into eye, on skin or in clothing.

Wear natural rubber gloves, protective clothing, and goggles. Wear a respirator of a type recommended by U. S. Department of Agriculture for protection against parathion. Pilots of aircraft applying parathion should wear full face respirator type mask. Apply only when there is no danger of material drifting into unprotected areas. Keep all unprotected humans and animals out of operating area and vicinity where there may be danger of drift.

Do not allow to contaminate feed or foodstuffs. Wash thoroughly hands, face, and other unprotected areas with soap and water after using parathion, and before eating, drinking or smoking. Wash thoroughly all contaminated clothing in soap and hot water before re-using.

This material will kill fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any area not specified on this label.

This product is toxic to bees. Any use of the product when bees are visiting the crop will seriously reduce bee populations. Bees are important pollinators and are essential to the production of many crops. Before using this product during such periods consult your state Agricultural Extension Service.

Clean equipment thoroughly and dispose of waste by burying in non-crop land away from water supplies. Dispose of empty container in same manner, or by burning. If empty bag is burned, avoid breathing the smoke.

DIRECTIONS FOR USE:

FCX 10% Sevin\* - 1% Parathion Dust is a ready to use product. Application should be made when wind is calm to avoid drift into unprotected areas.

Tobacco: For the control of Hornworms, Fleabeetles, Aphids, suckfly and leaf beetle, apply 15 to 25 pounds per acre with either ground or aircraft equipment. Thorough coverage is essential. Use lesser rates for smaller plants and greater rates for large plants and heavy infestation. Make applications as recommended on infestation and weather conditions.

IF WORKERS MUST HANDLE TOBACCO WITHIN 5 DAYS OF APPLICATION, WEAR FULL PROTECTIVE CLOTHING AND GLOVES.

DO NOT PRIME WITHIN 5 DAYS, OR CUT WITHIN 15 DAYS, OF APPLICATION.

SOME PHYTOTOXICITY MAY OCCUR ON HEAVY FOLIAGE IN THE PRIME AND CUT STAGES. IN CASE OF SEVERAL DAYS DURATION FOLLOWING APPLICATION OF HEAVY FOLIAGES.

- 3 -

N O T I C E

Follow directions carefully. Timing and method of application, weather and crop conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on this label.

Net Contents

US Pounds

Manufactured by

FCX, Inc.

Raleigh, North Carolina