

ANTIDOTE: Atropine is the specific antidote. Obtain a supply of Atropine 1/100 grain tablets from your physician and keep on hand for emergencies.

FIRST AID TREATMENT

IF SWALLOWED, give a warm salt water solution or other effective method, to induce vomiting. Repeat until vomit fluid is clear. Keep person quiet and in a prone position. Call a physician!

IF INHALED, remove person from contaminated atmosphere. Call a physician!

IF IN CONTACT WITH SKIN, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Before reuse, wash clothing thoroughly with soap and hot water.

IF IN EYES, immediately flush eyes thoroughly with plenty of water. Continue flushing for at least 15 minutes.

INFORMATION FOR PHYSICIAN: To treat for poisoning, give Atropine, preferably by injection, in prescribed dosages immediately and every hour, or more frequently if needed, to achieve and maintain full atropinization. 2 PAM is also antidotal and it may be administered in conjunction with atropine. Artificial respiration or administration of oxygen may be necessary. Continue to observe patient for at least 48 hours or until recovery is evident. Never give morphine.

DIRECTIONS FOR USE

This product should be mixed with clear water and kept agitated. If mixture is allowed to stand without agitation, remix by thorough agitation before applying to foliage. Use sufficient water to get good coverage, depending on stage of growth. With ground equipment this should be 10 to 30 gallons per acre.

TOBACCO (Field Growing): To control Flea Beetles, Aphids, Hornworm, and Grasshopper, use 4.6 pints per acre in sufficient water to give thorough and complete coverage. For effective control of Flea Beetles, coverage of the underside of the leaf is essential.

To control Budworms, use 6 pints in a minimum of 25 gallons of water per acre. Apply with power driven ground equipment using only one full cone nozzle over the row, with a minimum of 60 psi.

Repeat applications as necessary.

DO NOT APPLY TO TOBACCO WITHIN 6 DAYS OF HARVEST.

When workers must handle tobacco within 5 days of application, they should be protected against skin contact by wearing clean, dry, cotton gloves, and tightly woven clothing.



FCX TOBACCO BUG BLASTER II "L"

An Emulsifiable Concentrate containing 1 pound of Guthion per gallon.

ACTIVE INGREDIENTS:

O, O-Dimethyl S-(4-oxo-1,2,3-benzotriazin-3 (4H)-ylmethyl) phosphorodithioate *	12.5 %
Aromatic petroleum distillate	40.2 %
Xylene	38.3 %
INERT INGREDIENTS:	9.0 %

Total 100.0 %

Guthion is a registered trade mark Farbenfabriken Bayer A. G.

* U. S. Patent No. 2,758,115; Canadian Patent No. 552,660

EPA Registration No. 1598-205



DANGER --- POISON



KEEP OUT OF REACH OF CHILDREN

ANTIDOTE AND DANGER STATEMENTS ON SIDE PANELS

DO NOT USE OR STORE IN OR AROUND THE HOME.

HIGHLY TOXIC MATERIAL. READ CAREFULLY.

POISONING SYMPTOMS: Headache, Nausea, Cramps, Blurred Vision, Weakness, Diarrhea, Discomfort in chest.

Contact a physician immediately if a person handling or working with this product develops any of these poisoning symptoms.

Manufactured By

FCX, Inc.

RALEIGH, N.C. 27602

POISONOUS
RAPIDLY
ON CLOTH

Wear natural
type recom
insecticides
areas. Keep
there may b

Do not allow
other unpro
smoking. W
using.

Do not use
beneficial a

DO NOT USE
This prod
Keep out of
areas treat
cleaning of
label.

Rinse eq
and dispos
containers
dered usel

Follow
conditions
of the sell
strict acc

Net Con

1-8-73
1598-205



BACCO BUG STER II "L"

Concentrate containing 1 pound of Guthion per

Analysis:

1,2,3- benzotriazin-3 (4H)-ylmethyl)	12.5 %
.....	40.2 %
.....	38.3 %
.....	9.0 %
.....	100.0 %

Trade mark Farbenfabriken Bayer A. G.
U.S. Patent No. 552,660
Registration No. 1598-205

DEADLY POISON KEEP OUT OF REACH OF CHILDREN

SEE DANGER STATEMENTS ON SIDE PANELS
DO NOT STORE IN OR AROUND THE HOME.
KEEP OUT OF REACH OF CHILDREN.
READ CAREFULLY.
Symptoms: Headache, Nausea, Cramps, Blurred Vision, Weakness,

Seek medical attention immediately if a person handling or working with this product develops any of the above symptoms.

Manufactured By

Inc. RALEIGH, N.C. 27602

DANGER—POISON

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.

Wear natural rubber gloves, protective clothing, and goggles. Wear a respirator of a type recommended by the U. S. Bureau of Mines (for protection against Phosphorous insecticides). Apply only when there is no danger of material drifting into unprotected areas. Keep all unprotected humans and animals out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered for at least two days.

Do not allow to contaminate feed or foodstuffs. Wash thoroughly hands, arms, face, and other unprotected areas with soap and water after using, and before eating, drinking, or smoking. Wash thoroughly all contaminated clothing in soap and hot water before re using.

Do not use or store in or around the home or other structure occupied by humans or beneficial animals.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Rinse equipment and empty containers thoroughly, using an alkali to decontaminate, and dispose of waste by burying in noncrop land away from water supplies. Dispose of containers in same manner after having broken, crushed, perforated, or otherwise rendered useless.

NOTICE

Follow directions carefully. Timing and method of application, weather and crop conditions, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions on this label.

Net Contents

U. S. Gallons