



STOP

READ LABEL BEFORE USING!

POISON
See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

CAN KILL YOU

25% PARATHION DUST BASE

INGREDIENTS

ACTIVE INGREDIENT

Parathion (0,0 diethyl)

Op-nitrophenyl phosphorothioate

INERT INGREDIENTS


UGDA Reg. No. 1598-110

FOR AGRICULTURAL USE ONLY - PREPARED FOR ONE


Use only for a dust base or dust concentrate containing 25% active ingredient. Do not use for any other purpose. The preparation of this product is not recommended.

Net Weight 50 Pounds

Manufactured by



This product is toxic if you have swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.




Do not allow it to be touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



Breathing vapors, spray mist or dust may be fatal.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.



Wear water proof pants, coat, hat, rubber boots or rubber overboots. Wear safety goggles. Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. Wear head and safety shoes and hand gloves.

Keep all unprotected persons and children away from treated areas. There is a danger of drift.

Do not feed or give to any animal that has been treated with this product. Wash hands and get help right away. Call your doctor, physician or take to hospital or medical center. Explain that you or the animal has been exposed to parathion and try to get medical attention. After the first aid, call your doctor and tell him or her you have been exposed to parathion.

Do not use this product if you are pregnant or nursing. Do not use this product if you are allergic to parathion or any of the ingredients. Do not use this product if you are sensitive to parathion or any of the ingredients.

Do not use this product if you are allergic to parathion or any of the ingredients. Do not use this product if you are sensitive to parathion or any of the ingredients. Do not use this product if you are pregnant or nursing. Do not use this product if you are allergic to parathion or any of the ingredients.



POISON SIGNS - Symptoms

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also antidotal and may be administered in conjunction with atropine.

Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement.

CONTAINER DISPOSAL

The container (bag) in which this product is packaged is as dangerous as the product itself. Do not reuse this container for any purpose. Dispose of empty bags, waste, and unused chemical by burying at least 18 inches deep in a pit on non-flood plain well away from water supplies.

FINISHED FORMULATIONS MUST BE LABELED

Finished formulations made from this product must be adequately and properly labeled in compliance with applicable regulations promulgated under the Federal Insecticide, Fungicide, and Rodenticide Act. For the label, such labels for finished formulations must have among other things requirement an ingredient statement, the signal words, DANGER or POISON, together with a Skull and Crossbones Symbol printed in a contrasting background, an antidote statement, adequate Warnings, and a statement which is complied with all provisions of the pesticide laws.

Labels for finished formulations must also include a statement of the manufacturer's name, address, and telephone number, and a statement of the manufacturer's name, address, and telephone number. Labels for finished formulations must also include a statement of the manufacturer's name, address, and telephone number.

NOTICE

This product is a restricted use pesticide. It is not to be used by anyone other than a person who has been trained and certified by the manufacturer. It is not to be used in any manner that would be hazardous to humans, animals, or the environment.