

DANGER POISON PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you it swallowed ever in small amounts, spray mist or dust may be fatal f swallowed



CAN KILL YOU BY SKIN CONTACT

or spilled or splashed on skin in eyes of of CCEPTED utions clothing 'liquid goes through clother



POISON See side panels for antidote (Attibit.)

DANGER Keep out of reach of children

STOP

READ I ABEL BEFORE USING!

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are brenthed

1598-216

(լ≜լ

FCX 75 -3 EC COTTON INSECTICIDE



POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service

Do not contaminate water by cleaning of equipment or disposal of wastes

FLAMMABLE. KEEP AWAY FROM HEAT OR OPEN FLAME.

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH CAUTIONS WARNINGS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS TIMING AND DOSAGE MAY VARY AS & CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE

WORK SAFETY RULES

Keep all unprofested persons and children away from treated greater where there is danger at drift

Do not rub eyes or mouth with hands. If you feel size in ally way STOP work and get help right away. Call a doctor (physician) clinic or hospital immediately Explain that the victim has been exposed to parathion and describe his condit in After first old is given (see First Aid Treatment Section) and if a nuctor comput come take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with snap and water. A ways wash hands face and rems with scap and water before smoking leating . drinking

AFTER WORK take off all work clothes and shoes. Shower, using soap one water Wear only clean clothes when leaving job. Do not wear contaminated winthing Wash protective clothing and protective equipment with soop and water after each use. Respirator should be cleaned and filter replaced according to his tructure included with respirator

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear water proof pants roat that rubber bacts in rubber weishier. We with the programment of the process of the specific appropriate the contract of the contract o THE CHIEF STATE OF COMMITTEES A MEMORY THE SAY OF THE CONTROL OF THE SAY

Contains 75 lb. Guthian and 3 lb. Methyl Parathian per gal **ACTIVE INGREDIENTS:**

CITTE INCREDIENTS.	By Weight
O O-Dimethyl 5-(4-oxo-) 2 3-benzotriczin-3 (4H),	
ylmethyl) phosphorodithioate +	8.2
O O-Dimethyl O-p-nitropheny phospholathicate?	33 0
Aromatic petroleum distinate	26 1
Kylene	24 3
ERT INGREDIENTS	8 4
Totai	1 50 0

Guthicr is a Reg. "Mich rorbenfabriker Bayer A. G

• 2 5 Fatert No. 2 38 116

Methy Parathion

FFA REG NO SUBJECT

NET

Bu Walne

NOT FOR HUME USE DIRECTIONS FOR USE

Application to it be made by aircraft at ground power equipment by trained personnel on a issing approved protective equipment. Do not apply with halid equipment. P. ... specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Keep halfator running during filling and spraying operations. Do not combine with wettable powders in essiplevious use of the mixture has proven physically compatible and safe t plants. Always thoroughly emulsify this priduct wish at least rigif of totol yater before xiding wettable powder

AIRCRAFT & GROUND EQUIPMENT WATER RATES PER ACRE

if applied by airrraft, the minimum amount of water per dure should be approximate ϵ pations in as stent will important property and good coverage. If applied with a maint other rate should be approximately 5 to 10 gallans per note.

POST YREATED AREA

The control of the Agricultural Extension Service on Experiment States (Agricultural) in the term of equi-

MANUFACTURED BY

RECOMMENDED APPLICATIONS ON COTTON

INSECTS PINTS	PER ACRE
Thrips aphids in textrectly season conton flechopper lygus hughwarm	s cottur s to
Bols weevil grasshoppers mites (late season) garden webworm myworm	fall or
Bollwarm or tabacco budwarm, neet armywarm, salt marsh caterpillar striped armywarm	yeilow 2 ² 3 * 3
Cabbage looper cutworm stinkbugs cotton leaf perforator	3

REMARKS

For bellwarms at tobacco budworms, begin treatment when warms are small and make applications on a 5-day schedule. Under heavy infestations, reduce interval to 3-4 days for two or more applications

Do not harvest or hand pick within 7 days of application.

Workers entering treated fields within 24 hours after an application should wear protective dothing. Do not graze livestock on treated areas or feed gin waste

NOTICE

ratiow directions carefully. Timing and method of application, weather conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use istorage, or handling of this material not in strict accordance with directions given on this label

POISON SIGNS (Symptoms)

Parathior is a very dangerous poison. It rapidly enters the body an contact with all skin surfaces and eyes. Clothing wet with this material must be removed in mediately. Exposed persons must receive prompt medical treatment or they may

Some of the signs and symptoms of paisoning it eliheadache inquised vamiting champs weakness blurred vision pin-point pupils tightness in chest labored breathing nervousness sweating wathing of eyes arooling or frothing of math and rose muscle spasms and coing

FIRST AID TREATMENT

scall a doctor iphysician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition

Hibrathing has stopped, start art ficial respiration immediately and maintain art pack for sensionality swallowed and victim is awake (conscious) make him yomit aurik'v unduce vomiting by sticking finger down throat or by giving soapy or strong safty water to drink. Repeat until vanilt is clear. Never give anything by in with to an unconscious person. Have victimilie down and keep quiet. See dector in case of contact, immediately flush eyes or skin with piently of water for at least is minited white removing contaminated crothing and shoes. See doctor in

NOTE TO PHYSICIAN TREAT SYMTOMATICALLY

And take administer atropine sulfate in large doses. TWO to FOUR mg. in travenulisiy or intramusi ulariy as soon as cyanasis is sivercome. Repeat at 5 to 10 lute interview into signs ut atropinization appear. DPAM chiaride is also antidate and hely be administered in conjuction, with atropine DO NOT GIVE MURPHINE OR TRANGELLIZERS. Paruthion is a strong cholinesterease inhibit in $\mathcal{M}^{G,\star}$ no the central and peripheral nervous systems and prodicing cardiac and respiratory depression. At first sign of pulmonary edmid, the patient should be alven supplemental uniquen and treated symptomatically. Continued absorption of the poison may accordand fatal relapses have beel reported after initial in A symmetry LERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST

DESTROY EMPTY CONTAINER

NEVER RE-USE

om přetely Ampty Contents (m.) bory incised chamici, i iš robar deag in gri sladta: katon away from water rippie.

GLASS CONTAINER: Break and other pixtoria, it is her feet

METAL CONTAINERS. 1 Gail Can Pierria of water into empty car. Add tablespoon of household detelligent. Ratiote concludefully until all linner surfaces. we wet. Bury rinse sciutor 19 oches teep. Point holes in top and bottom of contributed on the shall be a Signal Drawn Fixer , git of water onto empty container is with a specific with a to live and intohiespoons household detergent. Then ,# x Perf ≤ 1 ... op. in them 3.0 God Druma is smeas for 5-got drum exceptuse 3 э жүтэн түр жүр түрүү бүрүү бай **Dream** Some ok for Si professional processing with the control of the con the complete of the first of the second of the control of the cont en les and a les and a less than