

Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. KEEP CHILDREN AND PETS OFF TREATED AREAS UNTIL THE INSECTICIDE HAS BEEN WASHED INTO THE SOIL AND THE GRASS IS DRY.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, ponds, or streams. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or to residues on treated crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse empty container. Destroy it by perforating or shredding. Bury or discard in a safe place away from water supplies.

**DIRECTIONS FOR USE**

**OVERALL LAWN APPLICATION**-- To control the following insects on grass and dichondra lawns (ornamental lawns only):

inch bugs, Earwigs, Ticks, Ants, Lawn Moths (Sod Webworms), Bermuda Mites, Crickets, Armyworms, Brown Dog Ticks, Chiggers, Clover Mites, Cutworms, Fleas, Leafhoppers, Sowbugs, Milipedes, and Springtails (Collembola).

Apply the granules with a fertilizer spreader or other suitable equipment to accomplish uniformly thorough distribution over the entire lawn area. Application should be made when the grass is dry. Water the lawn lightly after application to wash the granules into the soil. Repeat as necessary. Apply at the rate of 2 pounds per 1000 square feet (an area 20' x 50') or 3 ounces per 100 square feet (an area 10' x 10'). For heavy lawns such as St. Augustine grass, application should be increased to 3 pounds per 1000



**LAWN INSECTICIDE GRANULES**  
**Contains 5% DIAZINON® Insecticide**


**INGREDIENTS**

<b>ACTIVE INGREDIENTS:</b>	
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	5%
<b>INERT INGREDIENTS</b>	95%
<b>Total</b>	<b>100%</b>

\*DIAZINON®--Trademark of CIBA-GEIGY Corporation

EPA Reg. No. 1598-237  
 EPA EST 1598-S.C.-1

**CAUTION**



MANUFACTURED BY **FCX** INCORPORATED

RALEIGH, N.C. 27602

square feet (or 4.8 ounces per 100 square feet).

Billbugs, Japanese Beetle Larvae, European Chafer Grubs, and Southern Chafer Grubs.

Apply 2.5 pounds per 1000 square feet lawn (4 ounces per 100 square feet). Water grass thoroughly after application. For grub control, make application any time between late July and early October. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

**SPOT TREATMENT**-- To control ants, apply 1½ teaspoons of granules over and around each individual ant hill. To control digger wasps, apply 1½ teaspoons of granules into and around each individual ground nest opening. Make the application about dusk when the wasps are not active. Repeat as necessary.

**BAND TREATMENT FOUNDATION**-- The following insects are commonly found around or near the foundation of houses as well as in the lawn, and some of these insects may enter the house:

- |                 |          |                             |
|-----------------|----------|-----------------------------|
| Ants            | Crickets | Milipedes                   |
| Brown Dog Ticks | Earwigs  | Sowbugs                     |
| Clover Mites    | Fleas    | Springtails<br>(Collembola) |

To control the above insects in the area immediately adjacent to the foundation, apply as a 5-foot band of granules around the foundation of the house. Distribute the granules uniformly at the rate of 3.2 ounces for each 5' x 20' area to be treated.

**CAUTION**-- KEEP CHILDREN AND PETS OFF TREATED AREAS UNTIL THE INSECTICIDE HAS BEEN WASHED INTO THE SOIL AND THE GRASS IS DRY.

**NOTICE**

Follow directions carefully. Timing and method of application, weather and crop conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on this label.