

FCX FCX STORED GRAIN DUST M-1 FCX

INGREDIENTS

Active Ingredient		
MALATHION #	1.00%
Inert Ingredients	99.00%
Total	100.00%

#D,O-dimethyl dithiophosphate of diethyl mercaptosuccinate
This product contains Premium Grade Malathion

EPA Reg 1598-245
EPA EST 1598-SC-1

CAUTION KEEP OUT OF REACH OF CHILDREN

If swallowed Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled Remove victim to fresh air and apply respiration if indicated.

If On Skin Wash promptly with soap and water. Rinse thoroughly.
If in Eyes Rinse eyes for at least 15 minutes with water and call a physician immediately.

SEE REMAINDER OF CAUTION STATEMENTS ON SIDE PANEL.

DIRECTION FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
CLEAN-UP prior to storage of grain. Many of the insects which commonly infest grain in storage continue to live and breed in old grain and debris. To reduce this source of infestation, the bins, storage areas, elevators, should be thoroughly cleaned before storing new grain. Remove and burn all sweepings and debris. The grounds outside should be kept free of spilled grain and debris, since this material also breeds insects.

Before new grain goes into storage, the walls, ceilings, and floors of grain bins, elevator, and other storage areas including farm storage should be sprayed with a Premium Grade Malathion Grain Spray diluted and applied as directed in the label for that product.

GRAIN PROTECTION - For protection of stored grain (wheat, oats, corn, rye, barley, and grain sorghum) against infestation by rice weevil, granary weevil, grain borers, cadelle, saw-toothed grain beetle, confused flour beetle, red flour beetle, and angoumois grain moth, apply this dust uniformly at the rate of 40 pounds for each 1,000 bushels as the grain is being loaded or turned into final storage.

On the farm, any convenient method may be used to apply and blend the dust uniformly in the grain. For example, use 2 pounds of dust for each 30 bushels of grain, or use 1 pound of dust for each 15 2/3 bushels. Mix the dust uniformly with the grain just before it is conveyed or transferred into final storage.

Surface Treatment for Indian Meal Moth - To protect stored grain against attack by Indian meal moth, apply at the rate of 30 pounds for each 1,000 square feet of grain surface. Apply uniformly over the surface of clean or uninfested grain immediately after being placed into storage. Repeat if necessary.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin. Avoid breathing dust. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide, Spray Mixture, or Rinseate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

NOTICE

Follow directions carefully. Time and method of application, condition of the grain and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on this label.

Net Contents 30 lbs.

ACCEPTED

FEB 1 0 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1598-245

MANUFACTURED BY



INCORPORATED

RALEIGH, N.C. 27602

25