

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately.

If Inhaled: Remove to fresh air.

If On Skin: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.

If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

Note To Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

Combustible mixture. Do not use, pour, spill or store near heat or open flame. Do not apply this product in conduits, motor housings, junctions, and switch boxes or other electrical equipment because of possible shock hazard. Avoid excess wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

PREMIUM FLY & ROACH SPRAY

Grade AA Fly Spray

ACTIVE INGREDIENTS:

n-Octyl bicycloheptene dicarboximide
technical piperonyl butoxide*
Pyrethrins

INERT INGREDIENTS:

EPA

0.32%
0.19%
0.09%

99.40%

TOTAL 100.00%

*Equivalent to 0.152% (butylcarbityl) (6-propylpiperonyl) ether and 0.038% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed.
See left panel for further precautions.

1 U.S. GALLON/3.8 LITERS

tree, shrub, etc., with a
brush or other applicator.

Aspiration 00%
Petroleum Naptha 10%
100%

Contents 1 Pt.

CAUTION:
INFLAMMABLE!

very active sap flow. Tree wounds should be exam-
ined within 6-12 months after treating to detect pos-
sible defects and to make necessary repairs.

Tanglefoot

THE TANGLEFOOT COMPANY

EPA Reg No 1621-11

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

00-11-01

94-043