

162: 21

PM-17

12/2/68

14/1

120000

EPA

**CAUTION:**

Remove pets, birds and fish bowls before spraying.

DO NOT SMOKE, POUR OR SPILL NEAR AN OPEN FLAME

DO NOT EAT WHILE SPRAYING.

Harmful if swallowed.

Contains petroleum distillates. If swallowed, do not induce vomiting, give 4 or more glasses of water or other fluid except milk.

Call A Physician.

Use this product as a space spray in food processing plants only when plant is not in operation

It should not be applied directly to grain or uncovered food stuffs and food products.

**DIRECTIONS FOR USE**

**Space Spray**—For the control of flies, mosquitoes, gnats and certain other flying insects, use all doors, windows and transoms and spray freely upward in all directions with the sprayer set to deliver a fine spray. Apply freely to walls, ceilings, moldings, window frames, light fixtures and similar nesting places. Keep the area closed 15 to 20 minutes after spraying. For controlling spiders, ants and certain other crawling insects, wet all cracks and crevices thoroughly with spray. Repeat application as required.



# MILL SPRAY

## SPACE SPRAY INSECTICIDE

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

HARMFUL IF SWALLOWED

CONTAINS PETROLEUM DISTILLATES

See Side Panel For Additional Cautions

**ACTIVE INGREDIENTS:**

- Piperonyl butoxide technical\* . . . 48%
- Pyrethrins . . . . . 13%
- Inert . . . . . 99.185%

TOTAL 100.00%

\*Equivalent to .55% of (butylcarbityl) (6-propylpiperonyl) ether and .13% of related compounds.

This product contains the toxic inert ingredient aliphatic petroleum hydrocarbons.



NET CONTENTS ONE GALLON (3.785 LITERS)

**Chemical Company, Inc.**

South San Francisco, Los Angeles, Portland, Oregon

EPA REG. NO. 16.

EPA LIT. 1622

Not Reviewed. Registrant claims to be in accordance with registration of Pesticide Product Guidance for Phase 2 Re-evaluation, Page 2-12, Active to Inert Change in Status.