


**ACCEPTED**  
**FEB 25 1967**  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTER-  
 ED UNDER NO. *1622-34* SUBJECT  
 TO ATTACHED COMMENTS.

A Quaternary Ammonium Disinfectant Sanitizer  
 officially certified for use in Restaurants for  
 Sanitizing eating and drinking utensils.  
 It is Odorless, Colorless and Tasteless in use  
 dilution.

**CAUTION:**  
 Avoid contamination of foodstuffs. Concentrate  
 irritating to skin and eyes. In case of contact  
 flush with plenty of water. If irritation persists,  
 get medical attention.

**NOTE:**  
 This product fulfills the criteria of Appendix F as reviewed  
 March 12, 1956 of the Milk Ordinance Code, 1953 recom-  
 mendations of the U. S. Public Health Service in waters up  
 to 550 PPM (32 grains per gallon) of hardness calculated  
 as CaCo<sub>3</sub> when tested by the method outlined by Chambers.

**NET CONTENTS: ONE GALLON**  
 USDA Reg. No. 1622-34



2  
 4  
 C  
 For eat  
 ends to  
 authori  
 Genera  
 Hosp  
 Genera  
 Glas  
 Dairy  
 (Imn  
 Equip  
 (Rin  
 Mold  
 Disin  
 Cloth  
 Diap

South San Francisco California

**KLIX Chemical Company, Inc.**

Portland

Cameraman's Note  
 Poor Copy

ACCEPTED

FEB 11 1967

A Quaternary Ammonium Disinfectant Sanitizer  
officially certified for use in Restaurants for  
sanitizing eating and drinking utensils.  
It is Odorless, Colorless and Tasteless in use  
dilution.

**CAUTION:**


Avoid contamination of foodstuffs. Concentrate  
irritating to skin and eyes. In case of contact  
flush with plenty of water. If irritation persists,  
get medical attention.

**NOTE:**

This product meets the requirements of Appendix B as reviewed  
March 27, 1966, by the Marine Sanitation Code, 1953, as amended  
and adopted by the U.S. Public Health Service in waters up  
to 550 PPM of calcium carbonate hardness calculated  
as CaCO<sub>3</sub> as tested by the method outlined by Chambers.

NET CONTENTS ONE GALLON

U.S. Pat. Reg. No. 522,34



**KLIX**

**SUPER-Q  
SANITIZER**

**Phenol Coefficient  
(A.O.A.C. Method, 20° C.)**

S. Typhosa 50  
Staphylococcus Aureus 75

**ACTIVE INGREDIENTS**

n-Alkyl (C<sub>12</sub>-C<sub>15</sub>) Quaternary Ammonium Chlorides 0.25%

**INERT INGREDIENT** 89.75%

**Warning:** Keep Out of Reach of Children.  
See Label for First Aid and Precautions.

For eat-  
ands to  
authorit  
General  
Hospi  
General  
Glass  
Dairy  
Imm  
Equip  
Rins  
Mold  
Disinf  
Cloth  
Diaps

San Francisco, California

**KLIX** Chemical Company Inc

Portland,

**ACCEPTED**

**FEB 25 1967**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 16,223 SUBJECT  
TO ATTACHED COMMENTS.

**KLIX**

# SUPER-Q SANITIZER

Phenol Coefficient  
(AOAC Method 20 C)

**Warning:** Keep Out of Reach of Children.  
See Side Panel For Additional Cautions.

### PPM for 4 gallons of water

1 oz. (2 tablespoons) give 200 PPM  
2 ozs. (4 tablespoons) give 400 PPM  
4 ozs. (8 tablespoons) give 800 PPM

**Clean and rinse all items thoroughly  
before sanitizing**

For eating and drinking utensils immerse 30 seconds to 2 minutes as required by local health authorities.

General Disinfecting . . . . .	800 PPM
Hospitals and Sickrooms . . . . .	800 PPM
General Sanitizing	
Glasses, Dishes, Silverware . . . . .	200 PPM
Dairy Equipment . . . . .	200 PPM
(Immerse for 2 minutes)	
Equipment in Food Plants	
(Rinse before use) . . . . .	200 PPM
Mold Control on Walls . . . . .	400 PPM
Disinfect Fabrics . . . . .	800 PPM
Clothes Softener and	
Diapers . . . . . oz. per 10 lbs. of clothes	

**KLIX Chemical Company, Inc.**

Portland, Oregon · Los Angeles, California

Cameraman's Note  
Poor Copy