DIRECTIONS:

Remove excess contamination prior to the recommended use solutions. Apply solutions with a mop, brush, or rag, thoroughly wet all surfaces.

For general cleaning of hard surfaces use 2 ounces per gallon of water.

For heavy duty cleaning of porous surfaces use 4 ounces per gallen of water.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

a violation of Federal Law. If these wantes corn. I be disposed at by use according to label bestrictions. contact your State Publishe or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL

Metal Container—Triple rince (or equivalent). Then effer for recycling or reconditioning, or purchase and dispose of in a sanitary lendfill, or by other procedures approved by state and local authorities.

Please Container - Triple rines (or equivalent). Then effer for recycling or reconditioning, or puncture and dispose of m a mailtary landfull, or inconstration, or, if allowed by state and local authorities, by burning. If



Chemical Company

Phenol Coefficient

S. Trabora Staphylococcus Aureus

30

ACTIVE INGREDIENTS

14.00% EPA REG. NO. 1622-47 EPA Est. 1622-CA-1

n-Albyl (C. - 5.%, C. - 40%, C. - 10%) dimethyl benzyl ammonium chloride. INERT INGREDIENTS

96.00%

WARNING: KEEP OUT OF REACH OF CHILDREN See Right Side Panel For Additional Cautions



NET CONTENTS: ONE GALLON (3.785 LITERS) Chemical Company, Inc.

South San Francisco, Los Angeles, Portland, Oregon

Recommended For:

Floors, Walls, Restrooms, Showers, Garbage Cans, Diaper Palls and any other surface or equipment where cleaning, Disinfecting and Deodorizing is necessary for proper maintenance.

A combination fortified synthetic detergent and disinfectant with three phase action - Cleans. Disinfects, and Deodorizes in one easy operation. Dissolves all ordinary soils and soap deposits and leaves surfaces antiseptically clean.

WARNING:

May cause skin and eye damage. Do not get in eyes, on skin or clothing. Harmful If swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get medical attention. Remove and wash contaminated clothing before reuse.

Not Reviewed. Registrant cl. ms to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2 12, Active to Inert Change in Status.

LETTUCE: For control of aphids, armyworms up to third instar, cabbage loopers, flea beetles, leafhoppers and mites, use 1/2 quart per acre.

OTHER USES

FOREST, NONAGRICULTURAL LAND, WASTELAND: Mosquitos (larvae), 2 ounces per acre. DO NOT apply within 7 days of harvest. For use by mosquito abatement districts and official governmental agencies only. Repeat as needed. Toxic to fish and wildlife. DO NOT use where shrimp and crabs are an important resource. DO NOT use in any estuaries or coastal or tidal areas along any coast line.

ORNAMENTALS: (Woody Shrubs, Trees and Vines), Christmas Tree Plantation (Pines), European Pine Shoot Moth and Nantucket Pine Tip Moth, 1 pint per acre. Apply in 5 to 50 gallons of water.

PINE FORESTS: European Pine Shoot Moth, Nantucket Pine Tip Moth, 1 pint per acre. Apply in 5 to 50 gallons of water.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. THE MANUFACTURER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL. Read all directions carefully.



DIRECTIONS:

Remove excess contamination prior to the recommended use solutions. Apply solutions with a mop, brush, or rag, thoroughly wet all surfaces. For general cleaning of hard surfaces use 2

ounces per gallon of water. For heavy duty cleaning of porous surfaces use 4 ounces per gallon of water.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

released or synflick part sign excess with phonol or obsertant material and place in a expension or Push area with white: Departs of the container excending to least, state or federal provisions.

PESTICIDE DISPOSAL

with work or southly he on of Federal Law III these where or minist year State Phankels in Environmental Central Agency or the Harmstein.
The nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

er – Thirty from (or endirelant). Then other har marking as macrolitizative, as excellent and n of it is covery broff, in by other procedures approved by state and local authorities.

Positi Carrierar — Tripia dras (er equivalent). Then offer her payable er reconditioning, er puncture and terror are not of arming

Chemical Company

Phenol Coefficient

S. Typhosa

30

Staphylococcus Aureus

ACTIVE INGREDIENTS

14.00% EPA RE EPA Est

a-Albyl (C. - 50%, C. - 40%, C. - 10%)

dimethyl bensyl ammenium chloride.

INERT INGREDIENTS

WARNING: KEEP OUT OF REACH OF C See Right Side Panel For Additional Caut



NET CONTENTS: ONE GALLON (3.785 Chemical Compa

South San Francisco, Los Angeles, Portland

BEST AVAILABLE COPY

PACH BRIE CUDA

1451 15