

162-58 PM 31 1/9/90

WARNING:

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, give milk, raw egg whites, gelatin solution; or if these are not available, drink water. Call a physician immediately.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

STORAGE

Store in a dry area at moderate temperature. Keep container closed when not using. In case material is released or spilled, pick up excess with shovel or absorbent material and place in separate container. Flush area with water. Dispose of the container, according to local, state or federal provisions.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Plastic Container—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Metal Container—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ALL in ONE

**CLEANER-DISINFECTANT
DEODORIZER-FUNGICIDE-VIRUCIDE*
FOR HOSPITAL AND INSTITUTIONAL USE**

WARNING: KEEP OUT OF REACH OF CHILDREN

See Left Side Panel For Additional Warnings And Antidote

NET CONTENTS: FIVE GALLONS (18.925 LITERS)

EPA Est. 1622-CA-1

EPA Reg. No. 1622-58-AA

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100.0
Salmonella typhosa (ATCC No. 6539)	43.8

Active Ingredients

Didecyl dimethyl ammonium chloride	4.25%
------------------------------------	-------


Inert Ingredients

95.75%
100.00%



Chemical Company, Inc.

South San Francisco, Los Angeles, Portland, Oregon



Crossinfection is of major housekeeping concern only in hospitals, but in schools, institutions.

ALL in ONE is formulated for this problem. It cleans and disinfects effectively and is used as directed. Its hard surface disinfectant will reduce the hazard of cross-infection.

DIRECTIONS

Add two ounces per gallon water. Apply ALL in ONE to floors and other hard surfaces such as tables, chairs, etc. with a cloth or mop. For heavily soiled areas, scrubbing may be required.

At two ounces per gallon use-level, ALL in ONE is effective against Pseudomonas aeruginosa, Staphylococcus aureus, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. At two ounces per gallon use-level, effectiveness of ALL in ONE is shown by its effectiveness against the following additional organisms: Escherichia coli, Salmonella schottmuelleri, Shigella dysenteriae, Brevibacterium ammoniacaerogenes, Proteus mirabilis, Streptococcus pyogenes.

*At two ounces per gallon use-level, ALL in ONE is effective against Herpes Simplex (a member of the Herpesviridae family), Vaccinia (representative of the Poxviridae family), and Influenza A₂ (the Hong Kong influenza virus) on environmental surfaces.

Fungicidal performance against T. interdigitale is confirmed by the AOAC Fungicidal Test.

Rinse empty container with water before discarding.

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Federal Insecticide, Fungicide, and Rodenticide Act. Responsibility for accuracy of information is assumed by registrant.