

KLIX FIFTY-20 is an industrial cleaner which disinfects as it cleans. It is especially designed for schools, institutions, and industry. A single application removes dirt and grime and disinfects. When used as directed, the hard surface disinfecting action of **KLIX FIFTY-20** will reduce the hazard of cross-infection.

When used as directed, **KLIX FIFTY-20** will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where mal odors occur.

WARNING:

Keep out of reach of children.


Avoid contamination of food.

Harmful if swallowed.

Avoid getting product in the eyes. In case of contact, flush copiously with water and seek medical attention.

Avoid getting product on the skin. In case of contact, flush copiously with water immediately to avoid possible skin irritation.

South San Francisco, California



**CLEANER - DISINFECTANT
DEODORIZER - FUNGICIDE**

ACCEPTED
July-28-1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1622-60 SUBJECT
TO ATTACHED COMMENTS.

AOAC PHENOL COEFFICIENTS

Staph. aureus (ATCC NO. 6538) 50
Salmonella typhosa (ATCC No. 6539) 20

ACTIVE INGREDIENTS:

Didcyl dimethyl ammonium chloride 2.5 %
Tetrasodium ethylenediamino
tetraacetate 2.0 %
Sodium carbonate 1.5 %

INERT INGREDIENTS: 94.0 %
100.0 %

WARNING: KEEP OUT OF REACH OF CHILDREN

See Left Side Panel For Additional Warnings

FOR INSTITUTIONAL USE

NET CONTENTS: _____ GALLONS

EPA REG. NO. 1622-60-AA

KLIX *Chemical Company, Inc.*

Cameraman's Note
Poor Copy

KLIX FIFTY-20

**CLEANER - DISINFECTANT
DEODORIZER - FUNGICIDE**

DIRECTIONS:

Add two ounces per gallon water.

Apply **KLIX FIFTY-20** to walls, floors, and similar hard surfaces with a cloth or mop.

At two ounces per gallon use-level, **KLIX FIFTY-20** is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal Test.

Rinse empty container with water before discarding it.

Cameraman's Note
Poor Copy

Portland, Oregon • Los Angeles, California

ACCEPTED

July 28-1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1622-60 SUBJECT
TO ATTACHED COMMENTS.

AOAC PHENOL COEFFICIENTS

Staph. aureus (ATCC NO. 6538) 50
Salmonella typhosa (ATCC No. 6539) 20

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride 2.5 %
Tetrasodium ethylenediamine
tetraacetate 2.0 %
Sodium carbonate 1.5 %

INERT INGREDIENTS: 94.0 %
100.0 %

WARNING: KEEP OUT OF REACH OF CHILDREN

See Left Side Panel For Additional Warnings

FOR INSTITUTIONAL USE

NET CONTENTS: _____ GALLONS

EPA REG. NO. 1622-60-AA

KLIX *Chemical Company, Inc.*