



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS &  
DOMESTIC ANIMALS**

**CAUTION:**

Harmful if swallowed. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Stored food products which are intended should be fumigated or treated by other effective methods using an approved product intended for that purpose.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

# ALLETHRIN

## FOOD PLANT FOGGING SPRAY

Designed for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

**ACTIVE INGREDIENTS:**

Allethrin (allyl homolog of Cinerin 1)	1.25%
Related compounds	0.14%
* Piperonyl Butoxide, Technical	5.00%
Petroleum Distillate	93.61%
	<b>100.00%</b>

\*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and 1.0% related compounds.


**CAUTION: KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid contamination of foodstuffs. See left side panel for additional precautionary statements.

EPA REG. NO. 1622-61

EPA EST. 1622-CA-1

NET CONTENTS: ONE GALLON (3.785 LITERS)



**Klix Chemical Company, Inc.**

South San Francisco, Los Angeles, Portland, Oregon



**Chemical Company  
Inc.**

# ALLETHRIN FOOD PLANT FOGGING SPRAY

Designed for Use in *Eatable* Product Areas of Official Establishments  
Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products  
Inspection Programs and in Other Food Processing Plants

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

**ACTIVE INGREDIENTS:**

Allethrin (allyl homolog of Chlorthal) .....	1.25%
Related compounds .....	0.14%
* Piperonyl Butoxide, Technical .....	5.00%
Petroleum Distillate .....	93.61%
	100.00%

\*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and 1.0% related compounds.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid contamination of foodstuffs.  
See left side panel for additional precautionary statements.

EPA REG. NO. 1622-61

EPA EST. 1622-CA-1

NET CONTENTS: ONE GALLON (3.785 LITERS)

 **Chemical Company, Inc.**

South San Francisco, Los Angeles, Portland, Oregon

20

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not reuse empty container. Wrap container and put in trash collection.

**SPACE SPRAY:** To kill accessible stages of house flies, including fruit flies, small flying moths, gnats, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms and grain mites: Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Vacate and close off treated area. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying.

**SPACE AND CONTACT SPRAY:** To kill accessible, exposed stages of silverfish, crickets, roaches, clover mites, cheese mites, earwigs, and ants, first using equipment which can deliver a pin spray, direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly on all ant trails. Do not allow spray to contact stored food. Then, shutting all doors, windows and shutting off all ventilating systems proceed with space spraying directions as given above. Use a dosage rate of 1 ounce per 1000 cubic feet of space. Vacate and close off treated area. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying. Repeat treatment as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

21