

12 OCT 1984

Klix Chemical Company, Inc.
551 Railroad Avenue
South San Francisco, CA 94080


Attention: J. B. Ellis
Administrative Assistant

Gentlemen:

Subject: Clean Co 128
EPA Registration No. 1622-65
Your Submission Dated September 6, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable and a stamped copy is enclosed for your records.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

CL

Dis
Fungicide
With Org
Ins

Active Ingredients
4, Decyl Benzyl
Benzyl Dimethyl Amine
Decyl Dimethyl Amine
Ammonium
Dimethyl Benzyl

Inert Ingredients

ACCEPTED
~~with conditions~~
EPA Letter Dated

OCT 12 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the Pesticide
registered under EPA Reg. No.

1622-65

Statement

If user contacts immediate medical facilities for eyes call a physician.

If swallowed drink promptly. These are not available drink immediately.

NOTE TO PHYSICIAN. Gastric lavage Measures by physician may be needed.

SEE LEFT PANEL.

**For Sale For Use At
EPA REGISTRATION NO.**

NET CONTENTS ONE G

KI

South San Fran

DISINFECTANT CLEANER - A disinfectant cleaner that is effective against most common household organisms. It prevents the growth of mold and mildew and the mold when used as directed. This disinfectant cleaner is an effective one-step sanitizing cleaner for use in bathrooms, kitchens, laundry areas, garages, basements and garbage storage areas, and other places where bacteria, mold, and fungi grow.

This disinfectant cleaner will deodorize surfaces in toilet areas behind doors, in showers, bathtubs, garages, basements and garbage storage areas, and other places where bacteria, mold, and fungi grow.

PRECAUTIONARY STATEMENTS

Harmful if Humans and Domestic Animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. If swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE

Store in a dry, area at moderate temperature. Keep container closed when not using. If material is released, if spilled or in excess with above or absorbent material and do not fill a separate container. Flush area with water. Dispose of the container according to the Federal RCRA.

PESTICIDE DISPOSAL

Pesticide wastes are acute hazards. Proper disposal of excess quantities of pesticides is required by law. These wastes cannot be disposed of in regular trash. Contact your State Pesticide or Environmental Agency or the Household Waste Disposal Service in the nearest EPA Region Office for details.

CONTAINER DISPOSAL

Metals Container—If the container has been cleaned and rinsed, puncture and dispose in a sanitary landfill. If not, the manufacturer will advise local environmental authorities.

Plastic Container—Puncture or equivalent. Then either recycle or puncturing and dispose of in a sanitary landfill or incinerator or allowed by state and local authorities by burning. Burned stay out of smoke.

CLEAN CO 128

**Disinfectant-Cleaner-Sanitizer-
Fungicide-Mildewstat-Virucide*-Deodorizer
with Organic Soil Tolerance for Hospitals
Institutional and Industrial Use**

Active Ingredients		
1, 2- <i>Ethyl</i> -3-Methyl Ammonium Chloride	1.14	
1, 2- <i>Ethyl</i> -3-Methyl Ammonium Chloride	0.57	
1, 2- <i>Ethyl</i> -3-Methyl Ammonium Chloride	0.57	
2, 3, 5, 6, 7, 8, 9, 10, 11, 12-		
1-Methyl Benzyl Ammonium Chloride	1.52	
Inert Ingredients	96.29	
TOTAL	100.00	

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

SKIN CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician. Remove and wash contaminated clothing before reuse.

Afterward, drink promptly a large quantity of milk, egg whites, gelatin solution, or Paregental, available in large quantities of water. Avoid alcohol. Call a physician immediately.

TO PHYSICIAN Probable mucosal damage may contraindicate the use of
Meperidine. Measures against circulatory shock, respiratory depression, and
hypotension may be needed.

AS SET FORTH IN ADDITIONAL PRECAUTIONARY STATEMENTS

For Sale For Use And Storage By Maintenance Personnel Only

REGISTRATION NO 1622-85 • EPA ESTABLISHMENT NO 1622-CA-1

CONTENTS ONE GALLON

NET CONTENTS FIVE GALLONS



South San Francisco • Los Angeles • PORTLAND, OREGON

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

This is a violation of Federal law to use this product in a manner inconsistent with its labeling.
This product is a proven one-step cleaner-disinfectant sanitzer. Frequency of cleaning will depend on the presence of moderate amounts of organic soil.

Apply this product to walls, floors and other hard inanimate surfaces such as surfaces as chairs, countertops, sinks and bedframes with a cloth, mop or mechanical spray device. It is important to thoroughly wet surfaces. For heavily soiled areas a preliminary cleaning step may be required after cleaning daily or when use of solution becomes visibly dirty.

Disinfection: To disinfect hard nonporous surfaces, treated surfaces must remain wet for 10 minutes. For hospitals and nursing homes. Add 2 oz per gallon of water. The activity of this product has been evaluated in the presence of 5% serum by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by

<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella schefthmuelleri</i>
<i>Salmonella choleraesuis</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Serratia marcescens</i>	<i>Brevibacterium ammoniagenes</i>
<i>Klebsiella pneumoniae</i>	

For schools, institutional institutions and laboratories: At 1 oz per gallon of water this product delivers excellent cleaning and germicidal effectiveness. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Escherichia coli*. The same AOAC tests used above to confirm suitable performance for hospitals were used.

Fungicide performance: This product at 1 oz per gallon is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

Mold and mildew control: At 1 oz per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal performance. At 1 oz per gallon use level, this product was evaluated in the presence of 5% serum and found to be effective against the following viruses: Influenza A, Brazil, Herpes Simplex and Vaccinia on suitable environmental surfaces.

Sanitizing surface contact surfaces (such as floors, walls, tables, etc.). At ≥ 0.1 per part, 1% chlorine bleach product is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and nonporous environmental surfaces. Treated surfaces must remain wet for 60 seconds.