

OCT 17 1988

Klix Chemical Company, Inc.
551 Railroad Avenue
South San Francisco, CA 94080

Attention: J.B. Ellis

Gentlemen:

Subject: Super K Sanitizer
EPA Registration No. 1622-67
Your Submission Dated December 10, 1987

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

1. Delete the statement "For Sale, For Use, and Storage By Maintenance Personnel Only."
2. Delete the sentences "Measures against circulatory shock, respiratory"
3. Delete the word "milk."

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

50227:1:DeLaney:L-2:KINCO:9/16/88:10/28/88:CL:psr:rw


CONCURRENCES								
SYMBOL								
SURNAME								
DATE								

-2-

A stamped copy of the labeling is enclosed for your records.

If you should have any questions concerning this letter, please contact Martha DeLaney at (703) 557-3675.

Sincerely yours,


John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosure

No No No

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 17 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.
602-07

SUPER K SANITIZER

Disinfectant-Sanitizer
Fungicide-Deodorizer
with Organic Soil Tolerance

for Hospital, Institutional,
Industrial, School, Dairy and Other Farm Use

Active Ingredients

Alkyl (C ₁₂ 50%, C ₁₇ 40%, C ₆ 10%) dimethyl benzyl ammonium chloride	3.00%
Octyl decyl dimethyl ammonium chloride	2.25%
D decyl dimethyl ammonium chloride	1.25%
Dioctyl dimethyl ammonium chloride	1.25%

Inert Ingredients

2.50%
1.25%

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. No Potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Super K Sanitizer in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz. 4 gallon solution of Super K Sanitizer. No Potable water rinse is required.

A 1 oz./4 gallons Super K Sanitizer fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 800 ppm of hardness calculated as CaCO₃, when evaluated by the ADAC Germicidal and Detergent Sanitizer Method against *Escherichia coli* and *Staphylococcus aureus*.

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. Super K Sanitizer in 4 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breath spray mist. Avoid contamination of food.

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

See left panel for additional precautionary statements.

FOR SALE, FOR USE AND STORAGE BY
MAINTENANCE PERSONNEL ONLY



NET CONTENTS ONE GALLON (3.785 LITERS)

Chemical Co., Inc.

South San Francisco, Los Angeles, Portland, Oregon

BEST AVAILABLE COPY