

ACCEPTED

NOV 18 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1624-11

PM 14 1624-11

1 of 1

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Wash thoroughly after handling. Avoid contamination of food and feed.

Do not leave container where children or animals may gain access.

ENVIRONMENTAL HAZARDS

POLYBOR 3 or POLYBOR 3 solutions carelessly spilled or applied to cropland or growing plants - including trees and shrubs - may kill or seriously retard plant growth. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. PROHIBITIONS:

Do not contaminate water, food or feed by storage or disposal. Do not store where children or animals may gain access. Open burning and dumping prohibited. Do not reuse empty container.

2. PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State or Local disposal authorities.

3. CONTAINER DISPOSAL:

Consult federal, state or local disposal authorities for approved procedures.

20 MULE TEAM[®] POLYBOR[®]3

FOR THE CONTROL OF LARVAE IN SOIL, MANURE PILES, ETC. OF THE COMMON HOUSE FLY AND THE SOLDIER OR LATRINE FLY. AIDS IN KEEPING DOWN INFESTATIONS OF THE DOG HOOKWORM LARVAE.

ACTIVE INGREDIENTS

Disodium Octaborate Tetrahydrate 98.0% (Na₂B₈O₁₃ • 4H₂O)

INERT INGREDIENTS

..... 2.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY

A 20 MULE TEAM[®] Product

USBORAX

Manufactured by: United States Borax & Chemical Corporation Los Angeles, CA 90010

POLYBOR 3 controls the larvae of the common housefly and soldier or latrine fly about poultry cages, manure piles, garbage and refuse areas. POLYBOR 3 aids in keeping down infestations of the dog hookworm larvae in kennel runs. Use of POLYBOR 3 will limit such areas as breeding places of these larvae.

FOR THE CONTROL OF FLY LARVAE

POLYBOR 3 should be applied at the first sign of larvae activity or evidence of breeding of adult flies. Fly breeding usually occurs when the temperature remains at 70 F or above for a period of 10 to 14 days.

FOR CAGE TYPE POULTRY HOUSES: Apply POLYBOR 3 dry by hand or dust gun uniformly at a rate of 1 1/2 to 2 lbs. per 100 sq. ft. of manure bed. Repeat applications at first signs of larvae activity and continue until droppings start to come up and dry out. Spot treat where larvae activity is evident until manure beds are cleaned out. During fly breeding season, apply POLYBOR 3 at same rate to clean poultry house floors.

FOR MANURE AND COMPOST PILES: Apply at 1 1/2 to 2 lbs. per 100 sq. ft. of surface area. If surface is crusted sprinkle down lightly to hasten results.

GARBAGE AND MUNICIPAL DUMPS: Apply POLYBOR 3 at a rate of 1 1/2 to 2 lbs. per 100 sq. ft. dry or as a spray dissolved in 1 gallon of water. Repeat applications when larvae activity is evident or when additional garbage has been dumped over the treated area.

FOR AN AID IN KEEPING DOWN INFESTATIONS OF THE DOG HOOKWORM LARVAE

WHEN TO APPLY: POLYBOR 3 should be applied to the run whenever the temperature exceeds 56 F for a period of two or three days or when the temperature exceeds 77 for one day.

HOW TO APPLY: POLYBOR 3 may be applied either dry to the kennel run or in a water solution. The solution method is recommended so as to insure complete and thorough coverage of earth, concrete or other types of paved runs. Be sure to treat the corners of the run.

QUANTITY TO APPLY: Dissolve 1 1/2 lbs. of POLYBOR 3 in 1 gallon water, sprinkle or wet the entire earth run at a rate of 3 gallons of solution per 100 sq. ft. of run area. Concrete or paved runs should be thoroughly wetted down with the above solution. If dry applications are made to earth runs apply POLYBOR 3 at a rate of 5 lbs. per 100 sq. ft.

MAINTENANCE: Applications of POLYBOR 3 should be continued as long as the temperature remains over 56 F for 2 or 3 day periods.

EARTH RUNS - POLYBOR 3 has residual effects; rainfall and soil type influence the period of effectiveness from one application. On runs of light, sandy soils or under conditions of relatively high rainfall, apply monthly. On runs of heavy soils, clay and clay loam, apply every two months.

CONCRETE OR PAVED RUNS - These should be wetted down with POLYBOR 3 solution at two to three day intervals if the run is washed down daily or otherwise every week.

NOTICE

POLYBOR 3 is capable of destroying all vegetation (grasses, trees, etc.), and therefore should not be applied to areas underlain with roots of valuable vegetation. When POLYBOR 3 is applied to paved areas care should be taken to insure that run-off is not allowed to flow onto areas of desirable vegetation.

MANURE APPLICATIONS: Too much POLYBOR 3 in manure can severely harm or destroy crops to which the manure is applied (Consult your state extension service or agricultural experimental station soil specialist regarding boron tolerance before using POLYBOR 3 treated manure on crops.)

No responsibility is assumed by manufacturer or seller for unproductivity of the soil, injury to plant life, or other results of the use of this material whether or not used or applied in accordance with directions.

Because of the many varying conditions affecting use and application such as location, seasonal weather, and soil composition, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of larvae is not guaranteed. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or