

MADE UNDER U.S. PAT. NO. 2,904,423

BENZABOR®

A Semi-Selective Weed Killer

APPLICATION

BENZABOR is destined for machine application to the soil area on which it is desirable to control broad-leaved weeds. It is a granular, free-flowing material; is slow to dissolve and therefore not adapted to water spray application. Conventional fertilizer or dry herbicide spreaders may be used if they can be accurately adjusted to desired low rate of application. The PCB Spreader is especially designed for BENZABOR application.

ESSENTIAL: Distribute BENZABOR uniformly over the ground area underlaid by roots. BENZABOR may be applied at any time, except when ground is frozen.

Removal of heavy growth of vegetation before treatment aids in uniform application. Check delivery of mechanical spreaders regularly to insure desired rate of application.

PERENNIAL WEEDS

Apply 1/4 to 1/2 lb. of BENZABOR per 100 sq. ft. (approximately 3/4 to 1 1/2 lbs. per sq. rod) for control of broad-leaved perennial weeds (bindweed, Canadian thistle, leafy spurge, bur ragweed and Russian knapweed) in or out of perennial grasses.

Treat well beyond edges of infestation. Uniform application is essential. Spot retreatments may be necessary. BENZABOR is not recommended for control of perennial grasses. ~~Consult~~ with your agricultural authorities for local recommendations.

ANNUAL WEEDS

Apply 1/4 lb. of BENZABOR per 100 sq. ft. (approximately 3/4 lbs. per sq. rod) for control of annual broad-leaved weeds in or out of perennial grasses. For best results apply when weed seedlings first appear.


WOODY VINES, BRUSH, AND TREES

Apply 250 to 300 lbs. per acre in solid stands or 1/2 to 3/4 lb. per 100 sq. ft. for control of clumps or small areas of the following: Alder, blackberry, black locust, chokecherry, conifers, dewberry, elm, grape, honeysuckle, kudzu, raspberry, red cedar, sumac, thimbleberry, trumpet vine, wild plum, wild rose, and willow. Use lower rate for vines, shrubs, small trees. Well-established areas require higher rate of treatment. For reaction on species not listed, contact our technical representative.

NOTICE

BENZABOR is a semi-selective weed killer effective primarily on broad-leaved weed and brush species and annual or seedling grasses. Injury may occur to established grasses, and treated areas may be partially or totally unproductive for a year or more. Care should be taken to confine the use or application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots or adjacent valuable growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used later for planting may result in injury to desirable plants. Avoid contamination of irrigation waters. Mechanical equipment should be thoroughly cleaned after use.

Consult your agricultural experimental station or extension service weed specialist for local recommendations.



Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experimental Station weed specialists on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions on instructions hereon, or with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling, except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, express or implied, by law not specifically set forth herein.

UNITED STATES BORAX & CHEMICAL CORPORATION
3075 WILSHIRE BLVD., LOS ANGELES, CALIFORNIA

UREABOR 31

U. S. PATENT 2,904,423

A Nonselective Herbicide for Control of Annual and Perennial Weeds and Grasses on Industrial Sites

This material is designed primarily for industrial weed control. UREABOR 31 destroys most annual and perennial weeds and grasses on industrial sites, highway and railroad rights-of-way, petroleum installations and similar sites where a weed-free soil is desired.

APPLICATION

railroad rights of way

UREABOR 31 is a granular, free-flowing material designed for dry application. Conventional herbicide or fertilizer spreaders may be used if they can be accurately adjusted to the desired low rates of application. The hand operated PCB Spreader is especially designed for use where power equipment is not desired. Uniform distribution and even spread over the treated area are essential for best results.

ANNUAL WEEDS

Apply $\frac{1}{2}$ to 1 pound UREABOR 31 per 100 square feet of soil surface. Applications should be made before seedlings appear or when they are young and tender, and most susceptible to chemical action. UREABOR 31 applied to the soil will give nonselective control for an extended period of time. Length of residual action is dependent on rainfall and soil type. In arid regions applications should be made just prior to the rainy season.

PERENNIAL WEEDS

Apply 1 to 2 pounds per 100 square feet during any season when moderate rainfall may be anticipated. The higher rates of application are recommended in areas of excessive rainfall or where deep-rooted perennial grasses are predominant.

NOTICE


This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be overlaid by roots of adjacent valuable growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Avoid contamination of irrigation waters. Mechanical equipment should be thoroughly cleaned after use.

No responsibility is assumed by manufacturer or seller for unproductivity of the soil, injury to plant life or other results of the use of this material whether or not used or applied in accordance with directions.

Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer makes no representation or warranty with respect to results or effects of such use whether or not used or applied in accordance with directions herein contained.

Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, express or implied by law, not specifically set forth on the label. Complete elimination of weeds is not guaranteed. The buyer accepts this material subject to these terms and assumes all risk of usage and handling. It is advisable to consult local agricultural authorities or our field representatives on specific problems.

UNITED STATES BORAX & CHEMICAL CORPORATION
3075 WILSHIRE BLVD., LOS ANGELES, CALIFORNIA
CHICAGO NEW YORK



NET: 50 LBS.

20 MULE TEAM®

UREABOR. 31

A WEED KILLING COMPOUND ... FOR DRY APPLICATION

NONSELECTIVE

ACTIVE INGREDIENTS:

Diosodium Tetraborate Pentahydrate ($\text{Na}_2\text{B}_4\text{O}_7 \cdot 5\text{H}_2\text{O}$)	80.40%
Diosodium Tetraborate Decahydrate ($\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$)	13.10%
(Boron Trioxide (B_2O_3) equivalent)	43.1%
Monuron-(3-(p-chlorophenyl)-1,1-dimethylurea)	2.00%
2,3,6-Trichlorobenzoic Acid	0.60%
Other Isomers of Trichlorobenzoic Acid	0.40%
(Total Trichlorobenzoic Acid)	1.0%

INERT INGREDIENTS 2.50%

USDA REG. NO. 162474

CAUTION

KEEP OUT OF REACH OF CHILDREN

Do not leave container where children or animals may take internally. Keep out of eyes and wash hands thoroughly after using. Avoid contamination of food and feedstuffs. Do not store near fertilizers, acids, insecticides or fungicides.

IMPORTANT

See Reverse Side for Directions for Use and Other Precautions.



U.S. BORAX

LOS ANGELES • NEW YORK

ACCEPTED
JUN 9 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTERED
ED UNDER NO. 12424 SUBJECT
TO ATTACHED LABELS