

UREABOR 62[®]

U. S. PATENT 2,904,423

A Nonselective Herbicide for Control of Annual and Perennial Weeds and Grasses on Industrial Sites

This material is designed primarily for industrial weed control. UREABOR 62 destroys most annual and perennial weeds and grasses on industrial sites, highway and railroad rights-of-way, petroleum installations and similar sites where a weed-free soil is desired.

APPLICATION

highway rights-of-way

UREABOR 62 is a granular, free-flowing material designed for dry application. Conventional herbicide or fertilizer spreaders may be used if they can be accurately adjusted to the desired low rates of application. The hand operated PCB Spreader is especially designed for use where power equipment is not desired. Uniform distribution and even spread over the treated area are essential for best results.

ANNUAL WEEDS

Apply $\frac{1}{4}$ to $\frac{1}{2}$ pound UREABOR 62 per 100 square feet of soil surface. Applications should be made before seedlings appear or when they are young and tender, and most susceptible to chemical action. UREABOR 62 applied to the soil will give nonselective control for an extended period of time. Length of residual action is dependent on rainfall and soil type. In arid regions applications should be made just prior to the rainy season.

PERENNIAL WEEDS

Apply $\frac{1}{2}$ to 1 pound per 100 square feet during any season when moderate rainfall may be anticipated. The higher rates of application are recommended in areas of excessive rainfall or where deep rooted perennial grasses are predominant.

NOTICE

This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots of adjacent valuable growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Avoid contamination of irrigation waters. Mechanical equipment should

ANNUAL WEEDS

Apply $\frac{1}{4}$ to $\frac{1}{2}$ pound UREABOR 62 per 100 square feet of soil surface. Applications should be made before seedlings appear or when they are young and tender, and most susceptible to chemical action. UREABOR 62 applied to the soil will give nonselective control for an extended period of time. Length of residual action is dependent on rainfall and soil type. In arid regions applications should be made just prior to the rainy season.

PERENNIAL WEEDS


Apply $\frac{1}{2}$ to 1 pound per 100 square feet during any season when moderate rainfall may be anticipated. The higher rates of application are recommended in areas of excessive rainfall or where deep rooted perennial grasses are predominant.

NOTICE

This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots of adjacent valuable growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Avoid contamination of irrigation waters. Mechanical equipment should be thoroughly cleaned after use.

Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experimental Station weed specialists on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, express or implied by law, not specifically set forth herein.

UNITED STATES BORAX & CHEMICAL CORPORATION
LOS ANGELES ¹⁶²⁴⁻²⁵ **NEW YORK**



NET: 50 LBS.

20 MULE TEAM®

ACCEPTED

APR 29 1967

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 1624-25

UREABOR® 62

A WEED KILLING COMPOUND ... FOR DRY APPLICATION
NONSELECTIVE

ACTIVE INGREDIENTS:

Disodium Tetraborate Pentahydrate ($\text{Na}_2\text{B}_4\text{O}_7 \cdot 5\text{H}_2\text{O}$) 67.50%

Disodium Tetraborate Decahydrate ($\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$) 21.50%

(Boron Trioxide (B_2O_3), equivalent . . . 41.2%),

MONURON (3-(p-chlorophenyl)-1, 1-dimethylurea) : . . . 6.00%

2,3,6-Trichlorobenzoic Acid 1.20%

Other Isomers of Trichlorobenzoic Acid 0.80%

(Total Trichlorobenzoic Acid . . 2.0%)

INERT INGREDIENTS. 3.00%

CAUTION KEEP OUT OF THE REACH OF CHILDREN


UREABOR 62
USDA REG. NO. 1624-25

Do not leave container where children or animals may take internally. Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after using. Avoid contamination of feed and foodstuffs. Do not store near fertilizers, seeds, insecticides or fungicides.


SEE BACK PANEL FOR OTHER CAUTIONS & DIRECTIONS FOR USE.

1624-25
ACCEPTED

Apr. 29, 1967
UNDER THE FEDERAL INSECTICIDE
ACT AND THE FEDERAL FUNGICIDE ACT
REGISTERED IN THE U.S. PATENT OFFICE
SUBJECT: UREABOR 62
REGISTERED COMMENT: UREABOR 62



UREABORAX



ANGELES



NEW YORK

UREABOR 62[®]

U. S. PATENT 2,904,423

A Nonselective Herbicide for Control of Annual and Perennial Weeds and Grasses on Industrial Sites

This material is designed primarily for industrial weed control. UREABOR 62 destroys most annual and perennial weeds and grasses on industrial sites, highway and railroad rights-of-way, petroleum installations and similar sites where a weed-free soil is desired.

APPLICATION

UREABOR 62 is a granular, free-flowing material designed for dry application. Conventional herbicide or fertilizer spreaders may be used if they can be accurately adjusted to the desired low rates of application. The hand operated PCB Spreader is especially designed for use where power equipment is not desired. Uniform distribution and even spread over the treated area are essential for best results.

ANNUAL WEEDS

Apply $\frac{1}{4}$ to $\frac{1}{2}$ pound UREABOR 62 per 100 square feet of soil surface. Applications should be made before seedlings appear or when they are young and tender, and most susceptible to chemical action. UREABOR 62 applied to the soil will give nonselective control for an extended period of time. Length of residual action is dependent on rainfall and soil type. In arid regions applications should be made just prior to the rainy season.

PERENNIAL WEEDS

Apply $\frac{1}{2}$ to 1 pound per 100 square feet during any season when moderate rainfall may be anticipated. The higher rates of application are recommended in areas of excessive rainfall or where deep rooted perennial grasses are predominant.

NOTICE

This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots of adjacent valuable growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Avoid contamination of irrigation waters. Mechanical equipment should be thoroughly cleaned after use.

Results of the use may vary in some times affecting use and application, such as location, season, weather, soil composition and type of vegetation, manufacturer and supplier of these and other conditions may alter or vary the results or effectiveness of this product. In any event, complete elimination of weeds is not guaranteed. It is recommended to consult your State Extension Service or Agriculture Experiment Station weed specialists on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this material. Such liability is not indicated by the label or directions pertaining to the use of this material. Neither manufacturer nor seller shall be liable for any injury or damage suffered by reason of the use of this material. Supplier accepts the material subject to the terms, conditions, and all risks of usage and handling except when used in accordance with the label. Neither manufacturer nor seller shall be liable for any injury or damage suffered by reason of the use of this material. Any representation, warranty, or application of law, not specifically set forth herein.

UNITED STATES BORAX & CHEMICAL CORPORATION
LOS ANGELES 1624-25 NEW YORK