

# AMOCO Noxious Weed Killer D

ACCEPTED  
6/21/67  
1424-33

A semi-selective weed killer for Bindweed (Wild Morning Glory), Canada Thistle, Russian Knapweed, Leafy Spurge, and certain other deep-rooted perennial weeds.



AMERICAN OIL

MEMBER OF THE AMERICAN OIL COMPANY - CHICAGO, ILL. U.S.A.

**CAUTION** KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTION STATEMENTS ON SIDE PANEL

1 gallon of  
AMOCO Noxious Weed Killer D  
contains 2 pounds  
2, 3, 5-Trichlorobenzoyloxypropanol  
and .2 pound  
2, 4-Dichlorophenoxyacetic acid.

ACTIVE INGREDIENTS (by weight)	
2,3,5-Trichlorobenzoyloxypropanol	21.9%
2,4-Dichlorophenoxyacetic acid	2.2%
INERT INGREDIENTS (by weight)	75.9%
TOTAL	100.0%

U.S. PATENT 3,006,967

AMOCO Noxious Weed Killer D is a liquid concentrate to be diluted with water for use as a spray. Both foliage and root absorption contribute to plant kill. It is intended for use on non-cropped land, such as fence rows, right-of-ways, and industrial sites. At recommended rates, applications can be made on annual or perennial broadleaved weeds present in established perennial grasses such as blue grass, wheat grasses, smooth brome, and Bermuda grass in non-cropped areas as listed above. AMOCO Noxious Weed Killer D may severely injure or kill annual grass and seedling grasses.

## DIRECTIONS

**How to Apply:** AMOCO Noxious Weed Killer D should be applied in water as a coarse spray with ground equipment using low or moderate pressure. If the spray is mixed thoroughly after dilution, equipment without agitation may be used for application. Use minimum of 50 gallons of spray solution per acre where ground cover is light. A minimum of 100 gallons of spray solution is recommended where ground cover is heavy. Use sufficient spray volume to provide uniform coverage of soil and foliage.

**When to Apply:** Effective applications may be made at any time when the extent of weed infestation can be determined and when the ground is not frozen, preferably when seasonal rainfall can be expected to carry the AMOCO Noxious Weed Killer D into the root zone of the soil. Preferably, applications should be made in the fall. Spring applications should be made after full emergence of the weeds but before development of dense ground cover.

**Perennial Weeds:** For control of certain deep-rooted perennial weeds such as Field Bindweed, Canada Thistle, Russian Knapweed, Leafy Spurge, and Bur Ragweed, apply 4 to 8 gallons (8 to 16 pounds active ingredients) of AMOCO Noxious Weed Killer D per acre. For small areas use 1 to 2 pints mixed with 4 to 5 gallons of water per 1,200 square feet. To assure control of such perennials with extensive root systems the treated area should extend 10 to 15 feet beyond the limits of visible weed growth.

**Annual Weeds:** For controlling annual broadleaved weeds in or out of perennial grasses, apply AMOCO Noxious Weed Killer D at 1 to 3 gallons (approximately 2 to 6 pounds active ingredients) per acre.

**Non-Warranty Notice:** Buyer accepts without warranty either express or implied.

MADE IN U.S.A.


784-OF-1 0255

42

# AMOCO Noxious Weed Killer D

ACCEPTED  
6/21/66  
FEDERAL BUREAU OF INVESTIGATION  
U.S. DEPARTMENT OF JUSTICE  
1623

A semi-selective weed killer for Bindweed (Wild Morning Glory),  
Canada Thistle, Russian Knapweed, Leafy Spurge, and  
certain other deep-rooted perennial weeds.



**AMERICAN OIL**

MFD. FOR AMERICAN OIL COMPANY • CHICAGO, ILL., U.S.A.

**CAUTION** KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTION STATEMENTS ON SIDE PANEL

1 gallon of  
**AMOCO Noxious Weed Killer D**  
contains 2 pounds  
**2, 3, 6-Trichlorobenzyloxypropanol**  
and .2 pound  
**2, 4-Dichlorophenoxyacetic acid.**

ACTIVE INGREDIENTS (by weight)  
2,3,6-Trichlorobenzyloxypropanol.....  
2,4-Dichlorophenoxyacetic acid.....  
INERT INGREDIENTS (by weight).....  
TOTAL.....

U.S. PATENT 3,006,967