

1624-34

06/02/1967

13
1/3

(FRONT PANEL)

SERVING OVER 100 COUNTRIES OF THE FREE WORLD SINCE 1922

ART WORK

BEST DOCUMENT AVAILABLE

#10659-49

TRC
WEED
KILLER

ACCEPTED
JUN 2 1967
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND MITICIDE ACT FOR CONTROL OF PESTS REGISTERED UNDER NO. 1624-34 SUBJECT TO ATTACHED COMMENTS.

ACTIVE INGREDIENTS

Sodium Metaborate Tetrahydrate ($\text{Na}_2\text{B}_2\text{O}_4 \cdot 4\text{H}_2\text{O}$)..... 66.50%
(Boron Trioxide (B_2O_3) equivalent.....22.7%)

Sodium Chlorate (NaClO_3)..... 30.00%

Diuron (3-(3,4-dichlorophenyl)-1,1-dimethylurea)... 1.25%

INERT INGREDIENTS..... 2.25%

USDA REG. NO. 1624-34

CAUTION

KEEP OUT OF REACH OF CHILDREN

Do not leave container where children or animals may take internally. Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Do not store in direct contact with ground or concrete floors.

SEE BACK PANEL FOR OTHER CAUTIONS AND DIRECTIONS FOR USE

50 LBS. NET

Manufactured for
TEXAS REFINERY CORP.

Fort Worth - Toronto - Moose Jaw, Sask.
Mexico D.F. - Echternach, Luxembourg

1 -

(BACK PANEL)

14
* 2/3

ACCEPTED
June 2-1969
65-4811

50 LBS NET
TRC WEED KILLER

#10659-49

U. S. Patent No. 2,700,604
Other Patents Pending

A GRANULAR NONSELECTIVE WEED KILLER
FOR DRY OR SPRAY APPLICATION

GIVES QUICK KNOCK-DOWN AND CONTROL OF GENERAL MIXED VEGETATION ON NON-CROPPED LAND AND INDUSTRIAL SITES. CONTROLS DEEP ROOTED PERENNIAL GRASSES.

TRC WEED KILLER is specifically designed to control general mixed vegetation such as perennial grasses - Johnson grass, Dallis grass and reed grass - on non-cropped land and industrial sites. May give season long control of seedlings on treated areas. Soil type, rainfall and length of growing season influence the residual control of seedlings. Gives quick knock-down and control of broadleaved weeds and grasses on such areas as parking lots - fence lines - highway and railroad sites - industrial and storage yards.

DIRECTIONS FOR USE

APPLICATION - for all uses, uniform application is essential!

TRC WEED KILLER may be applied either as a dry granular material or as a water spray. Dissolve in water at rates up to 4 pounds per gallon. Both spray and dry applications become effective as soil treatments following rainfall or irrigation.

FOR DRY APPLICATION: conventional herbicide spreader may be used. Where power equipment is not desired, the hand operated PCB Spreader is especially recommended.

FOR SPRAY APPLICATION: use equipment with mechanical agitation. Add up to 4 pounds TRC WEED KILLER per gallon of water, depending on job requirements, to spray tank. Continue agitation until the herbicide is completely dissolved and during spraying operation.

To minimize fire hazard due to dry vegetation, treatment while weeds are small is suggested.

GENERAL VEGETATION CONTROL

TRC WEED KILLER gives quick knock-down of vegetation and residual control of broad-leaved weeds and grasses on parking lots, fence lines, highway and railroad sites, storage yards and other similar areas.

FOR SPRAY APPLICATION: add 1/2 to 2 pounds TRC WEED KILLER to sufficient water to cover 100 square feet. Apply as a contact spray, thoroughly wetting all parts of the plants, particularly the growing tips. 1/2 to 1 gallon per 100 square feet is usually adequate for young growth up to 6 inches high. Higher rates may be necessary to insure thorough coverage of heavy vegetation or to provide extended residual control.

BEST DOCUMENT AVAILABLE

#10659-49

ACCEPTED

Jun-2-1967

15
3/3

1624-34

FOR DRY GRANULAR TREATMENT: Apply 1/2 to 2 pounds per 100 square feet. The lighter rates should be used only at time of weed emergence on moist soil or when precipitation is anticipated while weeds are still young.

PERSISTENT PERENNIAL weeds are most effectively treated when nearing maturity or during dormant stages in the fall. Spring applications may also be made under moderate rainfall conditions. Summer applications are recommended only where rainfall is dependable for leaching the herbicide into the soil. Apply 2 to 4 pounds per 100 square feet in the dry granular form or as a spray. The heavier rates may be required on deep-rooted perennials such as bindweed, Canada thistle, Bermuda grass and quack grass.

JOHNSON GRASS CONTROL

TRC WEED KILLER is particularly effective on deep-rooted perennial grasses such as Johnson grass and Dallis grass on industrial sites, road sides, fence lines and storage yards. Apply dry at 1 to 3 pounds per 100 square feet or add 1 to 3 pounds to 1 to 2 gallons of water to adequately cover 100 square feet. Maximum efficiency on Johnson grass is obtained by treating with TRC WEED KILLER after heading to late fall.

IMPORTANT

This material is NOT SELECTIVE in action and may be toxic to all types of vegetation. It may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated and avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots of adjacent valuable growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Do not drain or flush equipment on or near such areas.

Do not contaminate domestic or irrigation water. Wash clothing and equipment after application. Keep animals off treated areas until rainfall has leached the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

NOTICE

Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experimental Station weed specialists on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, express or implied by law, not specifically set forth herein.