

BEST DOCUMENT AVAILABLE

SPECIMEN LABEL

ACCEPTED  
with  
in EPA

MAR 1977

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
(& Domestic Animals)**

**CAUTION**

Harmful if swallowed. Avoid breathing spray mist  
Avoid contact with skin; wash thoroughly after using  
Avoid contamination of food or foodstuffs

During application or re-entry of treated areas, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**PHYSICAL OR CHEMICAL HAZARDS**

Combustible mixture. Do not spray in presence of open flame, hot surfaces such as unprotected light bulbs or electric heaters. **Do not store near heat or open flame.**  
CLASSIFIED BY UNDERWRITERS LABORATORIES, INC. AS TO FIRE HAZARD ONLY. TOXI FOG CLASSED 25 TO 30 BETWEEN PARAFFIN OIL AND KEROSENE IN RESPECT TO FIRE HAZARD.

SEE U.L. INDEX OF CLASSIFIED PRODUCTS 986P

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

**STORAGE AND DISPOSAL**

- 1. PROHIBITIONS**  
Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited
- 2. PESTICIDE DISPOSAL**  
Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to federal, state, or local procedures under the Resource, Conservation and Recovery Act
- 3. CONTAINER DISPOSAL**  
Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of them in a sanitary landfill, or follow other approved federal, state, or local procedures
- 4. GENERAL**  
Consult federal, state, or local disposal authorities for approved alternative procedures

**Weevil-Cide**  
Fogging Spray  
**TOXI-FOG**

**A Ready-To-Use-Malathion-Methoxychlor-Pyrethrins Residual and Contact**

**ACTIVE INGREDIENTS**

Malathion*	3.74%
Technical methoxychlor**	2.45%
Pyrethrins	.33%
Technical piperonyl butoxide***	.57%

\*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

\*\*Equivalent to 2.16% of 2,2-bis(p-methoxyphenyl)1,1,1-trichloroethane and 0.29% of other isomers and related compounds.

\*\*\*Equivalent to 0.46% of (butylcarbitol) (6-propylpiperonyl) ether and 0.11% of related compounds.

Aromatic petroleum derivative solvent	50%
Petroleum distillate	41.22%
<b>INERT INGREDIENTS</b>	<b>1.69%</b>
	100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED** Do not induce vomiting because of aspiration hazard. Call a physician or Poison Control Center immediately.

**IF INHALATION** results in illness, remove to fresh air, and call a physician

**IF ON SKIN** immediately remove contaminated clothing and wash skin with soap and plenty of water

**IF IN EYES** flush with plenty of water for at least 15 minutes

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
EPA REG NO 1629-16 EST NO 2548 KS 1

**PRODUCT OF  
The Weevil-Cide Company**

Subsidiary of Research Products Co., Salina, Kansas, KS  
NET CONTENTS GALLONS

Toxi-Fog is designed for use in flour mills, feed mills, feed and food processing plants, cereal grain processing plants, grain elevators, granaries, shipholds, barges, empty railcars, grain trucks, warehouses and other similar plants.

The function of Toxi-Fog is to combine both residual and contact components into a ready-to-use multi-purpose fogging spray for use on and over grain surfaces as well as on all structural and bin surfaces.

Since any petroleum distillate base spray is potentially flammable, DO NOT USE ANY THERMAL FLAME OR STREAM GENERATING TYPE OF APPLICATOR.

Toxi-Fog is intended primarily for use in readily procurable large-capacity, multiple-nozzle fog applicators operated with compressed air. When compressed air is not accessible, portable electric powered fog generators or more limited capacity give line results, provided the particular unit is suitable for safe operation in dust atmospheres.

Toxi-Fog is designed to kill exposed stages of grain weevils, the various bran bugs, flour beetles and moths, caddis, cockroaches, flies, carpet beetles and meal worms.

Estimate dosage for space to be fogged at rate of 2 liquid ounces of Toxi-Fog per thousand cubic feet of space. Minimize air currents by closing any open windows or doors

**REPEAT FOGGING AS OFTEN AS NEEDED**

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions



MAR 7 1983

Mr. Carl Snider  
Research Products Company  
1835 E. North Street  
P.O. Box 1057  
Salina, KS 67401

BEST DOCUMENT AVAILABLE

Dear Mr. Snider:

Subject: Toxi-Fog  
EPA Registration No. 1629-16  
Your Application Dated February 10, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

TS-767:J.ELLENBERGER:DCR--:WANG--:vgr:Raven:479-2013:3/2/83

CONFERENCE							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							