

ACCEPTED
May 1, 1970
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE
FOR ECONOMIC POISON REGIST
ED UNDER NO. 1638-7

Cross-infection is of major housekeeping concern not only, in hospitals, but in schools, institutions, and industry. **WILCO ODORLESS DISINFECTANT** is formulated for this problem area. It disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

WILCO ODORLESS DISINFECTANT is an extremely effective one-step sanitizer. It sanitizes in waters up to 800 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

Two ounces of **WILCO ODORLESS DISINFECTANT** per gallon of water will deodorize bathrooms, garbage storage areas, and other areas where bacterial growth can cause mal odors.

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful, if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

WILCO ODORLESS

Disinfectant-Deodorizer-Fungicide-Virucide*
Sanitizer for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	50

Active Ingredients

Didecyl dimethyl ammonium chloride	4.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.0%
Sodium metasilicate, anhydrous	0.5%

Inert Ingredients

92.0%
100.00%

EPA Registration No.

1638-7

Net Contents:

GEO. L. WILLIAMS CO.

5700 Train Ave.,

Cleveland, Ohio 44102

WARNING

KEEP OUT OF REACH OF CHILDREN. SEE LEFT
PANEL FOR FIRST AID AND ADDITIONAL PRE-
CAUTIONARY STATEMENTS.

USE DIRECTIONS

Apply **WILCO ODORLESS DISINFECTANT** to other hard surfaces such as tables, chairs and cloth or mop. For heavily soiled areas, a pre may be required.

For Hospitals & Nursing Homes: Add two of water.

At two ounces per gallon use-level, **WILCO O FECTANT** is effective against *Pseudomonas*, *Staphylococcus aureus*, *Salmonella cholerae*, *coli*, and pathogenic fungi. Germicidal perfor first four organisms has been confirmed by Dilution Test. Fungicidal performance was d *T. interdigitale* by the AOAC Fungicidal Test.

At 2 ounces per gallon the broad spectrum **WILCO ODORLESS DISINFECTANT** is shown action against the following additional organism

Brevibacterium ammoniagenes
Enterobacter aerogenes
Proteus mirabilis
Streptococcus pyogenes
Klebsiella pneumoniae
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae

* At two ounces per gallon use-level, **WILCO INFECTANT** is virucidal against Herpes Simp the virus family that causes infectious mononu (representative of the pox viruses), and influ Kong flue virus), on inanimate environmental se

For Schools, Institutional and Industrial Use per gallon of water.

At one ounce per gallon use-level, **WILCO INFECTANT** delivers excellent cleaning and is effective against *Staphylococcus aureus*, *Salmo*, *Escherichia coli*, and *Trichophyton interdigit* foot fungus. The same AOAC tests used abo able performance for hospitals were used.

For sanitizing add one-half ounce per galle **WILCO ODORLESS DISINFECTANT** for sanit of utensils, equipment, and other hard surfaces food processing equipment and utensils and faces, rinse thoroughly with potable water.

Rinse empty container with water before discar

ing concern not only,
ions, and industry.
s formulated for this
ly and is virucidal
e disinfecting action
on.

is an extremely
izes in waters up to
lerance is in excess
complete sanitizing

DISINFECTANT per
ms, garbage storage
al growth can cause

y cause severe eye
n irritation. Do not
armful, if swallowed.

n eyes or skin with
s. For eyes, call a
ontaminated clothing
ptly a large quantity
cian immediately.

WILCO ODORLESS

Disinfectant-Deodorizer-Fungicide-Virucide*
Sanitizer for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	50

Active Ingredients

Didecyl dimethyl ammonium chloride	4.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.0%
Sodium metasilicate, anhydrous	0.5%

Inert Ingredients	92.0%
	100.00%

EPA Registration No. 1638-7

Net Contents:

GEO. L. WILLIAMS CO.

5700 Train Ave., Cleveland, Ohio 44102

WARNING

KEEP OUT OF REACH OF CHILDREN. SEE LEFT
PANEL FOR FIRST AID AND ADDITIONAL PRE-
CAUTIONARY STATEMENTS.

ACCEPTED

May 1, 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1638-7

USE DIRECTIONS

Apply **WILCO ODORLESS DISINFECTANT** to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

For Hospitals & Nursing Homes: Add two ounces per gallon of water.

At two ounces per gallon use-level, **WILCO ODORLESS DISINFECTANT** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and pathogenic fungi. Germicidal performance against the first four organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance was determined against *T. interdigitale* by the AOAC Fungicidal Test.

At 2 ounces per gallon the broad spectrum effectiveness of **WILCO ODORLESS DISINFECTANT** is shown by its germicidal action against the following additional organisms.

Brevibacterium ammoniagenes
Enterobacter aerogenes
Proteus mirabilis
Streptococcus pyogenes
Klebsiella pneumoniae
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae

*At two ounces per gallon use-level, **WILCO ODORLESS DISINFECTANT** is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and influenza A₂ (the Hong Kong flue virus), on inanimate environmental surfaces.

For Schools, Institutional and Industrial Uses: Add one ounce per gallon of water.

At one ounce per gallon use-level, **WILCO ODORLESS DISINFECTANT** delivers excellent cleaning and is germicidal. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton interdigitale*, the athlete's foot fungus. The same AOAC tests used above to confirm suitable performance for hospitals were used.

For sanitizing add one-half ounce per gallon of water. Use **WILCO ODORLESS DISINFECTANT** for sanitizing and cleaning of utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, rinse thoroughly with potable water.

Rinse empty container with water before discarding.

ACCEPTED