

P-747 II has been formulated to aid in the reduction of cross-contamination in institutions, schools and hospitals.

P-747 II is a one-step disinfectant-cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors when used as directed. P-747 II is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.

When used as directed, P-747 II will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

— DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

— OPEN DUMPING IS PROHIBITED

— DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

P-747 II

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide* Deodorizer
with Organic Salt Tolerance for Hospitals, Institutional and Industrial Use

Active Ingredients

Deryl Decyl Dimethyl Ammonium Chloride	1.14%
Dioctyl Dimethyl Ammonium Chloride	0.57%
Didecyl Dimethyl Ammonium Chloride	0.57%
Allyl (c12, 50%; C12, 40%; C16, 10%)	
Dimethyl Benzyl Ammonium Chloride	1.52%
Water	96.20%
	100.00%

Net Ingredients

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

50 Gal. ☐ 20 Gal. ☐ 5 Gal. ☐ 1 Gal. ☐

EPA Registration No.
EPA Establishment No.
Net Contents

1638-12
1638-01-7

THE GEORGE L. WILLIAMS CO.

5700 Train Ave.

Cleveland, Ohio 44102

For Sale For Use And Storage By Maintenance Personnel Only

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

P-747 II is a proven "one-step" cleaner. The presence of moderate amounts of oil or grease will not prevent P-747 II from working. Apply P-747 II to walls, floors and other hard, non-porous surfaces. For heavily soiled surfaces, scrub with a stiff brush. For fresh stains, apply P-747 II to the stain and allow it to penetrate. For stubborn stains, scrub with a stiff brush. For mold and mildew, scrub with a stiff brush. For deodorizing, scrub with a stiff brush. For sanitizing, scrub with a stiff brush. For disinfecting, scrub with a stiff brush. For fungiciding, scrub with a stiff brush. For viruciding, scrub with a stiff brush. For deodorizing, scrub with a stiff brush. For sanitizing, scrub with a stiff brush. For disinfecting, scrub with a stiff brush. For fungiciding, scrub with a stiff brush. For viruciding, scrub with a stiff brush.

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella choleraesuis
Escherichia coli
Serratia marcescens
Klebsiella pneumoniae

ADAC Fungicidal Test
P-747 II at 1 gal. per gallon is an effective virucide (see label) when used on non-porous and hard surfaces, such as floors, walls and ceilings.

At 1 gal. per gallon, P-747 II will effectively deodorize surfaces when applied to hard, non-porous surfaces. Allow to dry for 15 minutes before use.

At 1 gal. per gallon use level, P-747 II is an effective sanitizer. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Serratia marcescens*, and *Klebsiella pneumoniae*. For effective sanitizing, scrub with a stiff brush. For effective disinfecting, scrub with a stiff brush. For effective fungiciding, scrub with a stiff brush. For effective viruciding, scrub with a stiff brush.

ACCEPTED

OCT 15 1982

Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registered under EPA Reg. No. 1638-12

BEST DOCUMENT AVAILABLE

in the reduction of cross-contamination. That is effective against a fungicidal, and will prevent bacteria when used as directed. Cleaner for use on non-food

deodorize surfaces in toilet stalls, garbage cans and garbage. Prevents bacterial growth on

animals

causes severe eye and skin irritation. Wear goggles or goggles. Harmful if swallowed.

DO NOT FEED BY STORAGE OR

DO NOT BE USED OR EXPOSED OF IN A LANDFILL. SAFE PLACE AWAY FROM

IN AN INCINERATOR OR OTHER MEANS, OR BURY IN A SAFE

AL AUTHORITIES FOR APPLICABLE LIMITED OPEN BUR-

P-747 II

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstop-Virucide-Deodorizer
with Organic Soil Tolerance for Hospitals, Institutional and Industrial Use

Active Ingredients:	
Decyl Decyl Dimethyl Ammonium Chloride	1.74%
Diethyl Dimethyl Ammonium Chloride	0.97%
Didodecyl Dimethyl Ammonium Chloride	0.83%
Allyl (C12, 90%; C12, 40%; C12, 10%)	1.32%
Dimethyl Benzyl Ammonium Chloride	94.20%
 inert Ingredients:	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

35 Gal. ☐ 30 Gal. ☐ 5 Gal. ☐ 1 Gal. ☐

EPA Registration No.
EPA Establishment No.
Net Contents

1638-12
1638-05-1

THE GEORGE L. WILLIAMS CO.

5700 Train Ave. Cleveland, Ohio 44102

For Sale For Use And Storage By Maintenance Personnel Only

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

P-747 II is a proven "one step" cleaner-disinfectant-sanitizer-fungicide-mildewstop-virucide in the presence of moderate amounts of organic soil.

Apply P-747 II to walls, floors and other hard (non-porous) surfaces (such as tables, chairs, counter tops, sinks and bathtubs) with a cloth, mop or mechanical spray device to be thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection: To disinfect hard, non-porous surfaces in hospitals, add 2 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, P-747 II is also virucidal, fungicidal and mildewstop. At 1 oz. per gallon P-747 II will disinfect hard non-porous surfaces in schools, industry and non-medical institutions.

Sanitizing: To sanitize porous or non-porous, non-food contact surfaces, add 1/4 oz. per gallon of water. Treated surfaces must remain wet for 30 seconds.

For hospitals and nursing homes, add 2 oz. per gallon of water.

The broad spectrum of P-747 II has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test.

<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella schottmulleri</i>
<i>Salmonella choleraesuis</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Serratia marcescens</i>	<i>Streptococcus ananiniensis</i>
<i>Klebsiella pneumoniae</i>	

AOAC Fungicidal Test

P-747 II at 1 oz. per gallon is an effective fungicide against *Trichophyton monophyllum* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, swimming facilities etc.

Mildew and Mold Control

At 1 oz./gallon, P-747 II will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in the general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance

*At 1 oz. per gallon use level, P-747 II was evaluated in the presence of 5% serum and found to be effective against Influenza A (Swine) Virus on non-porous environmental surfaces.


For schools, non-medical institutions and industrial use:

At 1 oz. per gallon of water, P-747 II delivers excellent cleaning and germicidal effectiveness. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Escherichia coli*. The same AOAC tests used above to confirm virucidal performance for hospitals were used.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.):

At 1/4 oz./gallon use-level P-747 II is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and non-porous environmental surfaces.

4/81



BEST DOCUMENT AVAILABLE