## SUGGESTED USE:

Place 4 ounces or more of contents of this package in locations frequented by rats and mice and protect from children, dogs, cats and livestock by means of bait boxes or cages where necessary. KNOX WARFARIN should be replenished as consumed. Use no decomposed, moldy or sour bait.

Where a continuous source of infestation prevails from nearby dumps or fields, permanent bait stations should be used and KNOX WARFARIN replenished as needed. TMIS BOX MAY BE USED AS A BAIT STATION. Protect as suggested in above paragraph. See directions at bottom of corton.

### **IMPORTANT NOTICE** BAITING SHOULD CONTINUE UNTIL COMPLETE LACK OF FEEDING IS NOTED. THIS SHOULD BE FROM FIVE TO FOURTEEN DAYS.

Be sure that sufficient KNOX WARFARIN is at hand to complete a continuous 14-day feeding program. If KNOX WARFARIN is exhausted before rats or mice have been completely eliminated, it is important to obtain additional KNOX WARFARIN promptly and avoid a delay of more than 1 or 2 days in the feeding program. Continuous, uninterrupted feeding is what gives you control.

MICE: To control mice follow the same general directions as for rats except bait placements may be smaller and more placements should be mode. Mice are more difficult to control than rats and complete control may take a longer period of baiting.

CAUTION: KNOX WARFARIN contains as its active ingredient on anti-coagulant chemical which if taken accidentally by humans, domestic animals, or pets may reduce the clotting ability of the blood and serious hemorrhage may result. In case baits are accidentally eaten, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS: When a human has been known to have accidentally ingested KNOX WARFARIN, blood transfusions with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by overdoses of Dicumarol.

To use as bait station cut,' carton and inside bag on. perforated lines to permit easy feeding. CAUTION — Always place WARFARIN baits where they are not available to humans, domestic animais and pets.

ACCEPTED

and the second s

S S 0 0\_  $\mathbf{ }$ 5 

M

Q

Ζ

C


X

G

D

フ

Ζ



6

KNOX CHEMICAL CO . CHICAGO ILLING CONST

A set of the set o

-

And the second second pt is a second pt in the second seco

#### . ,

Examplents of an KNOX WARTARING Control to implete scantactors 14 day for the program of KNOX WARFARIN when studie before cars at mice have been a coupletely alimation of a more control potal a adaption of KOA WARFARIN is a later and coupletely of more cardinal 2 days in the to dog according to the way of more cardinal adoption what is adoption of the scale of more cardinal adoption what to dog according to the way of more cardinal adoptions what is adoption of the scale of the scale of the scale of the scale of the to dog according to the scale of the scale of the scale of the scale of the to dog according to the scale of the scale of the scale of the scale of the to dog according to the scale of the scale of

المهام بالازدام من الى الأوراد الحادي المحاد المحاد منهمان المحاد والمحاد المحادي من المحادي من المحادي من الم المادة حدث الحادي المحطق الحدث المحاد المحاد المحاد المحاد المحاد المحادي المحادي المحاد المحاد المحاد المحاد الأوراد محودي الحام من المحلة المحاد المحاد المحاد المحاد المحاد المحادي المحاد المحاد المحاد المحاد المحاد الم الأوراد الأوراد المحاد المح

Algoria in a second se second seco

- The Street Are Are

0


Z

••

 $\mathbf{O}$ 

J)

Z



ete RIN m1-RIN the hat

a۶ ore lori of

ient by ling , In salt ear

n to auz. min ver-

YN PLATE ₩<sup>\$</sup>\\*\*# lable ta The second

S •• ら  $\mathbf{Q}$ 

ACTIVE INGREDIENTS 3- (a-acetonylbenzyl)-4-hydroxycoumarin, Warfarin N1-(2-quinoxalinyl) sulfanilamide, (Sulfaquinoxaline) INERT INGREDIENTS

\*T.M. Of The Wisconsin Alumni' Research Foundation. U.S. Patent No. 2,427,578. Other Patent Application Pending. U.S. Patent No. 2,427,578.

CAUTION: KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

Place bait along walls, in corners and concealed locations. For mice 14 to 1/2 ounce placed at 8 to 12 foot intervals should be maintained at least 15 days." (See back panel for additional directions.)

KNOX CHEMICAL CO.

# KILLS RATS MICE

# READY-TO-USE PREPARED BAIT

### CHICAGO, ILLINOIS 60611 $\bullet$

0.025%

0.025%

99.950%

100.000%