

CONTENTS

GALLONS

M⁴F

MURDER FOR

Flies

DILUTION TABLE	AMT. OF SPRAY REQUIRED	USE THIS AMOUNT OF MALATHION	SUGAR
	1 gal.	3 oz.	½ cup or ¼ lb.
	6 gals.	1 pint	1½ lbs.
	12 gals.	1 quart	3 lbs.

Use these mixtures for an attractant (bait) spray for the reduction of flies.

DIRECTIONS FOR USE

For reduction of flies in farm buildings, apply a spray of one pint "M 4 F" Concentrate to six gallons of water. Apply to thoroughly wet surfaces where flies alight or congregate such as ceilings, windows and door areas, walls, fences, manure piles, around garbage cans, etc. Repeat as necessary.

The use of up to one lb. of sugar per gallon of finished spray may have merit and add to the attractant qualities of the bait spray.

Apply as a spray to the run off stage or as a paint where flies rest—such as ceilings, walls, door areas, windows and beams of dairy, horse, calf and hog barns, and poultry houses. Also on exterior door and window areas around milk rooms, or food and milk processing plants, fences, manure piles and similar locations. Control fly larvae breeding by spot treating known breeding areas paying particular attention to barn gutters, litter in calf and bull pens, manure pits and other refuse collection spots.

Note: The above recommendations for Malathion sugar bait spray will give a reasonable period of residual fly control. However, good general sanitation practices are necessary to keep fly breeding activities to a minimum.

CAUTION

Do not use in dwellings, milk rooms or milk processing plants. Remove animals and poultry from buildings before treating. Avoid contamination of feed and food products and equipment.

CAUTION: KEEP CONTAINER CLOSED AND AWAY FROM HEAT AND FLAME

CAUTION: Harmful if inhaled, swallowed or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Store away from children, domestic animals and food stuffs.

In case of contact wash with soap and water—for eyes, get immediate medical attention. Seller makes no warranty of any kind, expressed or implied concerning the use of this product. Buyer assumes all risk of use or handling whether in accordance with directions or not.

KNOX CHEMICAL COMPANY

1645-33

Jul 19 1967

FEDERAL
 PESTICIDE ACT
 REGISTERED
 SUBJECT
 COMMENTS

CONTENTS

GALLONS

U. S. D. A. Reg. No. 1645-33

M⁴F

MURDER FOR Flies



Kills Flies Resistant to DDT and Other Chlorinated Insecticides

	AMT. OF SPRAY REQUIRED	USE THIS AMOUNT OF MALATHION	SUGAR
DILUTION	1 gal.	3 oz.	1/2 cup or 1/4 lb.
TABLE	6 gals.	1 pint	1 1/2 lbs.
	12 gals.	1 quart	3 lbs.

Use these mixtures for an attractant (bait) spray for the reduction of flies.

ACTIVE INGREDIENTS

Malathion* 57.0%

Xylene 35.0%

INERT INGREDIENTS 8.0%

Total 100.0%

*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

CAUTION KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

DIRECTIONS FOR USE

For use as a fly attractant (bait) spray. Mix the concentrate with water. Apply to the spray with a pump where flies alight or congregate. Use in barns, stalls, windows, fences, manure piles, and other areas. Repeat as necessary.

The use of up to 12 gallons of spray per acre of treated property is recommended and add to the attractant quality of the bait spray.

Apply as a spray to the run-off stage areas of paint with a fine mist, such as ceilings, walls, door areas, windows and beams of dairy, horse, calf and hog barns and poultry houses. Also on exterior door and window areas around milk rooms or food and milk processing plants, fences, manure piles and similar locations. Control fly larvae breeding by spot treating known breeding areas paying particular attention to barn gutters, litter in calf and pig pens, manure pits and other refuse collection spots.

Note: The above recommendations for Malathion sugar bait spray will give a reasonable period of residual fly control. However, good general sanitation practices are necessary to keep fly breeding activities to a minimum.

CAUTION

Do not use in dwellings, milk rooms or milk processing plants. Remove animals and poultry from buildings before treating. Avoid contamination of feed and food products and equipment.

CAUTION: KEEP CONTAINER CLOSED AND AWAY FROM HEAT AND FLAME

CAUTION: Harmful if inhaled, swallowed or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Store away from children, domestic animals and food stuffs.

In case of contact wash with soap and water. For eyes get immediate medical attention. Seller makes no warranty of any kind, expressed or implied concerning the use of this product. Buyer assumes all risk of use or handling, whether in accordance with directions or not.

18 EAST KINZIE STREET

KNOX CHEMICAL COMPANY

CHICAGO, ILLINOIS

1645-33

Jul 19 1967