

CONTENTS

GALLONS

U. S. D. A. Reg. No. 1645-42

FOR INDUSTRIAL USE ONLY

# KNOX FORMULA "M-M-L"

**KILLS — resistant roaches, flies, mosquitoes,  
gnats, waterbugs, silverfish, ants and  
certain other insects.**

## FOR RESIDUAL AND CONTACT SPRAYING

KNOX FORMULA "M-M-L" knocks down and kills many flying and crawling insects as either a residual insecticide or as a contact spray. The multi-mixture of Malathion combined with Lindane and Methoxychlor gives extra effectiveness, faster knockdown with high kills. ONE GALLON WILL RESIDUALLY TREAT 1,000 SQUARE FEET OF SURFACE.

**ROACHES, WATERBUGS AND SILVERFISH:** Thoroughly wet infested cracks and hiding places, wetting the surface frequented by these pests. Repeat application as often as necessary to maintain an effective residual deposit of KNOX FORMULA "M-M-L". **ANTS:** Spray ants, ant trails, areas around door sills and window frames where the pests enter the premises. Repeat as often as necessary.

**FLIES, MOSQUITOES, AND GNATS:** For residual control wet thoroughly all areas where these insects alight or crawl, making spot application around doors, screens and wall surfaces wherever the insects alight or congregate.

**FOR OUTDOOR USE:** Spray KNOX FORMULA "M-M-L" on outside walls, sidewalks, mats and window screens. Repeat application as often as necessary.

## CAUTION

Do not use near open flame. Do not use in milk rooms or food processing rooms. Remove animals from buildings before treating. Do not use on poultry or in poultry houses. Do not use in dwellings. Do not treat plants or animals.

Avoid skin contact, prolonged inhalation of vapors and the contamination of foodstuffs and food containers. Harmful if swallowed. Malathion, upon repeated or prolonged use, may cause cholinesterase inhibition. Should poisoning occur, obtain prompt medical aid. Atropine is antidotal.

**KEEP OUT OF REACH OF CHILDREN**

## ANTIDOTE

**EXTERNAL —** Wash with soap and water. **INTERNAL —** Drink emetic of mustard, call physician.

<b>ACTIVE INGREDIENTS:</b>	100%
Malathion*	2.00%
Methoxychlor, Technical	3.00%
Gamma isomer of benzene hexachloride from Lindane	30%
Methylated Naphthalenes	17.00%
Petroleum Distillates	77.70%

\*0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate.

\*\*3% Methoxychlor, Technical is equivalent to 2.61% of 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and .36% other isomers and reaction products.

Manufactured by

**KNOX CHEMICAL COMPANY**

18 E. KINZIL ST.

CHICAGO, ILLINOIS 60611

**ACCEPTED**

FOR INDUSTRIAL USE ONLY  
EFFECTIVE AND RESIDENTIAL  
FOR OUTDOOR PESTS ONLY  
U. S. D. A. REG. NO. 1645-42

CONTENTS

GALLONS

U. S. D. A. Reg. No. 1645-49

FOR INDUSTRIAL USE

## KNOX RESIDUAL "D" INSECTICIDE

**KILLS — resistant roaches, flies, mosquitoes,  
gnats, waterbugs, silverfish, ants,  
and certain other insects.**

**FOR RESIDUAL AND CONTACT SPRAYING**

Knox Residual "D" Insecticide containing Diazinon knocks down and kills many flying and crawling insects as either a residual insecticide or as a contact spray. ONE GALLON WILL RESIDUALLY TREAT 1,000 FEET OF SURFACE. For use only in nonedible food departments and for docks and outdoor spraying as noted.

**ROACHES, WATERBUGS AND SILVERFISH:** Thoroughly wet infested cracks and hiding places, wetting the surface frequented by these pests. Repeat application as often as necessary to maintain an effective residual deposit of KNOX RESIDUAL "D" INSECTICIDE.

**ANTS:** Spray ants, ant trails, areas around door sills and window frames where the pests enter the premises. Repeat as often as necessary.

**FLIES, MOSQUITOES, AND GNATS:** For residual control, wet thoroughly all areas where these insects alight or crawl, making spot application around doors, screens and wall surfaces wherever the insects alight or congregate.

**FOR OUTDOOR USE:** Spray KNOX RESIDUAL "D" INSECTICIDE containing Diazinon on outside walls, sidewalks, mats and window screens. Repeat application as often as necessary. (Minimum 14-day intervals.)

### CAUTION

**KEEP OUT OF REACH OF CHILDREN**

Do not use in dwellings. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. May be absorbed through skin. Avoid breathing of vapors. Harmful if swallowed. Diazinon, upon repeated or careless use, may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. Atropine is antidotal.

Do not spray in areas where the affected insect may fall into food, food containers or food processing equipment.

Do not treat plants or animals. Remove animals and poultry from buildings before treating.

Do not use near open flame.

### ANTIDOTE

**EXTERNAL—**Wash with soap and water. **INTERNAL—**Drink emetic of mustard, call physician.

### ACTIVE INGREDIENTS:

Petroleum Distillates

99.00%

O, O-Diethyl O-(2-Isopropyl-  
4-Methyl-6-Pyrimidinyl)

Phosphorothioate

1.00%

Manufactured by

**KNOX CHEMICAL COMPANY**

DEERFIELD

CHICAGO, ILL. 60631

