

[1645-52]

ARMOUR STANDARD AEROSOL "A"

U.S.D.A. REG. NO. 1645-52

DIRECTIONS

Always hold dispenser upright, point valve away from face. Press or push button to release spray. Use sparingly.

FLIES -- Spray high upward toward ceiling, directing the spray in all parts of the room; from 2 to 4 seconds is sufficient for 1000 cubic feet. For best results close doors and windows for 15 minutes. Repeat treatment as necessary.

FRUIT FLIES -- Treat local infestations by attempting to contact the fruit flies with the dry mist particles. Spray balance of area by spraying high toward ceiling in all parts of area. 2 to 4 seconds is sufficient per 1000 cubic feet. For best results close doors and windows for 15 minutes.

CEREAL MOTHS, ROACHES, SILVERFISH - Close doors and windows and confine the mist to control the accessible stages. Treat all areas using a dosage of 2 to 4 seconds per 1000 cubic feet. Direct the spray into all corners; behind and between all stored products; into cracks and crevices. Repeat weekly or oftener.

ACTIVE INGREDIENTS

Pyrethrins	0.5 %
Technical Piperonyl Butoxide	4.0 %
Petroleum Distillate	5.5 %
INERT INGREDIENTS	90.0 %

† Equivalent to 3.2% (butylarbutyl-6-propylpiperonyl ether) and 0.8% related compounds

CAUTION


Do not use in areas where there is a heavy high temperature. Do not spray on wall-to-wall carpeting, composition tile or plastic.

This spray should be used in food processing plants when they are not in operation. Foods should be removed or covered during treatment and food processing surfaces should be covered or thoroughly cleaned before using.

Net Contents 16 Ounces

KNOX CHEMICAL CO.

CHICAGO, ILL. 60611



ACCEPTED

FEB 8 1967

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 1645-52

To Control . . .

- | | |
|--------------------|---------------------|
| FLIES | ROACHES |
| MOSQUITOES | SILVERFISH |
| FRUIT FLIES | CEREAL MOTHS |

and similar insects.

CAUTION KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

For use in meat industry plants and branch houses, dairy plants, and other places where edible food products are processed. Non-toxic to humans and pets.