DOTA CONTROLIOCA

20 MULE POWER'

655-4R

Removes the toughest hard water dirt and soap scum. Cleans and shines all hard surfaces in the hospital, home, public, or industrial bathroom.

DISINFECTS HARD SURFACES. Removes mildew and black mold and prevents regrowth for up to 30 days. Kills staph and strep germs and aihlete's foot fungus. Apply weekly for maximum effectiveness.

be cleaned. Allow sufficient time to wet surface to thoroughly. 2. Wipe with damp cloth or sponge or rinse off.

3. On heavily soiled surfaces allow 2 to 5 minutes for spray to penetrate and use non-scratching pad or brush, then rinse.

4. If sprayed on varnish, shellac, water-based paint, marble or wallpaper, rinse immediately.

CAUTION: Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Avoid breathing spray mist. Get medical attention if irritation occurs and persists. May be harmful if swallowed. If swallowed consult a physician. Do not use, pour, spill or store near heat or open flame. DISPOSAL: DO NOT USE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

© 1975 USBCC DISTRIBUTED BY: USBORAX

A MEMBER OF THE RTZ GROUP

UNITED STATES BORAX & CHEMICAL CORPORATION

3075 WILSHIRE BLVD, LOS ANGELES, CA 90010

EPA Reg. No. 1624-110 EPA Est. No. 1730-14-1

——6 Point News Gothic Condensed

7 Point Alternate Gothic No. 1

Color Codes: Blue - LD 12791 - Diamond International Co.

Red - DIR 465 - Diamond International Co.

Black - LK 13219 - Diamond International Co.

ITEM 121

Hillyard

Sani-Septo.

BOWL CLEANER CONCENTRATE

CLEANS-L'SINFECTS-DEUDORIZES

E P A Reg. No. 1658-18

Active Ingredients

Hydrogen chloride 25.00%
Orthophenylphenol 0.40%
Alkyl (C₁₄-50%, C₁₂-40%, C₁₆10%) dimethyl benzyl ammonium
chlorides 0.05%
Isopropyl alcohol 0.06%

Inert Ingredients

Total

74.49%

Bowl Cleaner Concentrate contains detergents, penetrating, wetting, and emulsifying agents, inhibitors and deadorizing agents.

DANGER A POISON

KEEP OUT OF REACH OF CHILDREN

See antidote statement and other required precautionary statements on the back panel.

81-8-501

FRUIT

trap with boryl swab H id better were Lizer to saturate with SAM: SEPTO Rub learer were treached the bowl and up under flush ring Flush and more one bowl swab. To clean out flush ring, imject SANI SEPTO into holes of flush ring using Hillyard I-Klenze syringe or poly dispenser cap.

DANGER - CORROSIVE MAY BE FATAL IF SWALLOWED PRODUCES CHEMICAL BURNS

Do not breathe vapor or fumes. Do not get in eyes, on skin or clothing. Do not use with bleaches. Do not use on bathtubs, washstands, sinks or other metal or enameled fixtures. Rinse empty container thoroughly with water and discard it.

ANTIDOTE

EXTERNAL: Wipe off the acid gently. Immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda. EYES: Flood with water for 15 minutes. GET PROMPT MEDICAL ATTENTION.

INTERNAL: CALL PHYSICIAN IMMEDIATELY. Drink a teaspoonful or more of magnesia, chalk, whiting or small pieces of soap softened with water, in milk, mucilage or raw egg white.

Manufactured by HILLYARD CHEMICAL COMPANY St. Joseph, Missouri 64502 U.S.A.

373

Hillyard

Sani Sanio.

BOWL CLEANER CONCENTRATE

CLEANS-LISINFECTS-DEUDORIZES

E P A Reg. No. 1658-18

Active Ingredients

Hydrogen chloride 25.00%
Orthophenylphenol 0.40%
Alkyl (C₁₄-50%, C₁₂-40%, C₁₆10%) dimethyl benzyl ammonium chlorides 0.05%
Isopropyl alcohol 0.06%

Inert Ingredients

Total

74.49%

Bowl Cleaner Concentrate contains detergents, penetrating, wetting, and emulsifying agents, inhibitors and deodorizing agents.

DANGER & POISON

KEEP OUT OF REACH OF CHILDREN

See antidote statement and other required precautionary . statements on the back panel.

FOR THE REMOVAL OF STAINS AND ENCRUSTATION ...
FROM VITREOUS TOILET BOWLS AND URINALS

DIRECTIONS: Remove water from bowl by forcing over trap with bowl swab. Hold bottle over bowl or urinal and saturate with SANI-SEPTO. Rub cleaner over the surface of the bowl and up under flush ring. Flush and rinse out bowl swab. To clean out flush ring, inject SANI-SEPTO into holes of flush ring using Hillyard I-Klenze syringe or poly dispenser cap.

DANGER - CORROSIVE MAY BE FATAL IF SWALLOWED PRODUCES CHEMICAL BURNS

Do not breathe vapor or fumes. Do not get in eyes, on skin or clothing. Do not use with bleaches. Do not use on bathtubs, washstands, sinks or other metal or enameled fixtures. Rinse empty container thoroughly with water and discard it.


ANTIDOTE

EXTERNAL: Wipe off the acid gently, Immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda. EYES: Flood with water for 15 minutes. GET PROMPT MEDICAL ATTENTION.

INTERNAL: CALL PHYSICIAN IMMEDIATELY. Drink a tea spoonful or more of magnesia, chalk, whiting or small pieces of soap softened with water, in milk, mucilage or raw egg white.

Manufactured by HILLYARD CHEMICAL COMPANY
St. Joseph, Missouri 64502 U.S.A.

3/3



Sani-Septo

FOR THE REMOVAL OF STAINS AND ENCRUSTATIONS FROM VITREOUS TOILET BOWLS AND URINALS

DIRECTIONS: Remove water from bowl by forcing over trap with bowl swab. Hold bottle over bowl or urinal and saturate with SANI-SEPTO. Rub cleaner over the surface of the bowl and up under flush ring. Flush and rinse out bowl swab. To clean out flush ring, inject SANI-SEPTO into holes of flush ring using Hillyard I-Klenze syringe or poly dispenser cap.

DANGER - CORROSIVE MAY BE FATAL IF SWALLOWED PRODUCES CHEMICAL BURNS

Do not breathe vapor or fumes. Do not get in eyes, on skin or clothing. Do not use with bleaches. Do not use on bathtubs, washstands, sinks or other metal or enameled fixtures. Rinse empty container thoroughly with water and discard it.

ANTIDOTE

EXTERNAL: Wipe off the acid gently. Immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda. EYES: Flood with water for 15 minutes. GET PROMPT MEDICAL ATTENTION.

INTERNAL: CALL PHYSICIAN IMMEDIATELY. Drink a teaspoonful or more of magnesia, chalk, whiting or small pieces of soap softened with water, in milk, mucilage or raw egg white.

Manufactured by HILLYARD CHEMICAL COMPANY
St. Joseph, Missouri 64502 U.S.A.

373